

<b>1 LOCATION OF WATER WELL:</b>		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgwick</u>		<u>NE 1/4 NE 1/4 SE 1/4</u>	<u>9</u>	T <u>27</u> S	R <u>2</u> EW
Distance and direction from nearest town or city street address of well if located within city? <u>Approx- 1700' N. 13th St &amp; Greenwich Rd intersection And 1100' W. Greenwich Rd, Wichita, KS</u> <span style="float:right;"><u>SAL-04D</u></span>					
<b>2 WATER WELL OWNER:</b> <u>Raytheon Aircraft Co.</u>		Board of Agriculture, Division of Water Resources Application Number: <u>NA</u>			
RR#, St. Address, Box #: <u>9709 E. Central</u>					
City, State, ZIP Code: <u>Wichita, KS 67206</u>					
<b>3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:</b>		<b>4 DEPTH OF COMPLETED WELL:</b> <u>105</u> ft. <b>ELEVATION:</b> <u>1379.51</u>			
<p>A 2x2 grid representing a section box. The quadrants are labeled NW, NE, SW, and SE. An 'X' is drawn in the SE quadrant. To the left of the grid is a vertical scale bar labeled '1 Mile'. To the right of the grid is a horizontal scale bar labeled '1 Mile'.</p>		Depth(s) Groundwater Encountered 1. <u>NA</u> ft. 2. _____ ft. 3. _____ ft.			
		WELL'S STATIC WATER LEVEL <u>58.72</u> ft. below land surface measured on mo/day/yr <u>1/22/96</u>			
		Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm			
		Est. Yield _____ gpm; Well water was _____ ft. after _____ hours pumping _____ gpm			
		Bore Hole Diameter <u>6"</u> in. to _____ ft., and _____ in. to _____ ft.			
		WELL WATER TO BE USED AS: 5 Public water supply    8 Air conditioning    11 Injection well 1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial    7 Lawn and garden only    ⑩ Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No... <u>X</u> ..... If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes _____ No <u>X</u>			
<b>5 TYPE OF BLANK CASING USED:</b>		<b>CASING JOINTS:</b> Glued _____ Clamped _____			
1 Steel      3 RMP (SR)		5 Wrought iron      8 Concrete tile			
② PVC      4 ABS		6 Asbestos-Cement      9 Other (specify below)      Welded _____			
Blank casing diameter <u>0.0</u> in. to <u>95.0</u> ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.		7 Fiberglass      Threaded... <u>X</u>			
Casing height above land surface <u>0.0</u> in., weight <u>Sch 40</u> lbs./ft. Wall thickness or gauge No. _____					
<b>TYPE OF SCREEN OR PERFORATION MATERIAL:</b>		① PVC      10 Asbestos-cement			
1 Steel      3 Stainless steel      5 Fiberglass      8 RMP (SR)      11 Other (specify) _____		2 Brass      4 Galvanized steel      6 Concrete tile      9 ABS      12 None used (open hole)			
<b>SCREEN OR PERFORATION OPENINGS ARE:</b>		5 Gauzed wrapped      8 Saw cut      11 None (open hole)			
1 Continuous slot      ③ Mill slot      6 Wire wrapped      9 Drilled holes		2 Louvered shutter      4 Key punched      7 Torch cut      10 Other (specify) _____			
<b>SCREEN-PERFORATED INTERVALS:</b> From <u>95</u> ft. to <u>105</u> ft., From _____ ft. to _____ ft.					
<b>GRAVEL PACK INTERVALS:</b> From <u>93</u> ft. to <u>105</u> ft., From _____ ft. to _____ ft.					
<b>6 GROUT MATERIAL:</b> 1 Neat cement      ② Cement grout      ③ Bentonite      4 Other _____					
Grout Intervals: From <u>0.0</u> ft. to <u>88</u> ft., From <u>88</u> ft. to <u>93</u> ft., From _____ ft. to _____ ft.					
What is the nearest source of possible contamination:		10 Livestock pens      14 Abandoned water well			
1 Septic tank      4 Lateral lines      7 Pit privy      11 Fuel storage      15 Oil well/Gas well		2 Sewer lines      5 Cess pool      8 Sewage lagoon      12 Fertilizer storage      16 Other (specify below)			
③ Watertight sewer lines      6 Seepage pit      9 Feedyard      13 Insecticide storage					
Direction from well? <u>South</u>		How many feet? about <u>1/4 mile</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	27	Silty Clay; gypsum rocks;			
27	35	Silty shale, gypsum pieces			
35	42	Gypsum			
42	55	Silty shale; gypsum layer from 48'-5'			
55	65	Gypsum			
65	75	Silty shale			
75	80	Gypsum			
80	99.5	Silty shale, gypsum laminations; 1" thick GYPSUM layer at 90.5			
99.5	105	Gypsum			
<b>7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>12/13/95</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>597</u> . This Water Well Record was completed on (mo/day/yr) <u>2/15/96</u> under the business name of <u>Alliance Environmental, Inc.</u> by (signature) <u>[Signature]</u>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					