1 LOC	ATION OF WA	ATER WELL:	FRACTION CIA	Water Well Reco		Section Number	Township Number	Range Number	
Sedgwick N			NE 1/4	SW 1/4	EE 1/4	11	T 27 s	25	
Distance and direction frem nearest town or city street address of well if located within city?									
1561 Castle Rock Wichita, Kansas									
$\overline{}$	ATER WELL			Ita, Kan	sas				
WATER WELL OWNER: MC MINN, Bill RR#, ST. ADRESS, BOX#: 1561 Castle Rock Beard of Agriculture, Divivsion of Water Resource									
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:									
			DEPTH OF COM		78	ft. EL	EVATION:	1.	
	" IN SECTIO	N BOY:	epth(s) groundwa		1	ft.	2 ft.	3 ft.	
l t			LL'S STATIC WA				URFACE MEASURED ON mo/day/yr	04/02/1997	
		WE	Pump test	-	water was	ft.	_		
Ι'	NW	NE	Yield		water was	it. ft.	after hours pum after hours pum		
1 Mile			Hole Diameter	gpm: Well 12 in.		ft.		ping gpm to ft.	
\ \frac{1}{2} \ \frac{1}{2}		I I	LL WATER TO B		to 78 5 Public wate			njection well	
1			1 Domestic	3 Feedlot	6 Oil field wa		•	Other (Specify below)	
11	SW		2 Irrigation	4 Industrial			10 Monitoring well	diei (Speeny below)	
							o /dov/va comunic mos		
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes Y No									
5 Wrought from 6 Concrete the Charles A Champer									
2 PV		4 ABS		Copera			y below) Welded Threaded		
<u> </u>	_		4. 40			DR-26	_		
Blank casing Diameter 5 in. to 48 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
2 Bra		4 Galvanized steel		6 Concrete tile		O ABS	12 None used (op	·	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
l .	nous slot	3 Mill slot	GARE.				9 Drilled holes	11 None (open note)	
J. Lawrench and J. Lawrench an									
/ Iolen cut									
in to 70 in, From								ft.	
GRAVEL PACK INTERVALS: from 24				_	t. to	ft., Froi		ft.	
				ft. to 78 ft. to		ft., Fro		ft.	
from ft. to ft., From ft. to ft. GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
	ntervals:	_	to 24	ft. From	ft.				
What is the nearest source of possible contamination:				ic riom	16.	10 Livest	ft. From ock pens 14 A	ft. to ft. bandon water well	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel s	4	_	
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertil		15 Oil well/Gas well 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit			•	9 Feedyard		13 Insect	Holde storage	Apparent	
Direction from well? How many feet?							Apparenc		
FROM TO LITHOLOGIC LOG					FROM	то	PLUGGING INTER	RVALS	
0	4	topsoil							
4	12	clay							
12	78	shale							
			W. E. P. C.						
								Annual III	
								2000	
								11.00	
							AL /ART	444	
				11/19/1					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No									
Under the business name of HarpWell&PumpServiceInc by (signature)									
						,, ,	Todd S	. Harp	
								/	