				Water Well Record	Form WWC-5	KSA 82a-1212		
1 LOCA	TION OF W	ATER WELL:	FRACTION	ı		Section Number	Township Number	Range Number
	Sedgy	wick	SE	1/4 SE 1/4 N	IE 1/4	4	т 27 s	R 2E E/W
Distance and direction frem nearest town or city street address of well if located within city?								
L K-	96 aı	nd Greenw	ich Inte	rchange	Wichit	a, Kans	as	
$\overline{}$	TER WELL			RTMENT OF TR	ANSPORT	TATION		
RR#, ST. ADRESS, BOX#: 3200 E. 45th St. N. Board of Agriculture, Divivsion of Water Resource								ivivsion of Water Resource
CITY	CITY, STATE, ZIP CODE: Wichita, Kansas					67220 Application Number:		
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPCIATION WELL 50 ft. ELEVATION:								
AN "X	" IN SECTIO	N BOX:		undwater Encountered	1	ft.	2 ft.	3 ft.
1 1			WELL'S STAT	IC WATER LEVEL 14	FT.	BELOW LAND S	URFACE MEASURED ON mo/day/yr	07/15/1999
	NW	NE.	Pum	ıp test data: Well v	vater was	ſt.	after hours pum	ping gpm
6.	1		Est. Yield	- OI	water was	ft.	after hours pum	ping gpm
1 Wile	,	X _E		eter unknown in.	to	ſt.	and in.	to ft.
WELL WATER BE USED AS: 5 Public water supply 8 Air conditioning							8 Air conditioning 11 Is	njection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering							9 Dewatering 12 C	Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
ţ	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes X No								
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped								
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded								
2 PVC	ĩ	4 ABS		7 Fiberglass	1:	aid roc	c T	hreaded X
Blank		eter 36	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
		and surface		in., weight		lbs. / ft.	Wall thickness or gauge No.	
1		EN OR PERFORA	TION MATERIA	 :		PVC	10 Asbestos-ceme	
1 Stee		3 Stainless Steel	_	5 Fiberglass		RMP (SR)	11 other (specify	N/A
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								, i
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped							8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louve	red shutte	r 4 Key p	unched	7 Torch	cut		10 Other (specify) N/	'A
SCREEN-PERFORATION INTERVALS: from ft. to ft., From ft. to ft.								
from ft. t					to	ft., From ft. to ft		ft.
GRAVEL PACK INTERVALS: from ft.					to	•		n.
from ft. to ft., From ft. to								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug								
Grout Intervals: From 3 ft. to 12 ft. From ft. to ft. From 12 ft. to 25 ft.								
What is the nearest source of possible contamination:						10 Livestock pens 14 Abandon water well		
1 Septic tank 4 Lateral lines				- ·	7 Pit privy 11 Fuel storage 15 Oll well/Gas well			
2 Sewe		5 Cess	-	8 Sewage lago	12 Toron Al-11 - 4			
Swatchight sewer mies 6 Seepage pit 9 Feedyard None Apparent								
Direction from well? How many feet?								
FROM	ТО		LITHOLOGIC I	.0G	FROM	TO	PLUGGING INTER	RVALS
					10	3	topsoils	
				····	3	12	cement grout	
					12 25	50	bentonite hole chlorinated san	
					145	130	CHIOIIHACEG SAIL	d and graver
						1		
				The state of the s	1		The state of the s	
					-	- - 		
			·					an was said.
					-	1		
					1			
					1			
				W. P. A. A. M. C				
					f		****	
7 CON		NDIG		. This weter	1	-d (0) :		in minutinAtions or of
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)								
Well Contractor's License No236								
Under the business name of Harp. Well. & Pump. ServiceInc by (signature)								
Todd S. Harp								