Jugar	TION OF W	TED WELL.	FRACT	ION	Wat	er Well Rec	ord Form	WWC-5	KSA 82a-1212 Section Number	T 11.21		Po-se Nun-1
1 LOCATION OF WATER WELL: Sedgwick			SW	1/4	NE	1/4	SW	1/4	Section Number	Township Nu		Range Number
Distance and direction frem nearest town or city street address of well if loca							DN	117	<u> </u>	1 T Z/	S	R ZE E/W
13	308 0	astlewood	i.				W	lich	ita, Ka	nsas		
	TER WELL O		Staci	е								
RR#, ST. ADRESS, BOX#: 13308 Castlewood Board of Agriculture, Divivision of Water Res											vivsion of Water Resource	
	STATE, ZIP		<u>lita, K</u>			Application Number:						
	E WELL'S L IN SECTIO	001111011111111	DEPTH Depth(s)		MPLETEI		, ; 1	83	ft. E	LEVATION: 2	ft.	3 ft.
l +		<u> </u>	WELL'S ST	-			_	FT.		Z SURFACE MEASURED		04/19/2001
ļ				ump tes			ر د ا water		ft.	after	hours pum	•
	NW	·····NE	Est. Yield	•	gpm:		l water		ft.	after	hours pum	- 0
1 Mile Mile		E	Bore Hole Di	ameter	10	in.	to	83	ft.	and	in.	to ft.
=			WELL WAT						r supply	8 Air conditionin	•	njection well
l 1	syX		1 Domes		3 Feed! 4 Indus	_			ter supply arden only	9 Dewatering 10 Monitoring we		Other (Specify below)
			2 Irrigat						epartment? Yes	S		o/day/yr sample was
*		S	submitted	Cal/ Dacu	eriologica	ı sampte	SUDMILLE	ea to De	•	vater Well Disinfect		X No
5 TYI	PE OF CA	SING USED:			5 Wro	ught iro	n	8	Concrete tile	CASING J		lued X Clamped
1 Steel	i	3 RMP (SR)			6 Asbe	stos-Cen			Other (Specify	below)		/elded
2 PVC	:	4 ABS			7 Fiber	rglass		S	DR-26		T	hreaded
	sing Diam	_	in. to 4	:3	ft.,	Dia		in.		ft., Dia	in.	to ft.
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214												
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)												- -
2 Brass 4 Galvanized steel 6 Concrete tile								9 ABS 12 None used (open hole)				
SCREEN OR PERFORATION OPENING ARE: 5 Gauzee								vrapped 8 Saw cut 11 None (open h				
1 Continous slot 3 Mill slot 6 Wire wra								rapped 9 Drilled holes				
2 Louve	red shutte	r 4 Key pu	mched			7 To	rch cut			10 Other (sp	ecify)	
SCREE	N-PERFO	RATION INTERV	ALS: fr	om 43	3	;	ft. to 8	3	ft., Fr	om	ft. to	ft.
GRAVEL PACK INTERVALS: from 24						ft. to			ft., From		ft. to	ft.
						ft. to			ft., Fr ft., Fr		ft. to ft. to	ft. ft.
6 GRO	UT MAT	ERIAL: 1 Neat o			Cement gr		ii io	3 Bei	ntonite			
Deliconite note plug											ft. to 24 ft.	
What is t					10 Livestock pens		14 Abandon water well					
1 Septic tank 4 Lateral lines					7 Pit privy					storage	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit					8 Sewage lagoon 9 Feedyard					ilizer storage cticide storage	16 Other (specify below)	
	rtight sewe		ige pit		9 1	eedyard				J	-49 OF	
FROM	TO		LITHOLOGI	C LOG			F	ROM	ТО	How many fo	GGING INTE	RVALS
0	4	topsoil								-		
4	20	clay		•								
20	83	shale										

									:			
										•		
							_					
							\dashv					
						***************************************			1			
7 CON	NTRACTO	R'S OR LANDOWNE	R'S CERTIFICA	TION: TI	nis water	well wa	s (1) co	nstruct	ed. (2) recons	structed, or (3) plu	gged under r	ny jurisdiction and
Was co	ompleted	on (mo/day/year)	0.4	/19/	01		and	this re	cord is true to	the best of my kr	nowledge and	belief. Kansas Water
Well C	ontracto	r's License No	236		This Wa	iter Well	Record	d was c	ompleted on	(mo/day/yr)	04/2	5/01
Under	the busi	ness name of.Ha	rrb wen	·牪····ጵ··	rimb	ser	ATCE	.v#1	ik다 by (si	gnature)	Todd !	S. Harp