- I				Water Well Record	Form WWC-5	KSA 82a-1212			
		ATER WELL:		E SENESW		Section Number	Township Number	Range Number	
			5/E 1/4	1,7	E 1/4	11	T 27 S	R 2E E/W	
Distance and direction frem nearest town or city street address of well if located within city?									
13413 Crestwood Ct. Wichita, Kansas									
	TER WELL	CHILL	ENTER, Dick						
RR#, ST. ADRESS, BOX#: 13413 Crestwood Ct. Board of Agriculture, Divivsion of Water Resource									
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:									
	E WELL'S I	LOCATION WITH	4 DEPTH OF COM	MPLETED WELL	80	ft. EL	EVATION:		
ANA	IN SECTIO	N BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.	
			WELL'S STATIC W		FT.	BELOW LAND SU	URFACE MEASURED ON mo/day/yr	8-13-2001	
	NW	_ _ NE	Pump tes	t data: Well v	vater was	ft.	after hours pur	nping gpm	
<u>.</u>	1		Est. Yield	01	water was	ft.	after hours pur	nping gpm	
1 Wile	-	E	Bore Hole Diameter	12 in.	to 80	ft.	and in.	to ft.	
-			WELL WATER TO		Public water		•	Injection well	
l i	-sw-	<u>0</u> X	1 Domestic		6 Oil field wa		· ·	Other (Specify below)	
			2 Irrigation	4 Industrial	Lawn and g	arden only	10 Monitoring well		
+	<u> </u>	S	Was a chemical/bact	eriological sample sı	ıbmitted to D	epartment? Ye	No X; If yes,	mo/day/yr sample was	
<u> </u>			submitted			Wa	ter Well Disinfected? Yes	X No	
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Steel		3 RMP (SR)		6 Asbestos-Cemer	it 9	Other (Specify l	•	Welded	
2 PVC	_	4 ABS		7 Fiberglass	SI	R-26	•	Threaded	
	sing Dian		in. to 40	ft., Dia	in.	to	ft., Dia in.	to ft.	
		ve land surface 1		weight 2.		lbs. / ft.	Wall thickness or gauge No.	.214	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Steel		3 Stainless Steel	_	5 Fiberglass		RMP (SR)	11 other (specif		
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								pen hole)	
		RFORATION OPE	ENING ARE:		ed wrapped	••			
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 40 ft. to 80 ft., From ft. to									
			from	ft.	to	ft., Fron	n ft. to	ft.	
GRAVEL PACK INTERVALS: from 24				ft.	ft. to 80 ft., 1		n ft. to	ft.	
from ft. to ft., From ft. to									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plu								hole plug	
Grout Intervals: From ft. to				ft. From ft. to			ft. From 4	ft. to 24 ft.	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines						10 Livesto		Abandon water well	
A.C. 11				7 Pit privy		11 Fuel st	- 13	Oil well/Gas well	
1		5 Cess	-		12 7.		zer storage 16 icide storage	Other (specify below)	
water tight sever times of Seepage pit 9 recuyaru									
Direction from well? South How many feet? 25 FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS								IDY/AY C	
	4	topsoil	ETHOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS	
	<u> </u>	clay				1		.	
15	80	shale				1			
					<u> </u>				
						 			
						1			
***************************************		*****			1				
								,	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
1 000	I KACTO mplotod	OR (moldaylygan	RS CERTIFICATION: The $8-13-200$	ns water well was :) 1	(U construc	LEO, (2) recons	structed, or (3) plugged und	er my juristiction and	
was completed on (mo/day/year)8-13-2001									
(mo/day/yr)8-15-2001									
Under	Under the business name of Harp Well & Pump Service, Inc by (signature) Jedd S. Harp								
1						•		. /	