LOCATION OF N	ATER WELL	FRACTION (		ord Form WWC-5	KSA 82a-1212	1		
Location of water well: Fraction SV Sedgwick SEE 1/4		702	5₩ - <b>5</b> EE 1/4	Section Number	Township Number	'	Range Number	
			1.7	<b>76</b> 1/4	<u> </u>	T 21 S	R	E/W
Distance and direction frem nearest town or city street address of well if located within city?  13317 E. Crestwood Wichita, Kansas								
WATER WELL			nzonzou, no					
RR#, ST. ADRESS, BOX #: 13317 E. Crestwood Board of Agriculture, Divivsion of Water Resource								
CITY, STATE, ZI	PCODE: Wichit	ta, Kansas		Application Number:				
	LOCATION WITH 4	DEPTH OF CO	MPLETED WELI	L 80	ft. ELE	VATION:		
AN "X" IN SECTION	ON BOX:	Depth(s) ground	water Encountered	1	ft.	2 i	ft. 3	ft.
	W		WATER LEVEL 4	10 FT.	BELOW LAND SUR	RFACE MEASURED ON I	mo/day/yr 4-1	8-2002
NW-	NE	Pump te		l water was	ft. a		ours pumping	gpm
<u>e</u>		st. Yield		ll water was			ours pumping	gpm
M M	E	ore Hole Diameter		to 80	ft.	and	in. to	ft.
		ELL WATER TO 1 Domestic	3 Feedlot	5 Public wate 6 Oil field wa		3 Air conditioning 9 Dewatering	11 Injection 12 Other (St	pecify below)
-sw-		2 Irrigation	4 Industrial	7 Lawn and g		Monitoring well	12 other (of	seeily below,
	w	· ·	cteriological sample				; If yes, mo/day/y	r sample was
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample Submitted Water Well Disinfected? Yes X No								-
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped								
1 Steel	3 RMP (SR)		6 Asbestos-Cen	6 Asbestos-Cement 9 Other (Specify below) Welded				
2 PVC	4 ABS		7 Fiberglass	SI	DR-26		Threaded	i
Blank casing Dia	meter 5 in	n. to 40	ft., Dia	in.	to	ft., Dia	in. to	ft.
	ove land surface 12	in.		2.35		Wall thickness or gau		.214
1	EN OR PERFORATI	ION MATERIAL:	5 Fiberglass		PVC RMP (SR)		estos-cement	
1 Steel 2 Brass	3 Stainless Steel 4 Galvanized steel		6 Concrete tile		ABS		er (specify)	`
	RFORATION OPEN	UNC ADE.			Abs	8 Saw cut	e used (open hole 11 N	one (open hole)
1 Continous slot	AFORATION OPEN 3 Mill slot		uzed wrapped ire wrapped		9 Drilled holes	11.1	one (open noie)	
2 Louvered shutt						10 Other (specify	)	
				rch cut ft. to 80	6 F	10 Other (specify	_	ft.
SCREEN-PERFORATION INTERVALS: from 40 from					ft., From ft., From		ft. to ft. to	
GRAVEL PACK INTERVALS: from 24				ft. to ft. to 80			ft. to	ft. ft.
from				ft. to			ft. to	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug								
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to							o ft.	
What is the nearest source of possible contamination:						ck pens	14 Abandon water well	
1 Septic tank 4 Lateral lines			7 Pit privy		rage	15 Oil well/Gas well		
2 Sewer lines 5 Cess pool			8 Sewage la	•		12 Fertilizer storage 16 Other (specify b 13 Insecticide storage		
5 waterught sewer lines 6 Seepage pit 9 Feedyard								
Direction from well? South FROM TO LITHOLOGIC LOG				FROM		How many feet?	GING INTERVALS	
0 4	topsoil				ТО			
4 15	clay							
15 70	shale		****			4	1,0	
70 80	limestone							
					<del>                                     </del>			
					<u> </u>		1100	
				-	1			
								31
	771					- 100F-1415-		
	14-1		10.000 H. (10.000)					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)4-18-2002 and this record is true to the best of my knowledge and belief. Kansas								
Water Well Contractor's License No								
(mo/day/yr)	4-22-2002 iness name ofH	Taran 27-77 C	Dames Consort	an The			7110	21
I Hadaa tha bua	iness name of	татр метт у	rump servi	reev THE	by (s	signature)	Todd S. c	i i arp