					Water	r Well Record	d Form WWC-				<u></u>	
I 1		ATER WELL:		FRACTION		_		Section Numbe	r Town	nship Number	Range Number	
				SE 1/4	SE		NW 1/4	8	T	27 s	R 2E E/W	
Distance and direction frem nearest town or city street address of well if located within city?												
1901 N. Red Brush Wichita, Kansas WATER WELL OWNER: LOUDIN Dayse												
ш		100D	IN, I		_					Board of Agriculture Di	vivsion of Water Resource	
	RR#, ST. ADRESS, BOX #: 1901 N. Red Brush CITY, STATE, ZIP CODE: Wichita, Kansas							•	Application Number:			
		OCATION WITH			ADI ETEL	IPLETED WELL 65 ft. ELEVATION:						_
	' IN SECTIO			oth(s) groundw			1	it. E	LEVATION: 2	ft.	3 ft.	
1 1				L'S STATIC W						SURED ON mo/day/yr	6-28-2002	
			WELI	Pump tes			water was	ft.	after	hours pum		m
'	-NW-	NE	Est. Y	•	gpm:		water was	ft.	after	hours pum		
ii w		<u> </u>	i .	lole Diameter	12	in.	to 65	ft.	and	in.	to ft.	
∑ w		E		WATER TO	BE USED		5 Public water		8 Air cond		ijection well	
١,	-sw-		11	Domestic	3 Feedlo	ot	6 Oil field w	ater supply	9 Dewater	ing 12 O	ther (Specify below)	
	Sw.	3,2	2 I	rrigation	4 Indust	trial	7 Lawn and	garden only	10 Monitor	ing well		
ţ			Was a	chemical/bact	eriologica!	l sample s	submitted to	•		/ • /	o/day/yr sample was	
S submitted Water Well Disinfected? Yes X No												
 		SING USED:				ught iron		Concrete tile			lued X Clamped	
1 Stee		3 RMP (SR)				tos-Ceme	•	Other (Specif	y below)		elded	
2 PVC	_	4 ABS			7 Fiber	glass	S	DR-26		T	hreaded	
1	sing Dian		in.	to 25	ft.,	Dia	in.		•	Dia in.	to ft.	
		ve land surface 1		in., Matediai.		weight 2		lbs. / ft.	Wall thicl	eness or gauge No. 10 Asbestos-ceme	.214	
F. P. L. C.												
1 Steel Starmess Steel						ete tile		9 ABS		12 None used (op		
								71100	8 Saw	` •	11 None (open hole))
SCREEN OR PERFORATION OPENING ARE: 1 Continuous slot 3 Mill slot						5 Gauzed wrapped 6 Wire wrapped			9 Drilled holes			
	red shutte					7 Torc	• •		10 Oth	er (specify)		
		RATION INTER		from 25		-	. to 65	6 F.		**	fi	ř
SCREE.	· I LIU	idilio: \ I. \ IER	· ILD	from				ft., Fr		ft. to ft. to	ſ	
l	GRAV	EL PACK INTER	VALS:				. to t. to 65	ft., Fr ft., Fr		ft. to	fi	
from									rom	ft, to	ft	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plu										ole plug		
Grout Intervals: From 4 ft. to 24					ft. F	rom	ft.	to ft.		From ft. to ft.		
What is the nearest source of possible contamination:								stock pens		bandon water well		
1 Septic tank 4 Lateral lines					7 P	Pit privy		11 Fuel storage		15 C	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool						wage lag	oon		tilizer storage		16 Other (specify below)	
3 Wate	rtight sew	er lines 6 Seep	age pit		9 Fe	eedyard		13 Inse	ecticide storag	ge		
Direction from well? East FROM TO LITHOLOGIC LOG									How many feet? 90			
FROM 0	TO3	topsoil	LITHO	LOGIC LOG	-		FROM	TO_	<u> </u>	PLUGGING INTE	RVALS	
3	8	clay										_
8	39	brown sha	le	Construction								
39	65	grey shal								· · · · · · · · · · · · · · · · · · ·		
		•										
											W-44-4-14-14	
												_
7 CO	NTRACTO	OR'S or landown	ER'S CER	TIFICATION: T	nis water	well was	s (1) constru	<u>icte</u> d, (2) reco	nstructed, c	or (3) plugged unde	r my jurisdiction and	d
was c	ompleted	on (mo/day/yea	ır)	6-28-20	02		and this	record is tru	ie to the bes	t of my knowledge	and belief. Kansas	
		ntractor's Licens				This Wa	ter Well Rec	ord was com	pleted on			
(mo/d	ay/yr) ⁶	-29-2002			D	Ca	. Tna			· 7/	S. Harp	
Under	the busi	ness name of	narı	7 MGTT	.Pump a	361.416	387¥##?	p	y (signature	e) ORAA	S. OTMY	