				Water Well Reco	ord Form WWC-	5 KSA 82a-1212			
			FRACTION			Section Number	Township Number	Range Number	
Sedgwick NE 1/4			NE 1/4	SE 1/4	NW 1/4	8	_т 27 _s	R 2E E/W	
Distance and direction frem nearest town or city street address of well if located within city?									
1907 Red Brush Wichita, Kansas WATER WELL OWNER: STEVENS									
WATER WELL OWNER: STEVENS, Jim RR#, ST. ADRESS, BOX #: 1907 Red Brush Board of Agriculture, Divivsion of Water Resource									
Wishing Wayness									
			T		61	Application Number:			
1 +		<u> </u>				ft.	2 ft.	3 ft. 12-20-2002	
	WELL'S STATIC W								
			Pump tes		water was	-	after hours pu		
A Mile	: I		st. Yield		water was to 61		after hours pu		
Į Σ γ			ore Hole Diameter		to 6⊥ 5 Public wate	ft.	and in		
		"	ELL WATER TO 1 Domestic	3 Feedlot			0	Injection well Other (Specify below)	
			2 Irrigation	3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 4 Industrial 7 Lawn and garden only 10 Monitoring well					
								ma/dau/wa samala was	
•	Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample wa								
S submitted Water Well Disinfected? Yes X No 5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Clumped									
Swidght hun beconcrete the bibble both inter								-	
								weided Threaded	
Casing height above land surface 12in.,weight 2.35lbs. / ft.Wall thickness or gauge No214TYPE OF SCREEN OR PERFORATION MATERIAL:7 PYC10 Asbestos-cement									
1 Ste		3 Stainless Steel		5 Fiberglass		BRMP (SR)	11 other (speci	fv)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
SCREEN OK FERFORATION OF ENHOGARE: S Gauzed wrapped 1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louv	ered shutte		ched				10 Other (specify)		
JUNE		AATION INTERVA	from	-	t. to 61	ft., From	ft. to		
GRAVEL PACK INTERVALS: from 24				ft. to ft. to 61		ft., From ft., From			
GRAVEL FACK INTERVALS. from 2.1				ft. to		ft., From			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:					10 Livestoc		Abandon water well		
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel sto	orage 15	Oil well/Gas well		
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertiliz	er storage 16	Other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? East How many feet? 90									
FROM TO LITHOLOGIC LOG				FROM TO		то	PLUGGING INTERVALS		
0	2	topsoil							
2	15	clay							
15	61	shale					· · ·		
	<u> </u>								
									
						+			
						+			
							<u> </u>		
			· · · · ·						
F	I								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Wate	r Well Cor	ntractor's License N	No 236	This Wa	ater Well Rec	ord was complet	ted on		
(mo/day/yr)12-23-2002 Under the business name of <u>Harp Well & Pump Service</u> , Inc by (signature) Todd S. Harp									
Under the business name of $\frac{\pi \alpha r}{\sigma}$ $\frac{\pi \alpha r}{\sigma}$ $\frac{\sigma}{\sigma}$									