				Water Well Record	Form WWC-5	KSA 82a-1212			
1 LOCA		ATER WELL:	FRACTION			Section Number	Township Number	Range Number	
	Sedgw		NW 1/4	SE 1/4 S	W 1/4	11	_T 27 _S	R 2E E/W	
Distance and direction frem nearest town or city street address of well if located within city?									
13312 Edgewood Wichita, Kansas									
WATER WELL OWNER: HAMM, Shane									
RR#, ST. ADRESS, BOX #: 13312 Edgewood CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:									
	, STATE, ZI			<u> </u>	- 00		Application Numi	ber:	
	TE WELL'S " IN SECTIO	LOCATION WITH ON BOX:	$ldsymbol{\sqcup}$	MPLETED WELL	80		VATION:		
1 +		N T	, .	vater Encountered	1	ft.	2 ft. FACE MEASURED ON mo/day/yr	3 ft. 1-30-2003	
1			WELL'S STATIC V Pump tes						
'	NW		Est. Yield		ater was		ifter hours pur		
ij w			Bore Hole Diameter	10	to 80	ft. ft.	after hours pur and in.		
ΞM		E	WELL WATER TO	••••	Public wate			Injection well	
١.			1 Domestic		Oil field wa		· ·	Other (Specify below)	
	s x		2 Irrigation		Lawn and g		Monitoring well	come (opening control)	
			Was a chemical/bact	eriological sample su	bmitted to D		· ·	mo/day/yr sample was	
		S	submitted			-	er Well Disinfected? Yes	• •	
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Stee	el	3 RMP (SR)		6 Asbestos-Cemen	t 9	Other (Specify be		Welded	
2 PVC 4 ABS 7 Fiberglass SDR-26 Threaded									
Blank c	asing Diar	neter 5	in. to 40	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214									
ı			ATION MATERIAL:	5 Fiberaless		PVC	10 Asbestos-cen		
1 Steel 3 Stainless Steel 5 Fiberglass						8 RMP (SR) 11 other (specify)			
	2 Brass 4 Galvanized steel 6 Concrete tile							open hole)	
		RFORATION OP			ed wrapped	• •		11 None (open hole)	
1 Continuous slot 3 Mill slot 6 Wire wrs							9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 40 ft. to 80 ft., From ft. to								ft.	
from ft. t						ft., From		ft.	
_					to 80	ft., From		ft.	
from ft. to ft., From ft. to 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
Grout Intervals: From 4 ft to 24									
What is the nearest source of possible contamination:					ft. (ft. to ft. From ft. to ft. 10 Livestock pens 14 Abandon water well			
1 Septic tank 4 Lateral lines 7 Pit privy						11 Fuel storage		Abandon water weii Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lago					n	12 Fertilizer storage		Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard						13 Insecticide storage			
Direction from well? North How many feet? 50									
FROM TO LITHOLOGIC LOG						TO	PLUGGING INT	ERVALS	
0	4	topsoil							
4	10	clay							
10	80	shale		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	·				

						-			
			***************************************		ļ	 			
-						 	The state of the s		
								and the self of th	
		-							
							and defined and the second second		
						1			
7					<u> </u>				
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
was completed on (mo/day/year) 1-30-2003 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No									
(mo/day/yr) 1-31-2003									
Under the business name of Harp Well & Pump Service, Inc. by (signature) Todd S. Harp									