			WATER	R WE	LL RE	ECORD	) F	orm V	٧WC	C-5 K	(SA 82a	-1212				
1 LOCATION OF WAT		FRACTION					SECTION NUMBE			R TOWNSHIP NUMBER			R	RANGE NUMBER		
Sedgwick			SE	1/4	NE	1/4	SE	1/4		11	Т	27	S	F	R 2E	E/W
Distance and direction for 14300 E. Sur		wn or city str				•										
2 WATER WELL		FRY, I		ichita	, Kan	sas										
RR#,ST. ADDRES		,	E. Sund	lance									Board of A	griculture, Div	ision of W	ater Resource
CITY	, STATE:	Wichit	ta, Kans	as					ZIP (	CODE:		A	pplication N	lumber:		
3 LOCATE WELL'S	LOCATION	4 DE	PTH OF C	OMPLE	TED W	VELL:	80	)	ft.		ELEVATI	ON:				
WITH AN "X" IN SE		Depth	n of ground	water E	ncounte	ered:			ft.				ft.			ft.
	l I	WEL	L'S STATIO	C WATE	ER LEV	EL 4	0	FT. BE	LOW	LAND SI	JRFACE M	EASUR	ED ON mo	o/day/yr:	5/27	//03
NW	NE			Pump	test da	ata: W	ell wate	er was			ft. afte	er	hou	ırs of pumpi	ng @	gpn
W Wile			Est. Yield:		gpm	•	/ell wat				ft. afte			ırs of pumpi		gpm
<b>E</b> w			e Hole Diar L WATER		12			to	80	ft	. an		in.		to	ft.
sw ·	9E- X		Domestic		edlot		lic wat	er supp	oly <	7. Lawn	and garder	only	9. Dewate	·····9	-	ction well secify below
111 ' 1		2. 1	rrigation	4. <b>In</b>	dustria						nditioning		0. Monito	ring well		
,s			s a chemical/ nitted	/bacteriol	ogical sa	imple submit	tted to D	epartmer	nt?	YES	NO Water Well			yes (YES)		as sample
5 TYPE OF CA	SING LISED		inted											=		
1. Steel		RPM (SR)	5. Wro	ought Iro	on	7. Fibe	rglass			r (Specify	( below)	CASIN	G JOINTS	: Glued Welded	,	Threaded Clamped
2. PVC	<b>&gt;</b> 4. A	ABS	6. Asb	estos-C	Cement	8. Con	crete til	e S	SDR-	26				Weided		Ciampeu
Blank casing diame	ter	5 in	. to	40	) ft.	, Di	a.	in	١.	to	ft.,	Dia	a.	in.	to	ft.
Casing height above	ve land surfac	ce:	12 i	n.,		Weigh	nt:	2.35	lbs.	/ ft.	w	all thick	ness or ga	uge No.	.214	
TYPE OF SCREEN	OR PERFO	RATION M	MATERIAL:	:												
1. Steel	3. Stainless		5. Fiberg		(	7. PVC	>		9. ABS				(specify)			
2. Brass	4. Galvanize	ed	6. Concr	rete Tile		8. RMP	(SR)	10	0. Asbe	estos-Cei	ment 1	2. None	used (ope	en hole)		
SCREEN OR PERF								_			_					
1. Continuous sid		. Mill slot				rapped			Torch	_		Drilled		11. [	None ( o	pen hole)
2. Louvered shut	ter 4	. Key pun	ched	6. Wii	re wrap	ped		<b>₹</b> 8.	Saw	cut	10.	Other (	specify)			
SCREEN - PERFOR	ATION INTE	RVAL	From		40	ft.	to	80	) fi	t.,	From		ft.		to	ft.
			From			ft.	to		ff	t.,	From		ft.		to	ft.
GRAVEL P	ACK INTERV	/ALS:	From		24	ft.	to	80	) ft	.,	From		ft.		to	ft.
			From			ft.	to		ff	t.,	From		ft.		to	ft.
6 GROUT MATER	RIALS:	1. Neat ce	ment		2. Cerr	nent Grout	D		3. E	Bentonite	)	Ot	<sup>her</sup> ber	itonite h	ole plu	ıg
Grout Intervals:	From	4	ft.	to	24	ft., F	rom		ft.	to	f	t.,	From	ft.	to	ft.
What is the nearest :	•	ssible cont Lateral li		7. <b>P</b>	it privy	,	10	0. <b>Lives</b>	tock p	ens	13. <b>in</b>	secticio	le storage	15. <b>O</b>	il well/G	as well
2. Sewer lines		Cess Poo		8. <b>S</b>	ewage	lagoon	1	1. Fuel:	storag	je	14. <b>A</b> l	bandon	water wel	16. O	ther (sp	ecify below)
3. Watertight sew		. Seepage		9. <b>F</b>	eed yar	rd	1:	2. Fertil	izer st	orage						
Direction from well?			Pit		,					•	Ho	w many	feet? 12	2		
From To		LI	THOLO	GIC I	LOG			Fror	n	To			ITHOL	OGIC LO	OG	
0 3	topsoil								_							
3 11 11 49	clay brown s	shala						-	+							
49 80	grey sh							-	+					-		
									$\perp$							
	-								+							
	-								+							
									+							
	<del> </del>								_							
								<u> </u>	+							
7 Contractor's or	Landowner's	s Certificat	tion: This w	vater we	ell was 1	1. Const	ructed	<b>)</b> 2.	recor	nstructed	or 3	plu	gged	under my	jurisdicti	on and
was completed or			5-27-2								knowledge			,		
				236						-	_			2-2003		
Kansas Water We							ater we				on (mo/da					
under the busines	s name of ]	Harp W	eli & Pi	ump S	ervic	e inc.		ру	(signa	iure)		Jo o	1 d S	?. Har	p	