			WATER V	VELL REC	ORD	Form W	WC-5 I	KSA 82a-12	212					
111.	ON OF WATE	R WELL:	FRACTION			SE	CTION NUMBI		IIP NUMBER	RANGE I				
	wick		SW 1/4		/4 SW	1/4	2	T	27 S	R 2	E E/W			
		m nearest town or city s			-									
	Peckha		TER PIECI	Wichita, Ka	ansas									
	ER WELL								Board of Agri	culture, Division of	Water Resource			
KK#,51	: ADDRESS		9 SW Butler ita, Kansas	Ru.					_					
2 1004				IDI ETED WE		_	ZIP CODE:	ELEVATION:	Application Num	nber:				
	TE WELL'S LO AN "X" IN SEO	CTION BOX: 📙	EPTH OF COM					ELEVATION:						
	N N		th of groundwat				t.		ft.		ft.			
		WE	LL'S STATIC W		35		OW LAND S	SURFACE MEAS	SURED ON mo/d	lay/yr: 3/1	1/04			
<u> </u>	-NW	NE		ump test data:				ft. after		of pumping @	gpn			
W Wije		<u> </u>	Est. Yield:	gpm		ater was	0.5	ft. after		of pumping @	gpm			
-			re Hole Diamete	-	in.	to	85 f	ft. and	in.	to	ft.			
`. X	sw	I I	LL WATER TO Domestic		5 Public w	ater sunniv	C7. Lawn	and garden on	9. Dewaterii	''8	ection well			
	- 1	1			6. Oil field				10. Monitorin		specify below			
	<u>I</u> S		as a chemical/bact				YES	(NO)		vhat mo/day/yr	was sample			
			mitted	· ·				Water Well Disi	nfected?	YES	NO			
[]		SING USED:	5. Wrough	nt Iron	7. Fiberglass	9. (Other (Specif	fy below) CA	SING JOINTS: (Glued	Threaded			
·	1. Steel	3. RPM (SR))		•	CL.	R-26			Welded	Clamped			
	2. PVC	4 . ABS			8. Concrete	ile 02								
Blank cas	sing diamete	er 5 i	n. to	40 ft.,	Dia.	in.	to	ft.,	Dia. i	in. to	ft.			
1		land surface:	12 in.,		Weight:	2.35	lbs. / ft.	Wall t	hickness or gaug	je No214				
		OR PERFORATION												
1. Stee		3. Stainless Steel	5. Fiberglas	_	. PVC	9. /	ABS		ther (specify)					
2. Bra	ss 4	. Galvanized	6. Concrete	Tile 8	B. RMP (SR)	10. /	Asbestos-Ce	ement 12. N	lone used (open l	hole)				
SCREEN	OR PERFO	RATION OPENING	S ARE:											
1. Conti	1. Continuous slot 3. Mill slot 5. Gauzed wrapped							9. Dri	9. Drilled holes 11. None (open hole)					
2. Louv	ered shutte	r 4. Key pu	nched 6.	Wire wrapped	d	8. S.	aw cut	10. Oti	ner (specify)					
SCREEN	- PERFORA	TION INTERVAL	From	40 ft.	to	85	ft.,	From						
	. 2.1 510	CHOIT INTERVAL	From	ft.	-		·		ft.	to	ft.			
	ים איירו פא	CK INTERVALS:					ft.,	From	ft.	to	ft.			
"	RAVEL PA	CK INTERVALS:	From		t	85	ft.,	From	ft.	to	ft.			
			From	ft.	t)	ft.,	From	ft.	to	ft.			
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug										ug				
1	Intervals:	From 4	ft. to	24 ft.,	From	ft	to	ft.,	From	ft. to	ft.			
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. C							15. Oil well/ 0	Gas well						
									pecify below)					
				9. Feed yard		12. Fertilize	_	14. Abain	don water wen	` •	,			
	rtight sewe from well?	r line 6. Seepage South	e pit	S. Feeu yalu		iz. Feitilize	Storage	How m	nany feet? 20					
From	To		ITHOLOGI	CLOG		From	То	Tiowii	LITHOLO	GICLOG				
0	4	topsoil		<u> </u>		1 10111	1 10	1	LITTIOLO	GIO LOG				
4	10	clav							***************************************					
10	85	shale												
		ļ												
			4				<u> </u>	ļ						
	 			****		<u> </u>	 							
				***		1	 							
														
								1						
								<u> </u>						
						 	1							
<u> </u>	l	l .				<u></u>	<u>I</u>							
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and														
was completed on (mo/day/year) 3/11/2004 and this record is true to the best of my knowledge and belief.														
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 3/15/2004														
under tr	ie business	name of Harp V	ven & rum	under the business name of Harp Well & Pump Service Inc. by (signature) Jo d d S. Harp										