	WATER	WELL R	RECO	RD F	orm W	WC-5 K	SA 82a-	1212				
1 LOCATION OF WATER WELL:	FRACTION				SE	CTION NUMBER	R TOWN	ISHIP NU	MBER	RAN	IGE NUM	MBER
Sedgwick	SW 1/	·	1/4	SW	1/4	11	T	27	S	R	2E	E/W
Distance and direction from nearest town or city				ity?								
13319 Castlewood		hita, Ka	nsas									
<u> </u>	IFER, Alan							Е	Soard of A	griculture, Divisio	on of Wa	ter Resource
	9 Castlewoo				_							
	hita, Kansas			0.4		ZIP CODE:			lication N	umber:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF CO	MPLETED '	WELL:	85	ft.		ELEVATIO	N:				
	pth of groundwa	ter Encoun	itered:			ft.			ft.			ft.
	'ELL'S STATIC V	NATER LE	VEL	40	FT. BEL	OW LAND SU	JRFACE ME	ASURED	ON mo	/day/yr:	3/12/0	04
NW		Pump test of	data:	Well wat	er was		ft. after			rs of pumping	_	gpn
W E E	Est. Yield:	gpm		Well wat		05 .	ft. afte			irs of pumping	_	gpm
	Bore Hole Diame			n.	to	85 ft.	and		in.		to	ft.
	'ELL WATER TO 1. Domestic	3. Feedlot		Public wat	ter supply	7. Lawn a	and garden	only 9.	Dewate	inig	-	ion well
	2. Irrigation	4. Industri		Oil field w					Monito	12. Oth ring well	er (Spe	cify below
	Was a chemical/ba					•	NO	>		, what mo/da	y/yr wa	s sample
	ubmitted						Vater Well D	isinfecte	d?	(YES)	NC)
TYPE OF CASING USED:	5. Wroug	aht Iron	7. 1	Fiberglass	9. (Other (Specify	below)	CASING	JOINTS:	Glued	Т	hreaded
1. Steel 3. RPM (S	R)			-	s ST	DR-26				Welded	(Clamped
2. PVC 4. ABS		tos-Cemen	it 8. (Concrete ti	ie Si							
Blank casing diameter 5	in. to	45 f	ft.,	Dia.	in.	to	ft.,	Dia.		in, to	0	ft.
Casing height above land surface:	12 in.,		W	/eight:	2.35	lbs. / ft.	Wa	all thickne	ess or ga	uge No.	214	
TYPE OF SCREEN OR PERFORATION	N MATERIAL:			_								
1. Steel 3. Stainless Steel	5. Fibergla	ss	7. P		9.	ABS		. Other (s				
2. Brass 4. Galvanized	Concrete	e Tile	8. R	RMP (SR)	• 10.	Asbestos-Cer	ment 12	2. None u	sed (ope	n hole)		
SCREEN OR PERFORATION OPENIN	GS ARE:											
1. Continuous slot 3. Mill s	lot 5	5. Gauzed v	wrappe	ed	7. T	orch cut	9. 1	Drilled h	oles	11. No	ne (op	en hole)
2. Louvered shutter 4. Key p	unched 6	6. Wire wra	apped		8. S	aw cut	10.	Other (s	ecify)			
SCREEN - PERFORATION INTERVAL	From	45	ft.	to	85	ft.,	From		ft.	to		ft.
	From	15	ft.	to		ft.,	From		ft.	to		ft.
GRAVEL PACK INTERVALS:		24	ft.	to								
GNAVLE PACK INTERVALS.	From	24				ft.,	From		ft.	to	3	ft.
	From		ft.	to	1	ft.,	From		ft.	to		ft.
<u> </u>	cement		ment G	rout		3. Bentonite		Othe	er ber	itonite hol	e plug	3
Grout Intervals: From 4		to 24	ft.,	From	ff	t, to	ft.	, F	rom	ft.	to	ft.
What is the nearest source of possible c		7. Pit priv	/y	1	0. Livesto	ck pens	13. ins	ecticide	storage	15. Oil v	vell/Ga	s well
1. Septic tank 4. Lateral lines									ndon water well 16. Other (specify below)			
		9. Feed ya	_			er storage			4.0.	•		
3. Watertight sewer line 6. Seepa Direction from well? South	ige pit	o. i eeu y	aiu		2. 1 010112	ci storage	Hov	w many fe	eet? 20)		
From To	LITHOLOG	IC LOG			From	То				OGIC LO	Ğ	
0 4 topsoil					1 10	 				• • • • • • • • • • • • • • • • • • • 		
4 10 clay												
10 85 shale												
												-7
						+ -						
					-					·		
					-							
												
		- ×									,	
Contractor's or Landowner's Certif			3 1. Ccc	onstructed) 2. r	econstructed	d or 3.	plug	ged	under my ju	nsdictio	n and
was completed on (mo/day/year)	3/12/200)4	and t	this record	is true to th	ne best of my	knowledge a	and belief				
Kansas Water Well Contractor's Licer	nse No.	236	Th	is water we	ell record w	vas completed	d on (mo/day	//year)	3/1	5/2004		
under the business name of Harp	Well & Pur	nn Servi	ce Ind	c.	by (signature)		7 ,	10) [[
Harp	wen & rui	up Bei vi	111		~, (3		Jo d	<u>d</u> S	<u>. Harp</u>		