WATER WELL RECORD Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER Sedgwick \mathbf{SW} SWSE 2 27 1/4 2E 1/4 1/4 Т R Ε/W Distance and direction from nearest town or city street address of well if located within city? 21st & Williams Gate then North to Rosement Circle, East 300' on Williams Gate Andover, Kansas TWENTY FIRST GROWTH, LLC WATER WELL OWNER: Board of Agriculture, Division of Water Resource RR#,ST. ADDRESS,BOX #: 816 Terradyne Andover, Kansas CITY, STATE: ZIP CODE Application Number: 92 4 DEPTH OF COMPLETED WELL: **ELEVATION:** LOCATE WELL'S LOCATION ft. WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft. ft. WELL'S STATIC WATER LEVEL 20 3/26/04 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: Pump test data: Well water was ft. after hours of pumping @ gpm NW NE Est. Yield: Well water was ft. after hours of pumping @ gpm gpm Ξ to 92 12 Bore Hole Diameter and ft. WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SE 3. Feedlot 1. Domestic 12. Other (Specify below) 6. Oil field water supply 8. Air conditioning 10. Monitoring well 2. Irrigation 4. Industrial ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO submitted Was Water Well Disinfected? YES 5 TYPE OF CASING USED: CASING JOINTS: Glued 9. Other (Specify below) Threaded 5. Wrought Iron 7. Fiberglass 3. RPM (SR) 1 Steel Clamped SDR-26 Asbestos-Cement 8. Concrete tile 4. ABS 2. PVC Blank casing diameter 5 in. 52 ft., Dia. Dia in. ft. 24 Casing height above land surface: in.. 52 Weight: lbs. / ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 9 ABS 11. Other (specify) 1. Steel 3. Stainless Steel 5. Fiberglass 8. RMP (SR) 2. Brass 4. Galvanized 6. Concrete Tile 12. None used (open hole) 10. Asbestos-Cement SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched Wire wrapped 8. Saw cut 10. Other (specify) SCREEN - PERFORATION INTERVAL 52 92 ft. ft., From From to ft. ft. to ft. From to ft., From ft. to ft. **GRAVEL PACK INTERVALS:** 24 ft. to 92 From ft., From ft. ft. From to From ft ft. 6 **GROUT MATERIALS:** Other 1. Neat cement 2. Cement Grout 3. Bentonite bentonite hole plug Grout Intervals: 24 ft., From ft., ft. to From ft. What is the nearest source of possible contamination: 10. Livestock pens 15. Oil well/Gas well 7. Pit privy 13. Insecticide storage 1. Septic tank 4. Lateral lines 16. Other (specify below) 11. Fuel storage 8. Sewage lagoon 14. Abandon water well 2. Sewer lines 5. Cess Pool Non-Exsistent 9. Feed yard 12. Fertilizer storage 3. Watertight sewer line 6. Seepage pit Direction from well? How many feet? From Τo LITHOLOGIC LOG LITHOLOGIC LOG From To topsoil 10 clav 10 tan shale 89 gray shale- gypsum 89 limestone Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. under my jurisdiction and 3/26/2004 was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. 236 3/29/2004

Kansas Water Well Contractor's License No. This water well record was completed on (mo/day/year) by (signature) under the business name of Harp Well & Pump Service Inc.