	WATER WELL RECORD FO	orm WWC-5 K	SA 82a-1212	
1 LOCATION OF WATE		SECTION NUMBER		RANGE NUMBER
Sedgwick	SE 1/4 NW 1/4 NE	1/4 8	T 27 S	R 2E E/W
Distance and direction fro	n nearest town or city street address of well if located within city?			
21st N. & We	bb, 3/8 West, 1/4 South Wichita, K	ansas		
2 WATER WELL	OWNER: BARRY	14 "		
RR#,ST. ADDRESS	BOX#: 2002 Keenland		Board of Ag	riculture, Division of Water Resource
1	STATE: Wichita, Kansas	ZIP CODE:	Application Nu	mber:
<b>—</b>			ELEVATION:	
LOCATE WELL'S LO	CTION BOX:			
N	Depth of groundwater Encountered:	ft.	ft.	ft.
1	WELL'S STATIC WATER LEVEL 10	FT. BELOW LAND SU	IRFACE MEASURED ON mo/	day/yr: 4/3/04
NW	Pump test data: Well water	er was	ft. after hour	s of pumping @ gpm
Ι Φ Ι	Est. Yield: gpm Well water	er was	ft. after hour	s of pumping @ gpm
W N	Bore Hole Diameter 12 in.	to <b>73</b> ft.	and in.	to ft.
<del>-</del>	WELL WATER TO BE USED AS:		9. Dewater	ing 11. Injection well
sw	1. Domestic 3. Feedlot 5. Public wat	er supply 7. Lawn a	ind garden only	12. Other (Specify below)
	2. Irrigation 4. Industrial 6. Oil field wa	ater supply 8. Air cor	ditioning 10. Monitori	
	Was a chemical/bacteriological sample submitted to De	epartment? YES		what mo/day/yr was sample
	submitted	Was V	Vater Well Disinfected?	YES NO
5 TYPE OF CAS	SING USED: 5. Wrought Iron 7. Fiberglass	9. Other (Specify	below) CASING JOINTS:	Glued Threaded
1. Steel	3. RPM (SR)	`	,	Welded Clamped
2, PVC	<ol> <li>4. ABS</li> <li>6. Asbestos-Cement</li> <li>8. Concrete tile</li> </ol>	<sub>e</sub> SDR-26		•
Blank casing diameter	er 5 in. to 30 ft., Dia.	in. to	ft., Dia.	in, to ft.
1				
Casing height above	,	2.35 lbs. / ft.	Wall thickness or gau	ge No214
1	DR PERFORATION MATERIAL:		11 Other (2000) (1)	
1. Steel	s. Stainless Steel 5. Fiberglass 7. PVC	9. ABS	11. Other (specify)	
2. Brass 4	Galvanized 6. Concrete Tile 8. RMP (SR)	10. Asbestos-Cei	nent 12. None used (oper	n hole)
SCREEN OR PERFO	RATION OPENINGS ARE:			
1. Continuous slot	3. Mill slot 5. Gauzed wrapped	7. Torch cut	9. Drilled holes	11. None ( open hole)
2 1 2000 200 4 2000 44		8. Saw cut	10. Other (specify)	
2. Louvered shutte	4. Key punched 6. Wire wrapped	o. Saw cut	io. Other (specify)	
SCREEN - PERFORA	ATION INTERVAL From 30 ft. to	<b>73</b> ft.,	From ft.	to ft.
	From ft. to	ft.,	From ft.	to ft.
GRAVEI DA	CK INTERVALS: From 24 ft. to	73 ft.,	From ft.	to ft.
GIVAVEETA	Trom		_	
	From ft. to	ft.,	From ft.	to ft.
6 GROUT MATER	ALS: 1. Neat cement 2. Cement Grout	3. Bentonite	Other <b>ben</b>	tonite hole plug
Grout Intervals:	From 4 ft. to 24 ft., From	ft. to	ft., From	ft. to ft.
What is the nearest s	ource of possible contamination:		,	
1. Septic tank	4. Lateral lines 7. Pit privy 10	0. Livestock pens	13. Insecticide storage	15. Oil well/Gas well
2. Sewer lines	5. Cess Pool 8. Sewage lagoon 1	1. Fuel storage	14. Abandon water well	16. Other (specify below)
	er line) 6. Seepage pit 9. Feed yard 1.	2. Fertilizer storage		
Oirection from well?	South	<b>-</b>	How many feet? 60	
From To	LITHOLOGIC LOG	From To		OGIC LOG
<del></del>		110111 10	LITTIOE	OGIO EGG
3 15	topsoil	<del>                                     </del>		
	clay			• • • • • • • • • • • • • • • • • • • •
15 30	tan shale			
30 73	gray shale- gypsum		<u> </u>	
<del></del>				
	<del> </del>			
<del>                                     </del>		<del>                                     </del>		
7 Contractor's or	Landowner's Certification: This water well was 1. constructed	2. reconstructe	d or 3, plugged	under my jurisdiction and
$\vdash$	4/2/2004	<del></del>		under my jurisdiction and
7 Contractor's or was completed on	(mo/day/year) 4/3/2004 and this record i	s true to the best of my	knowledge and belief.	
was completed on	(mo/day/year) 4/3/2004 and this record i	<del></del>	knowledge and belief.	under my jurisdiction and 5/2004
was completed on Kansas Water We	(mo/day/year) 4/3/2004 and this record i	s true to the best of my	knowledge and belief.	5/2004