			WATER	WELL RE	ECORD	Form V	WC-5	(SA 82a-1	1212		
1'1	OF WATE	R WELL:	FRACTION	CXV	, CTT		ECTION NUMBE		SHIP NUMBER	1 -	NUMBER
Sedgw Distance and o		n nearest town or city		/4 SW	1/4 SW	1/4	11	<u> </u>	<b>27</b> S	R 2	E E/W
l .		reek Road	Su oct address of		, Kansas						
	R WELL C		ORNE, De		<i>,</i>						•
RR#,ST. A	ADDRESS		Rocky Cre						Board of A	griculture, Division of	Water Resource
	CITY,		hita, Kansa	<u>s</u> .			ZIP CODE:		Application No	umber:	
3 LOCATE	WELL'S LC	CATION 4	DEPTH OF CO	MPLETED W	/ELL:	80	ft.	ELEVATIO	N:		
	N N		pth of groundwa	ater Encounte	ered:		ft.		ft.		ft.
	1	w	ELL'S STATIC	WATER LEV	EL <b>35</b>	FT. BE	LOW LAND S	URFACE ME/	ASURED ON mo	o/day/yr: 6/2	25/04
1 1	4M  -	NE		Pump test da		ater was		ft. after		rs of pumping @	gpm
w <u>₩</u>	4	·	Est. Yield:	gpm eter 12		ater was	00 .	ft. after		rs of pumping @	gpm
<b>₹</b> w			Bore Hole Diame ELL WATER TO			to	<b>80</b> f	t. and	in.	to	ft. ection well
1 1	sw	J.,	i. Domestic	3. Feedlot		ater supp	y Z. Lawn	and garden o	9. Dewate	9	ection wen Specify below:
11 /	' I		2. Irrigation	4. Industria	l 6. Oil field	water sup	ply 8. Air co	nditioning	10. Monitor	ring well	
'	s		Was a chemical/ba	cteriological sa	mple submitted to	Departmen		NO	•	, what mo/day/yr	=
E TYP	E OE CAS	ING USED:	ubmitted					Water Well D		YES	NO
	E OF CAS Steel	3. RPM (Si	R) 5. Wrou	ght Iron	7. Fiberglas	•	Other (Special	y below) (	CASING JOINTS:	Welded	Threaded
	PVC	> 4. ABS	•	stos-Cement	8. Concrete	tile S	DR-26	1		weided	Clamped
Blank casin	g diamete	- ог 5 г	in. to	40 ft.,	, Dia.	in	to	ft.,	Dia.	in. to	ft.
Casing hei	ight above	land surface:	12 in.,		Weight:	235	lbs. / ft.	Wa	Il thickness or ga	uge No21	4
1 -	-	R PERFORATION									•
1. Steel	3	. Stainless Steel	5. Fibergla	iss C	7. PVC	9	. ABS	11.	Other (specify)		
2. Brass	4	. Galvanized	6. Concret	e Tile	8. RMP (SR)	10	. Asbestos-Ce	ment 12.	. None used (ope	n hole)	
SCREEN O	R PERFO	RATION OPENING	GS ARE:								
1. Continu	uous slot	3. Mill si	ot	5. Gauzed w	rapped	7.	Torch cut	9. [	Orilled holes	11. None (	open hole)
2. Louver	ed shutte	r 4. Key p	unched	6. Wire wrap	ped	8.	Saw cut	10. (	Other (specify)		
SCREEN - F	PERFORA	TION INTERVAL	From	40	ft. t	o <b>80</b>	ft.,	From	ft.	to	ft.
			From		ft. t	ю.	ft.,	From	ft.	to	ft.
GR	AVEL PAG	CK INTERVALS:	From	24	ft.	to <b>80</b>	ft.,	From	ft.	to	ft.
			From		ft.	to	ft.,	From	ft.	to	ft.
6 GROUT	MATERI	ALS: 1. Neat	cement	2. Cem	ent Grout		3. Bentonit	••••••••••••••••••••••••••••••••••••••	Other ben	tonite hole p	lug
Grout In	tervals:	From 4	ft.		ft., From		ft. to	- ft.,		ft. to	•
	What is the nearest source of possible contamination:						ock pens	13 ine		15 Oil well	(Gae woll
1	1. Copue tank						estock pens 13. insecticide storage 15. Oil weil/Gas well el storage 14. Abandon water well 16. Other (specify belo				
2. Sewer		5. Cess I		_	-		_	14. ADi	andon water wei		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
3. Waterti		r line 6. Seepa East	ge pit	9. Feed yar	ra .	12. Ferui	zer storage	How	many feet? 10	n	
From	To		LITHOLOG	IC LOG	,	Fror	n To	I		OGIC LOG	
0	3	topsoil	LITTIOLOC	<del>).0                                    </del>		1 101			LITTIOL	0010 200	<del></del>
3	5	clay									
5	35	tan shale									
35	80	gray shale-gy	<u>psum</u>			-					
						+			·		
				., .							
		·						<u> </u>			
-		<u> </u>					<u> </u>				
					· · · · · · · · · · · · · · · · · · ·						
						+		1	<del> </del>		
			•								
		L	<del></del>			<del></del>					
7 Contra	ictor's or L	andowner's Certifi			. constructe	2.	reconstructe	d or 3.	plugged	under my jurisdi	ction and
was comp	pleted on (	(mo/day/year)	6/25/200	)4	and this record	d is true to	the best of my	knowledge a	nd belief.		
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 6/28/2004											
under the	business	name of <b>Harp</b>	Well & Pur	np Service	e Inc.	by	(signature)		9110	) []	
1		h					- •		To dd S.	. Harp	