		WATER W	VELL RE	CORD	Form W	NC-5 K	SA 82a-1	212				
111	LOCATION OF WATER WELL: FRACTION					CTION NUMBER			RANGE NUMBER			
Sedgwick		NE 1/4	-	1/4 NW	1/4	11	<u></u>	27 S	R	2E	E/W	
Distance and direction from 2141 Glenwood			ell if located w ita, Kans	•								
2 WATER WELL OWNER: COCOA												
RR#,ST. ADDRESS		Glenwood (Ct.					Board of	Agriculture, Division	n of Wat	er Resource	
CITY,	STATE: Wich	nita, Kansas				ZIP CODE:		Application	Number:			
3 LOCATE WELL'S LO WITH AN "X" IN SEC	CATION 4	DEPTH OF COM	IPLETED W	ELL: {	32 ft		ELEVATIO	N:				
WITH AN X IN SEC		pth of groundwat	er Encounte	red:		t.		ft.			ft.	
$ \cdot $	WE	ELL'S STATIC W	ATER LEVE	EL 30	FT. BEL	OW LAND SU	JRFACE MEA	ASURED ON m	no/day/yr:	7/21/0)4	
	NE		ump test dat		ater was		ft. after		ours of pumping	•	gpm	
w W		Est. Yield:	gpm er 12		ater was to	92 4	ft. after		ours of pumping	@ to	gpm ft.	
- "	·	ore Hole Diamete ELL WATER TO	•		to	82 ft.	. and	in 9. Dewa t			on well	
sw			3. Feedlot		ater supply	7. Lawn	and garden o	only 9. Dewar	g	-	cify below)	
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well Was a chamical/hacterislogical sample submitted to Department? Was a chamical/hacterislogical sample submitted to Department?												
S		Vas a chemical/bact bmitted	teriological sar	nple submitted to	Department?		NO Nater Well Di	• • •	YES	yyr wa NC		
5 TYPE OF CAS					0.1			CASING JOINTS	\Rightarrow		hreaded	
1. Steel	3. RPM (SF	₹) 5. Wrough	ht Iron	7. Fiberglas	•	Other (Specify OR-26	y below)	DAGING JOHN	Welded		Clamped	
2. PVC	4. ABS	6. Asbeste	os-Cement	8. Concrete	tile SI	JK-20						
Blank casing diamete	er 5	in. to	32 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	0	ft.	
Casing height above	land surface:	12 in.,		Weight:	2.35	lbs. / ft.	Wa	II thickness or g	auge No.	214		
TYPE OF SCREEN OR PERFORATION MATERIAL:												
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)												
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)												
SCREEN OR PERFO			Gauzad w	ranned	7 1	orch cut	9.1	Orilled holes	11. No	ne (op	en hole)	
										,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	011 11010,	
2. Louvered shutte		unched o.	. Wire wrap			aw cut	10. (Other (specify)				
SCREEN - PERFORA	ATION INTERVAL	From	32		o 82	ft.,	From	ft.	to)	ft.	
		From	2.4		0	ft.,	From	ft.	to)	ft.	
GRAVEL PA	CK INTERVALS:	From	24		to 82	ft.,	From	ft.	to	•	ft.	
		From		ft.	to	ft.,	From	ft,	to		ft.	
6 GROUT MATERI	i. Hoat		• •	ent Grout		3. Bentonite	•		entonite hol	e plug	•	
Grout Intervals: What is the nearest so	From 4 ource of possible co	ft. to	24	ft., From	f	t. to	ft.,	From	ft.	to	ft.	
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy). Livestock pens 13. Inse			cticide storage 15. Oil weil/Gas well			
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)											cify below)	
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage												
Direction from well?	North						How	many feet? 1				
From To		LITHOLOG	IC LOG		From	То		LITHO	LOGIC LO	<u>G</u>		
0 4 4 12	topsoil clay					_						
12 60	shale											
60 82	limestone											
						+						
					+							
	-											
7 Contractor's or I	Landowner's Certific			constructe	2. I	econstructe	d or 3.	plugged	under my ju	risdictio	n and	
was completed on	(mo/day/year)	7/21/200	4	and this record	d is true to t	ne best of my	knowledge a	nd belief.				
Kansas Water Well	Contractor's Licen	se No.	236	This water v	vell record v	as completed	d on (mo/day/	/year) 7/	/23/2004			
under the business name of Harp Well & Pump Service Inc. by (signature)												