	WATER W				orm V	/WC-5 K	SA 82a-	1212				
1 LOCATION OF WATER WELL:	FRACTION NE	SW.	-	_	I -	ECTION NUMBER		NSHIP NU		i i	NGE NUM	
Sedgwick Distance and direction from nearest town or city s	SEC 1/4	l if located	1/4	NW C	1/4	11	<u> </u>	27	S	R	<u> 2E</u>	E/W
2089 N. Glenwood Ct.		hita, K		y t								
	NETT, Dan	intu, in	MIISMS									
	N. Glenwood	l Ct.							Board of A	griculture, Divisi	on of Wa	ter Resource
CITY, STATE: Wich	ita, Kansas					ZIP CODE:		Ap	plication No	umber:		
3 LOCATE WELL'S LOCATION 4	EPTH OF COMP	LETED	WELL:	8	2	ft.	ELEVATIO	DN:				
WITH AN "X" IN SECTION BOX: Dep	th of groundwate	r Encoun	itered:			ft.			ft.			ft.
WE	LL'S STATIC WA	TER LE	VEL	30	FT. BE	LOW LAND SU	JRFACE ME	ASURE	D ON ma	/day/yr:	7/22/	04
NW - X NE	Pui	mp test d	data:	Well wa	ter was		ft. afte	r	hou	rs of pumping	<b>@</b>	gpi
W Bo	Est. Yield:	gpm		Well wa			ft. afte	r	hou	irs of pumping	9 @	gpr
	ore Hole Diameter		l2 in	•	to	<b>82</b> ft.	and		in.		to	ft.
	LL WATER TO B  Domestic 3.	Feedlot		ublic wa	ter supp	ly 7. Lawn a	and garden	only 9	. Dewate	8	-	ion well
		Industri		Dil field w		·			. Monito		ier (Spe	cify below
s w	as a chemical/bacte				•	? YES	NO			, what mo/da		•
	omitted					Was V	Vater Well D	Disinfecte	ed?	(YES)	NO	
TYPE OF CASING USED:  1. Steel 3. RPM (SR	5. Wrought	Iron	7. F	iberglass	9	Other (Specify	below)	CASING	JOINTS:			hreaded
2. PVC 4. ABS	6. Asbestos	s-Cemen	t 8. C	oncrete t	<sub>ile</sub> S	DR-26				Welded	(	Clamped
	in. to	42 f	t.,	Dia.	in.	to	ft.,	Dia.		in.	to	ft.
Casing height above land surface:	12 in		•	eight:	2.35	lbs. / ft.	ŕ		ess or ga		.214	
TYPE OF SCREEN OR PERFORATION			***	agrit.	2.33	105.711.	***	ali lilickii	ess or ya	uge No.	.214	
1. Steel 3. Stainless Steel	5. Fiberglass		7. P\		9	. ABS	11	I. Other	(specify)			
2. Brass 4. Galvanized	6. Concrete T	ile	8. RI	MP (SR)	10	. Asbestos-Cer	ment 12	2. None ı	ised (ope	n hole)		
SCREEN OR PERFORATION OPENING	S ARE:											
1. Continuous slot 3. Mill slo	ot 5. (	Gauzed v	wrapped	l	7.	Torch cut	9.	Drilled t	noles	11. No	ne ( op	en hole)
2. Louvered shutter 4. Key pu	inched 6. \	Wire wra	pped		<b>(8.</b>	Saw cut	10.	Other (s	pecify)			
SCREEN - PERFORATION INTERVAL	From	42	ft.	to	82	ft.,	From		ft.			ft.
OSKELIT FER OF THOM IN LIVE	From	72	ft.	to		ft.,	From		ft.		:o :o	ft.
GRAVEL PACK INTERVALS:	From	24	ft.	to		ft.,	From		ft.		:0	ft.
	From		ft.	to	_	ft.,	From					-
6 GROUT MATERIALS: 1 Next of						· ·		Oth	ft.		0	ft.
Grout Intervals: 1. Neat of Grout Intervals: From 4	ement ft. to	2. Ce 24	ment Gr			3. Bentonite				tonite hol		
What is the nearest source of possible co		24	ft.,	From		ft. to	ft.	., 1	rom	ft.	to	ft.
1. Septic tank 4. Lateral	7	. Pit priv	<b>r</b> y	1	0. Lives	ock pens	13. <b>ins</b>	secticide	storage		well/Ga	
2. Sewer lines 5. Cess P	ool 8	. Sewage	e lagoor	1	11. Fuel :	torage	14. <b>A</b> b	andon v	vater wel	l 16. Oth	er (spe	cify below
3 Watertight sewer line 6. Seepag	je pit 9	. Feed ya	ard	•	12. Fertil	zer storage						
Direction from well? Northwest							Ho		eet? 20			
	<u>-ITHOLOGIC</u>	C LOG	;		Fror	n To		L	ITHOL	<u>OGIC LO</u>	<u>G</u>	
0 4 topsoil 4 12 clay					<del> </del>							
12 75 shale												
75 82 limestone												
					-							
						-						
	·				<u> </u>							
					<del> </del>							
					<del> </del>							
					<del>                                     </del>							
7 Contractor's or Landowner's Certific	ation: This water	well was	1 (00)	nstructed	) 2.	reconstructed	or 3,	pluc	ged	under my ju	risdictio	n and
was completed on (mo/day/year)	7/22/2004		_			the best of my			-	,,-		
, , , , , , , , , , , , , , , , , , , ,	_	26				<u>-</u>	_			£/2004		
Kansas Water Well Contractor's Licens		36				was completed	i on (mo/da)	nyear)	112	6/2004		
under the business name of Harp	Well & Pump	) Servi	ce Inc	•	by	(signature)		Jo d	'd S	. Harp		