			WATER \	WELL REC	ORD I	Form W\	NC-5 K	SA 82a-1	1212		
1 LOCATION OF WATER WELL:			FRACTION	~~~		SEC	TION NUMBE	R TOWN	SHIP NUMBER	RANG	E NUMBER
Sedgy			NW 1/-		/4 SW	1/4	11	T	27 S	R	2E E/W
1		m nearest town or city			n city?						
7		reek Road	Wichii CHER, Mike	a, Kansas							
	ER WELL (ADDRESS		3 Rocky Cree						Board of Ag	riculture, Division	of Water Resource
KR#,31.			hita, Kansas			7	ID CODE.		Application No.	mhor	
3 LOCATE			DEPTH OF COM		L: 8		IP CODE:	ELEVATION	Application Nu	mper:	
WITH A	E WELL'S L(N "X" IN SE(CTION BOX:	1					ELEVATIO			
1,	- N		epth of groundwat			ft			ft.		ft.
			ELL'S STATIC W		35		OW LAND SU		ASURED ON mo/		3/6/04
	- MM	NE		ump test data:	Well wa			ft. after		s of pumping @	-
w Wije			Est. Yield: Bore Hole Diamet	gpm er 12	Well wa	iter was to	82 ft.	ft. after		s of pumping @	-
= "	1	' 1 1	ELL WATER TO		111.	10	32 II.	and	in.	to	ft. njection well
1, 1, 1, 2	- sw	I			5. Public wa	iter supply	7. Lawn a	ınd garden o	9. Dewater	9	(Specify below
\prod	'		2. Irrigation	4. Industrial	6. Oil field w	vater supply	8. Air cor	ditioning	10. Monitori	ing well	
	s		Was a chemical/bac	teriological sample	e submitted to	Department?	YES	NO	,	what mo/day/y	•
<u> </u>	25.05.04.0		ubmitted				Was V	Vater Well Di	sinfected?	YES	NO
L	. Steel	SING USED: 3. RPM (S	5. Wroug	ht Iron	7. Fiberglass	9. O	ther (Specify	below) C	ASING JOINTS:	Glued	Threaded
·	2. PVC	> 4. ABS	•	os-Cement 8	8. Concrete t	ile SD	R-26			Welded	Clamped
_	ing diamete		in. to	42 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
J	•	land surface:	10	12 1,						_	
1	-	R PERFORATION	,		Weight:	2.35	bs. / ft.	Wal	I thickness or gau	ge No2	14
1. Steel		. Stainless Steel	5. Fiberglas	s 7	. PVC	9. A	BS	11.	Other (specify)		
2. Bras		. Galvanized	6. Concrete	_	. RMP (SR)		sbestos-Cer		None used (open	hole)	
SCREEN		RATION OPENING			(,				(4)	,	
1	nuous slot			. Gauzed wrap	ned	7 To	rch cut	9 0	rilled holes	11. None	(open hole)
	red shutte			•						11.140116	(open noic)
2. Louve	rea snutte	r 4. Key p	uncnea 6	. Wire wrapped	3		w cut	10. C	ther (specify)		
SCREEN -	PERFORA	TION INTERVAL	From	42 ft.	to	82	ft.,	From	ft.	to	ft.
			From	ft.	to		ft.,	From	ft.	to	ft.
GF	RAVEL PA	CK INTERVALS:	From	24 ft.	to	82	ft.,	From	ft.	to	ft.
			From	ft.	to)	ft.,	From	ft.	to	ft.
6 GROU	J T MATERI	ALS: 1. Neat	cement	2. Cement	Grout		3. Bentonite		Other bent	tonite hole	olug
Grout II	ntervals:	From 4	ft. to		From	ft.	to	ft.,	From	ft.	to ft.
		ource of possible co		7. Pit privy	4	0. Livestoc					II/Gas well
1. Septic tank 4. Lateral lines										(specify below)	
2. Sewer		5. Cess I		8. Sewage lage		11. Fuel sto	-	14. Aba	ndon water well	io. Other	(apecity below)
Oirection fr	tight sewe	r line 6. Seepa West	ge pit	9. Feed yard	•	12. Fertilize	r storage		(10 20		
From	To		LITHOLOG	IC I OC		T Erom	T - 1	How	many feet? 30	2010 1 00	
0	3	topsoil	LITHOLOG	IC LOG		From	То		LITHOLO	OGIC LOG	
3	8	clav				 	 				
8	35	tan shale									
35	70	gray shale									
70	82	gray shale aı	nd gypsum			ļ					
						 					
						 				ECEIVE	
			7			 	—	****			
									AU	G 1 9 20	04
									ROKE	AU OF W	ATER
							ļ				
											
<u></u>						<u> </u>					
7 Contr	ractor's or L	andowner's Certifi		_	constructed) 2. re	constructed	or 3.	plugged	under my juriso	liction and
was com	npleted on	(mo/day/year)	8/6/2004	and	d this record	is true to the	best of my l	knowledge an	nd belief.		
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 8/9/2004											
under the business name of Harp Well & Pump Service Inc. by (signature) So d d S. Harp											