			WATER W	ELL RECOR	RD Fo	orm WV	VC-5 K	(SA 82a-12	12			
1 ' 1	ON OF WATE	R WELL:		ENWNW	5W	SEC.	TION NUMBE		IP NUMBER		NUMBER	
☐ Sedg	wick		№1 1/4	DATE 1/4	.88V	1/4	2	Т 2	27 s	R 2	E E/W	
			city street address of wel		y?							
	N. Peckl		Wichita,	Kansas				***				
	ER WELL (YDER, Ross						Board of Agri	culture, Division of	Water Resource	
RR#,ST.	. ADDRESS		14 N. Peckham						_		Traici Troppuro	
	CITY,		chita, Kansas			ZI	P CODE:		Application Nun	nber:		
3 LOCAT	E WELL'S LO	CATION 4	DEPTH OF COMP	PLETED WELL:	80	ft.		ELEVATION:				
_ WIIH	AN "X" IN SEC N		— Depth of groundwate	r Encountered:		ft.			ft.		ft.	
	:	,	WELL'S STATIC WA	ATER LEVEL	35	FT. BELO	W LAND SI	JRFACE MEAS	URED ON mo/o	day/yr: 9/2	4/04	
	-MW	NE	Pu	mp test data:	Well water	r was		ft. after	hours	of pumping @	gpr	
<u>o</u>	į	i	Est. Yield:	gpm	Well wate	r was		ft. after	hours	of pumping @	gpn	
Wije w	\checkmark	E	Bore Hole Diameter	r 12 in	1.	to 8	8 0 ft	. and	in.	to	ft.	
- '	$^{\wedge}$		WELL WATER TO B						9. Dewateri	ng 11. Inje	ection well	
1 1 5	-8M	- SE	1. Domestic 3.				_	and garden on			Specify below	
			_		Oil field wa		8. Air co		10. Monitorir			
	S		Was a chemical/bacter submitted	nological sample sul	bmitted to De	partment?	YES	NO Water Well Disir		what mo/day/yr	NO	
E TV	DE OE CAS	ING USED:	Submitted					-		=		
1 - 1	1. Steel	3. RPM ((SR) 5. Wrought	tiron 7. F	iberglass	9. O	ther (Specify	y below) CA	SING JOINTS: (Glued	Threaded	
l	2. PVC	> 4. ABS	6. Asbestos	s-Cement 8. C	Concrete tile	SD	R-26			Welded	Clamped	
_	sing diamete	_	in. to	40 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
l	•	•	10									
_	_	land surface:	12 in.,	We	eight: 2	2.35 II	os. / ft.	Wall th	nickness or gaug	ge No214	1	
		OR PERFORATION		7.0	16	0.4	D.C.	11 0	ther (enecify)			
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS									11. Other (specify)			
2. Bras	SS 4	. Galvanized	6. Concrete T	ille 8. Ri	MP (SR)	10. A	sbestos-Ce	ment 12. N	one used (open	noie)		
SCREEN	OR PERFO	RATION OPENI	NGS ARE:									
1. Conti	inuous slot	3. Mill	slot 5. 0	Gauzed wrapped	t	7. To	rch cut	9. Dril	led holes	11. None (open hole)	
2. Louve	ered shutte	r 4. Key	punched 6. \	Wire wrapped		8. Sa	w cut	10. Oth	er (specify)			
SCREEN	- PERFORA	TION INTERVAL	L From	40 ft.	to	80	ft.,	From	ft.	to	ft.	
			From	ft.	to		ft.,	From	ft.		ft.	
	DAVEL DA	CK INTERVALS:		24 ft.	to	80				to		
	NOVACE LY	CK INTERVALS.		_ •	-	ou	ft.,	From	ft.	to	ft.	
			From	ft.	to		ft.,	From	ft.	to	ft.	
6 GRO	UT MATERI	ALS: 1. Nea	at cement	2. Cement Gr	rout	3	B. Bentonite	•	Other bent	onite hole pl	lug	
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to											ft.	
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Ga									Gas well			
A4 Foot atomics								16. Other (s	pecify below)			
2. Sewe		5. Cess					_	14. Abanc	ion water well	,-		
	rtight sewe		page pit 9	. Feed yard	12	. Fertilize	storage		1 - 10 1 5			
	from well?	East	LITHOLOGIC	21.00			T-	How m	any feet? 15	CIC I OC		
From	To		LITHOLOGIC	<u>, LUG</u>		From	То		LITHULU	GIC LOG		
4	15	topsoil clay								***		
15	80	shale										
1.7	100	i i i i i i i i i i i i i i i i i i i			<u> </u>							
									DE	OEN/EF	`	
									I L	CEIVE	J	
	ļ											
									UCT	1 9 2004		
												
							ļ		BUREA	U OF WAT	ER	
 	 											
-					+							
71		I			=				-1		tion cad	
ഥ Conf	tractor's or l	andowner's Cer	tification: This water	well was 1. Cou	nstructed	2. re	constructe	d or 3.	plugged	under my jurisdic	tion and	
was cor	mpleted on	(mo/day/year)	9/24/2004	and th	is record is	true to the	best of my	knowledge and	belief.			
Kansas	Water Well	Contractor's Lice	ense No. 2.	36 This	s water well	record wa	s completed	d on (mo/day/yea	ar) 9/27	/2004		
l							gnature)					
under tr	16 003111 6 55	manie or Har	p Well & Pump	Service Inc.	•	Dy (Si	g. 10.010 <i>)</i>	<i>`</i>	odd S.	Harp		