			W	ATER W	ELL R	ECORD	Fo	orm WW	/C-5 K	(SA 82a-12	212			
1 LOCATION OF WATER WELL: FRACTION								SECT	TION NUMBE		HP NUMBER		SE NUMB	ER
Sedgv				SW 1/4	SE		<u>sw</u>	1/4		Т :	27 s	R	2E	E/W
		n nearest town o	•			within city?								
	Rosemon		INCLA	chita, Ka	insas									
	ADDRESS,		210 Ros	•							Board of Ag	riculture, Division	of Wate	r Resource
100,01.	CITY, S		Vichita,					711	P CODE:		Application Nu	mber:		
3 LOCATE	WELL'S LO			H OF COM	PLETED V	WEI I ·	82		OODL.	ELEVATION:				
WITH A	N "X" IN SEC	TION BOX:	\vdash	groundwate				ft.			ft.			ft.
	N N	1	I ' '	STATIC W		_	n		W I AND SI	HDEACE MEAS	SURED ON mo/	daylyr: 1	2/21/0	
			1		imp test d		ell wate		W LAND 3	ft. after		s of pumping		gpm
; I	NW	-NE	Est.	Yield:	gpm		ell wate			ft. after		rs of pumping	-	gpm
w Wije		E	Bore Ho	ole Diamete		2 in.		to 8	2 ft		in.		0	ft.
-			WELL W	ATER TO	BE USED						9. Dewater	ing 11.	Injectio	n well
	SW	-SE	1. Dom		. Feedlot	5. Pub i	lic wate	er supply		and garden on			r (Spec	ify below)
	\perp		2. Irriga		. Industri			ter supply		nditioning	10. Monitori	i ng well what mo/day.	hr was	sample
	s		was a co		enological s	ample submit	ted to De	epartment?	YES Was '	NO Water Well Disi		YES	NO	Sample
5 TYF	E OF CASI	NG USED:				~ =::		9 0	her (Specif		ASING JOINTS:	Glued	Th	readed
道 1.	. Steel	3. RPM	M (SR)	5. Wrough	t Iron	7. Fiber	glass			y below) Or	101110 0011110.	Welded		lamped
\bigcirc 2	. PVC	4. ABS	S	6. Asbesto	s-Cement	8. Cond	crete tile	9 201	R-26					
Blank casi	ing diamete	r 5	in.	to	32 ft	i., Di	a.	in.	to	ft.,	Dia.	in. to		ft.
Casing he	eight above	land surface:	1	2 in.,		Weigh	t: 2	2.35 It	os. / ft.	Wall	thickness or gau	ige No.	214	
TYPE OF	SCREEN O	R PERFORA	TION MAT	ERIAL:										
1. Stee	1 3.	Stainless Ste	el 5	. Fiberglass	, (7. PVC	>	9. Al	BS		Other (specify)			
2. Bras	s 4.	Galvanized	6	. Concrete	Tile	8. RMP	(SR)	10. A	sbestos-Ce	ment 12. N	None used (oper	n hole)		
SCREEN (OR PERFO	RATION OPE	NINGS AR	E:										
1. Contir	nuous slot	3. M	till slot	5.	Gauzed v	vrapped		7. To	rch cut	9. Dr	illed holes	11. Non	e (opei	n hole)
2. Louve	red shutter	r 4. K	ey punche	ed 6.	Wire wra	pped		8. Sa	w cut	10. Ot	her (specify)			
SCREEN -	PERFORA [*]	TION INTERV	/AL ſ	From	32	ft.	to	82	ft.,	From	ft.	to		ft.
00	0			From		ft.	to		ft.,	From	ft.	to		ft.
G	RAVEL PAC	CK INTERVAL	_	From	24	ft.	to	82	ft.,	From	ft.	to		ft.
	017221710	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		From		ft.	to	02	ft	From				
o L cpou	T MATERIA	A1 C.									ft.	to		ft.
<u> </u>		1.1	Neat cemer	•••		ment Grout			B. Bentonite			tonite hole		
	ntervals: nearest so	From urce of possib	4 ft. ble contami	nation:	24	ft., F	rom	ft.	to	ft.,	From	ft.	to	ft.
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy							10). Livestoc	k pens	13. Insecticide storage 15. Oil well/Gas well				
2. Sewer	r lines	5. C e	ess Pool	8	3. Sewage	alagoon	11	1. Fuel sto	rage	14. Aba n	don water well	16. Othe	r (speci	fy below)
3. Water	tight sewer	line 6. Se	eepage pit		. Feed ya	ard	12	2. Fertilize ı	storage					
Direction f		West							How r	nany feet? 10				
From	То		LITH	<u> IOLOGI</u>	<u>C LOG</u>			From	To		LITHOLO	OGIC LOC	}	
0		topsoil												
15		clay shale												
75		limestone												
		THE STATE												
						···								
														-
				-2										
		-												
							=						_ 41 _ 22	
7 Conti	ractor's or L	andowner's C							constructe		plugged	under my juri	saiction	ano
was con	npleted on (mo/day/year)	12	2-21-200	4	and this re	ecord is	s true to the	best of my	knowledge and	d belief.			
Kansas \	Water Well	Contractor's L	icense No.	. 2	36	This wa	ater wel	I record wa	s complete	d on (mo/day/ye	ear) 12/2	3/2004		
under the	e business i	name of Ha	arp Well	& Pum	p Servi	ce Inc.		by (si	gnature)	-	7.11 8	<u> </u>		
			_									(TT) # 10		