	WATER WELL RECORD	D Form WV	VC-5 K	SA 82a-121	2		
1 LOCATION OF WATER WELL:	FRACTION		TION NUMBER			RANGE NUMBER	
Sedgwick Distance and direction from nearest town or city	NE 1/4 NW 1/4	NW 1/4	11	T 27	S	R 2E	E/W
2073 N. Glenwood Ct.	Wichita, Kansas						
	TING, Robert						
	Glenwood Ct.				Board of Agri	culture, Division of Wa	ater Resource
	nita, Kansas		IP CODE:		Application Nun	nber:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL:	82 ft.		ELEVATION:			
N Dep	oth of groundwater Encountered:	ft			ft.		ft.
			W LAND SU	RFACE MEASU		, ,	
NE		Well water was		ft. after		of pumping @	gpm
⊠ W	Est. Yield: ${\sf gpm}$ ${\sf N}$ ore Hole Diameter ${\sf 12}$ ${\sf in}$.	Well water was to	82 ft.	ft. after and	in.	of pumping @	gpm ft.
, , , , , , , , , , , , , , , , , , , ,	ELL WATER TO BE USED AS:				9 Dewateri		
1sw·		blic water supply			>	12. Other (Spe	ecify below)
		I field water supply			10. Monitorir	n g well what mo/day/yr wa	e comple
	las a chemical/bacteriological sample subm bmitted	nitted to Department?	YES Was W	Vater Well Disinfe		YES N	
TYPE OF CASING USED:		9.0			ING JOINTS: (\succeq	Threaded
1. Steel 3. RPM (SR) Welded Clamped							
2. PVC 4. ABS		ncrete tile SD	K-20				,
Blank casing diameter 5	,	Dia. in.	to	ft., [Dia.	in. to	ft.
Casing height above land surface:	24 in., Weig	ght: 2.35 I	bs. / ft.	Wall thi	ckness or gaug	ge No214	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)							
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)							
			w cut			i i. None (op	ich holej
,			IW CUI	10. Otne	r (specify)		
SCREEN - PERFORATION INTERVAL	From 42 ft.	to 82	ft.,	From	ft.	to	ft.
	From ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From 24 ft.	to 82	ft.,	From	ft.	to	ft.
	From ft.	to	ft.,	From	ft.	to	ft.
GROUT MATERIALS: 1. Neat of			3. Bentonite	•	Other bent	onite hole plu	•
Grout Intervals: From 4 What is the nearest source of possible co		From ft.	to	ft.,	From	ft. to	ft.
1. Septic tank 4. Lateral lines 7. Pit privy 10. L			k pens	ns 13. Insecticide storage 15. Oil well/Gas well			
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)							
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage							
Direction from well? North east				How ma	ny feet? 50 f		
	LITHOLOGIC LOG	From	То		LITHOLC	GIC LOG	
0 3 topsoil 3 10 clay		- 	1 1				
10 35 tan shale							
35 82 gray shale							
<u> </u>							
			 				
			 				
			1				
						· · · · · · · · · · · · · · · · · · ·	
-1			<u></u>				
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and							
was completed on (mo/day/year) 3/5/2005 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 3/7/2005							
under the business name of Harp Well & Pump Service Inc. by (signature)							

Jodd S. Harp