			WATER W	ELL REC	ORD	Form WV	VC-5 K	SA 82a-12	12		
'	N OF WATER	R WELL:	FRACTION	CXX	>1111		TION NUMBER		P NUMBER	RANGE N	
Sedgr		nearest town or city s	SW 1/4		/4 NW	1/4	11	<u> </u> T 2	7 s	R 2I	E E/W
Distance and direction from nearest town or city street address of well if located within city?  1925 Peckham Ct. Wichita, Kansas											
2 WATER WELL OWNER: FAHSHOLTZ, Bruce Construction											
RR#,ST. ADDRESS,BOX #: 11927 Shannonway Ct.  Board of Agriculture, Division of Water Resource											
CITY, STATE: Wichita, Kansas ZIP CODE: 67206 Application Number:											
	E WELL'S LO N "X" IN SEC	CATION 4 D	EPTH OF COMP	LETED WEI	_L: '	<b>70</b> ft.		ELEVATION:			
	N N	Dep	th of groundwater	Encountere		ft			ft.		ft.
		WE	LL'S STATIC WA	TER LEVEL	40	FT. BELC	W LAND SU	JRFACE MEAS	URED ON mo/o	lay/yr: 3/7	/05
<b>'</b>	-NW	- NE		np test data:		ater was		ft. after		of pumping @	gpm
<sup>™</sup> Mile	Est. Yield: gpm Well wate							ft. after		of pumping @ to	gpm ft.
- "	Bore Hole Diameter 12 in. to 70 ft. and WELL WATER TO BE USED AS:								in.	44 1-1-	ction well
<b>,</b>	1. Injection of the control of the c										
	2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well										
Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample submitted Was Water Well Disinfected? YES NO											
5 TY	PE OF CAS		milled							=	
	. Steel	3. RPM (SR)	5. Wrought	Iron	7. Fiberglas		ther (Specify	below) CA	SING JOINTS: (	Glued Welded	Threaded Clamped
	2. PVC	4. ABS	6. Asbestos	-Cement	8. Concrete	tile SD	R-26			Weided	Clamped
Blank cas	ing diamete	r <b>5</b> i	n. to	25 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height above land surface: 16 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No214											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1. Stee	el 3.	Stainless Steel	<ol><li>Fiberglass</li></ol>	_	7. PVC	9. A	BS	11. O	ther (specify)		
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1. Continuous slot 3. Mill slot 5. Gauzed wrapped							7. Torch cut 9. Drilled holes 11. None ( open				
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)											
SCREEN -	PERFORA	TION INTERVAL	From	25 ft	. 1	to 70	ft.,	From	ft.	to	ft.
			From	ft	. 1	to	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:			From	<b>24</b> ft.		to <b>70</b>	ft.,	From	ft.	to	ft.
			From	ft.		to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout							3. Bentonite			onite hole pl	
	Intervals:	From 4	ft. to	24 ft.,			to	ft.,	From	ft. to	ug ft.
What is the nearest source of possible contamination:											
1. Septi	c tank	4. Lateral	iiiies	Pit privy			•		icide storage	15. Oil well/0	ecify below)
2. Sewe		5. Cess Po	001	Sewage lag	goon	11. Fuel sto	_	14. Aband	ion water well	io. Oulei (s)	Jechy Delow)
Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage  Direction from well? North  How many feet? 20											
From	from well?		ITHOLOGIC	TOG		From	То	HOW M	any feet? 20 LITHOLC	GIC I OG	
0		topsoil	ITTIOLOGIC	LOG		1 10111	10		LITTIOLC	GIC LOG	
4		clay								**************************************	
10	70	shale									
										· · · · · · · · · · · · · · · · · · ·	
		- <del> </del>									
								· · · · · · · · · · · · · · · · · · ·			
							-		- 71.11		
-			77.12								
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and											
was completed on (mo/day/year) 3/7/2005 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 3/9/2005											
under the business name of Harp Well & Pump Service Inc. by (signature)  Jodd S. Jarp											