			WATER WE	ELL RE	CORD	Form WV	VC-5 K	(SA 82a-12	12		
1 LOCATION OF WATER WELL: FRACTION						. 1	TION NUMBE	1 -	P NUMBER	RANGE N	
Sedgw		a agreet town as situa	SW 1/4	SE	1/4 SW	1/4	2	T 2	7 s	R 21	E E/W
Distance and direction from nearest town or city street address of well if located within city? 2541 Rosemont Circle Wichita, Kansas											
2 WATER WELL OWNER: CONGSHELL, Mark											
RR#,ST. ADDRESS,BOX #: 2541 Rosemont Circle										Water Resource	
	CITY,	STATE: Wich	ita, Kansas				IP CODE:		Application Num	nber:	
	WELL'S LO		EPTH OF COMPL	LETED W	ELL:	82 ft.		ELEVATION:			
WITH AN	N N		th of groundwater	Encounte	ered:	f			ft.		ft.
		WE	LL'S STATIC WA	TER LEVE	EL 20	FT. BELC	W LAND S	URFACE MEASI	JRED ON mo/d	lay/yr: 4/7	/05
1 1	4M	-NE	Pun	np test dat	ta: Well w	ater was		ft. after	hours	of pumping @	gpm
M M M M M M M M M M			Est. Yield:	gpm 12		ater was		ft. after		of pumping @	gpm
-		' I I	ore Hole Diameter			to	82 ft	. and	in.	to	ft. ction well
9. Dewatering										-9	pecify below)
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well											
Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample submitted submitted Was Water Well Disinfected? YES NO											-
E TVD	E OE CAS	ING USED:	mitted								
Y	Steel	3. RPM (SR)	5. Wrought (lron	7. Fiberglas		ther (Specif	y below) CAS	SING JOINTS: (Glued Welded	Threaded Clamped
2.	PVC	4 . ABS	6. Asbestos	-Cement	8. Concrete	tile SD	R-26			vveided	Clampeu
Blank casin	ng diamete	r 5 i	in. to 4	42 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing hei	ight above	land surface:	24 in.,		Weight:	2.35	bs. / ft.	Wali th	ickness or gaug	je No214	
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)											
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)											open hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)											
SCREEN - F	PERFORA	TION INTERVAL	From	42	ft.	to 82	ft.,	From	ft.	to	ft.
			From		ft.	to	ft.,	From	ft.	to	ft.
GR	AVEL PAG	CK INTERVALS:	From	24	ft.	to 82	ft.,	From	ft.	to	ft.
			From		ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout							3. Bentonite		Other bent	onite hole pl	ug
Grout In	tervals:	From 4	ft. to		ft., From			ft.,	From	ft. to	ft.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10							k pens	13 Insect	icide storage	15. Oil well/	Gas well
1. Septic		4. Lateral		Sewage		11. Fuel sto			on water well		pecify below)
2. Sewer		5. Cess Po		_	_	12. Fertilize	-	14. Abano	ion water wen	, , ,	, ,
3. Waterti		line 6. Seepag North	e pit 9.	Feed yar	u	12. Fertinze	Storage	How m	any feet? 12		
From	To		ITHOLOGIC	LOG		From	То	1.04 1.1	•	GIC LOG	
0		topsoil									
3		clay					ļ				
8		tan shale				_					
60	60 82	gray shale gypsum-limes	tono							<u></u>	
00	02	gypsum-mnes	wie								
						-		ļ			
							 				
-											
7											tion or t
\vdash		andowner's Certification		well was 1			constructe			under my jurisdic	tion and
was completed on (mo/day/year) 4/7/2005 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 4/11/2005											
under the business name of Harp Well & Pump Service Inc. by (signature) Jo dd S. Harp											