	WATER W	ELL RECORD	Form WV	/C-5 K	SA 82a-1212	2		
1 LOCATION OF WATER WELL		NINY		TION NUMBER	l .		RANGE NUM	
Sedgwick	SE 1/4	NW 1/4 NI	E 1/4	8	т 27	S	R 2E	E/W
Distance and direction from nearest town or city street address of well if located within city?  Brighton Court & Wilson Estate Parkway Wichita, Kansas								
2 WATER WELL OWNER: BRIGHTON COURTS LLC.								
RR#,ST. ADDRESS,BOX #	SS,BOX #: 7300 W. 110th Ste#990							
CITY, STATE	Overland Park, K	ansas		P CODE: 60	5210	Application Num	nber:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BO		LETED WELL:	<b>80</b> ft.		ELEVATION:			
N N	Depth of groundwater	Encountered:	ft.			ft.		ft.
	WELL'S STATIC WA	TER LEVEL 12	FT. BELO	W LAND SU	RFACE MEASUR	RED ON mo/d	lay/yr: 3/29/0	5
	Pur	np test data: Well	water was		ft. after		of pumping @	gpm
w William	Est. Yield:	10	water was	00 "	ft. after		of pumping @	gpm
<b>X</b> w								
- SW SE	J. Dewatering							
	2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well							
Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample submitted Was Water Well Disinfected? YES NO								
5 TYPE OF CASING USED: CASING USED: CASING USED: Threaded								
1 Steel 3 RPM (SR)								
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile SDR-26								
Blank casing diameter	<b>5</b> in. to	22 ft., Dia.	in.	to	ft., D	ia. i	in. to	ft.
Casing height above land surface: 16 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No214								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)								
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)								
1. Continuous slot		7. Torch cut 9. Drilled holes 11. None ( open hole)						
2. Louvered shutter	4. Key punched 6. V	Vire wrapped	8. <b>Sa</b>	w cut	10. Other	(specify)		
SCREEN - PERFORATION II	NTERVAL From	<b>22</b> ft.	to <b>80</b>	ft.,	From	ft.	to	ft.
	From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PACK INT	ERVALS: From	<b>22</b> ft.	to <b>80</b>	ft.,	From	ft.	to	ft.
	From	ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS:	1. Neat cement	2. Cement Grout	3	B. Bentonite	C	ther bent	onite hole plug	
Grout Intervals: From 2 ft. to 22 ft., From ft. to ft., From ft. to							ft.	
What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas w							well	
1. Septic tank 4. Lateral lines 4. Septic tank 4. Lateral lines 4. Cateral								
2. Sewer lines 5. Cess Pool 5. Severage 12. Fertilizer storage								
3. Watertight sewer line Direction from well? So	outh				How man	y feet? 25 f	ft. plus	
From To	LITHOLOGIC	LOG	From	То			GÎC LOG	
0 4 topso	oil							
4 8 clay								
8 15 fine s								
	and limestone			<u> </u>				
	0.1.1.0.104.00.000.000.000							
					. 102111111			
7 Contractor's or Landow	mor's Cortification: This water	well was 1	- C - Toot	constructed	or 3. <b>pl</b>	ugged	under my jurisdiction	and
2/20/2027								
Kansas Water Well Contractor's License No. This water well record was completed on (mo/day/year) 4/1/2005								
under the business name of Harp Well and Pump Service by (signature) $\int_0^\infty dd  \mathcal{S}$ . $\mathcal{A}_{rp}$								