			WATER W	/ELL RE(CORD	Form W\	NC-5 K	(SA 82a-121	12			
Sedgwick FRACTION NW 1/4 NE 1/4 NW						CTION NUMBER	i .	I I				
		m poorast town or cit	NW 1/4 ty street address of well		1/4 NW	1/4	11	T 2'	7 s	R 2	2E E/W	
	Glenwoo		ty street address of well Wichita,		in city!							
2 WATER WELL OWNER: HEZAZI, Amr												
RR#,ST. ADDRESS,BOX #: 2145 Glenwood Ct.							Board of Agriculture, Division of Water Resource					
	CITY,	STATE: Wic	chita, Kansas				IP CODE:		Application Nur	mber:		
	TE WELL'S LO		DEPTH OF COMF	LETED WE	LL: 8	32 ft.		ELEVATION:				
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	N X" IN SEC		epth of groundwate	r Encounter		f	t.		ft.		ft.	
	~		VELL'S STATIC WA	ATER LEVEI	L 25	FT. BELC	OW LAND SU	URFACE MEASU	JRED ON mo/	day/yr: 4/	/4/05	
	-MAX -	NE		ımp test data		ater was		ft. after		s of pumping @	•	
W Hile			Est. Yield:	gpm er 12		ater was	01 4	ft. after		s of pumping @		
₹ w		1 1	Bore Hole Diameter		in. S·	to	82 ft.	. and	in.	to 11 In	ft. viection well	
9. Dewatering								g	ijection well (Specify below)			
			2. Irrigation 4.	Industrial			y 8. Air cor		10. Monitorii	ng well		
	S		Was a chemical/bacte	eriological sami			YES	NO	-	what mo/day/yr	•	
FI TVE	DE OF CAS	SING USED:	ubmitted					Water Well Disinf		YES	NO	
·	PE OF CAS 1. Steel	SING USED: 3. RPM (S	5. Wrought	t Iron	7. Fiberglass		Other (Specify	y below) CAS	SING JOINTS: (Glued	Threaded	
·	2. PVC	> 4. ABS	6. Asbestos	s-Cement	8. Concrete	tile SD	R-26			Welded	Clamped	
_	sing diamete	_	in. to	42 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
	_	land surface:	12 in.,	,	Weight:		lbs. / ft.		ickness or gaug			
1	•	riano suriace. DR PERFORATIOI	,		weight.	2.33	.DS. / It.	YV QII U II	ICKIIESS Or yau;	ge No	4	
1. Stee		B. Stainless Steel	5. Fiberglass		7. PVC	9. /	ABŞ	11. Oth	her (specify)			
2. Bras	ss 4	. Galvanized	6. Concrete T	Γile	8. RMP (SR)	10. /	Asbestos-Cer	ment 12. No	ne used (open	hole)		
SCREEN	OR PERFO	RATION OPENIN	IGS ARE:									
1. Contir	inuous slot	3. Mill s	slot 5. (Gauzed wra	pped	7. T c	orch cut	9. Drille	ed holes	11. None	(open hole)	
2. Louve	ered shutte	r 4. Key r	punched 6. V	Wire wrappe	ed	8. Si	aw cut	10. Othe	er (specify)			
SCREEN -	DEREORA	TION INTERVAL	•	42 f	ft. to	00	ft	From		to	#	
SUKLLIN	FLIXI OIVA	HOMINIERVAL	From	"		0 62	ft.,	From	ft.	to	ft.	
G	:QΔ\/FL PΔ [,]	CK INTERVALS:	From			to 82	ft.,	From	ft. ft.	to	ft.	
<u> </u>	TO-VEET	JI IIII EI WALC.	From			to				to	ft.	
a L GPOL	UT MATERIA	A1 C					ft.,	From	ft. Other hent	to	ft.	
뜨		From 4	t cement ft. to		ent Grout	ft.	3. Bentonite	•	och	tonite hole p	0	
1	What is the nearest source of possible contamination:							ft.,	From		to ft.	
1	1. Septic tank 4. Lateral lines 7. Pit privy						Livestock pens 13. Insecticide storage 15. Oil well/Gas well					
2. Sewer	r lines	5. Cess I	Pool 8	B. Sewage la	goon	11. Fuel sto	rage	14. Abando	on water well	16. Other (s	specify below)	
	rtight sewe		age pit 9	9. Feed yard		12. Fertilize	r storage		4.0			
Direction f		North				T =	T + .	How ma	any feet? 16	2010100		
From	To	1	LITHOLOGIC	J LUG		From	То		LITHULU	OGIC LOG		
3	8	topsoil clav				+	+ +					
8		tan shale				†						
35	82		gypsum-limest	one								
	<u> </u>						ļ	,				
	\longmapsto					_						
		—				+	-					
	<u> </u>											
\vdash							-					
												
						+						
7 Contr	ractor's or l	andowner's Certif	fication: This water	wall was 1 t	agnetructe		-constructor	d or 3, p	plugged	under my jurisd	iction and	
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 4-7-2005												
under the business name of Harp Well & Pump Service Inc. by (signature)												