	WATER WELL F	RECORD F	orm WW	/C-5 K	SA 82a-1212				
1 LOCATION OF WATER WELL:	FRACTION			ION NUMBER			RANGE NU		
Sedgwick Sedgwick	NE 1/4 NW		1/4	8	T 27	S	R 2E	E/W	
Distance and direction from nearest town or city street address of well if located within city?									
2118 Keeneland Ct. Wichita, Kansas 2 WATER WELL OWNER: ROBL CONSTRUCTION									
2 WATER WELL OWNER: ROBL CONSTRUCTION RR#,ST. ADDRESS,BOX #: 5842 W. 21st N. Board of Agriculture, Division of Water Resource									
	S,BOX #: 5842 W. 21st N.								
		WELL: 82		F CODE:	ELEVATION:	Phiratiou Mul	in Cl.		
WITH AN "X" IN SECTION BOX:	DEPTH OF COMPLETED				ELEVATION:				
	oth of groundwater Encour		ft.			ft.		ft. '	
	ELL'S STATIC WATER LE			W LAND SU	IRFACE MEASURI		, ,		
	Pump test of				ft. after		of pumping @	gpm	
<u>a</u> w	Est. Yield: gpn ore Hole Diameter	n Well wat 12 in.	erwas to 8	2) 4	ft. after		of pumping @ to	gpm ft.	
	ore Hole Diameter ELL WATER TO BE USED		10 8	32 ft.		in.	44 Inter		
	. Domestic 3. Feedlot		ter supply	7. Lawn a	nd garden only	9. Dewateri	''9		
	2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well								
Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample									
sut	bmitted				Vater Well Disinfec	ted?	YES N	0	
TYPE OF CASING USED:	5. Wrought Iron	7. Fiberglass	9. Ot	ther (Specify	below) CASIN	G JOINTS: (Glued	Threaded	
1. Steel 3. RPM (SR	R) 6. Asbestos-Cemer		s SDI	R-26			Welded	Clamped	
2. PVC 4. ABS			Е		p				
•		ft., Dia.	in.	to	ft., Dia	э.	in. to	ft.	
Casing height above land surface: 24 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No214									
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3. Stainless Steel 5. Fiberolass 7. PVC 9. ABS 11. Other (specify)									
Steel Steel Steel	5. Fiberglass	7. PVC					holo)		
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1. Continuous slot 3. Mill slo	ot 5. Gauzed	wrapped	7. To	rch cut	9. Drilled	holes	11. None (o	pen hole)	
2. Louvered shutter 4. Key pu	unched 6. Wire wra	apped	8. S a	w cut	10. Other	(specify)			
SCREEN - PERFORATION INTERVAL	From 22	ft. to	82	ft.,	From	ft.	to	ft.	
	From	ft. to	J.	ft.,	From	ft.	to	ft.	
GRAVEL PACK INTERVALS:	24	ft. to	82	ft.,	From	ft.			
CHAVEE FACT INTERVALS:	110111 = 1						to	ft.	
	From	ft. to	W-1-1-	ft.,	From	ft.	to	ft.	
GROUT MATERIALS: 1. Neat		ement Grout	3	B. Bentonite	O	ther bent	onite hole plu	g	
							ft.		
What is the nearest source of possible co	7 Dit pri	vy 1	0. Livestoc	k pens	13. Insecticio	de storage	15. Oil well/G	as well	
2 Source larger 11 Final storage 44 Abandan and 16. Other (specify below)								ecify below)	
2. Sewer lines 5. Cess Pool 6. Sendings lagest 14. Abdultion water well									
6. Seepage pit 9. Feed yard 12. Fertilizer storage Direction from well? North How many feet? 15									
The state of the s	LITHOLOGIC LOC	3	From	То			GIC LOG		
0 3 topsoil			1	'			3.0 200		
3 10 clay									
10 35 tan shale									
35 70 gray shale									
70 82 gypsum-gray	shale								
							-		
			 						
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and									
was completed on (mo/day/year) 4/13/2005 . and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 4/15/2005									
under the business name of Harp Well & Pump Service Inc. by (signature) Jo d d S. Jarp									