WATER WELL RECORD Form WWC-5 KSA 82a-1212									
1 LOCATION OF WATER WELL:	FRACTION	NE	37577		ION NUMBER			RANGE NUM	
Sedgwick  Distance and direction from nearest town or city st	SE 1/4	NE 1/4		1/4	8	Т 2′	7 S	R 2E	E/W
Reserve H at Wilson Estates		chita, Kans	•						
2 WATER WELL OWNER: RITCHIE DEVELOPMENT									
RR#,ST. ADDRESS,BOX #: 8100 E. 22nd St. N. Bldg.1000									
	ta, Kansas				P CODE:		Application Nun	nber:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	EPTH OF COMPLI	ETED WELL:	75			ELEVATION:			
	h of groundwater E		10	ft.			ft.	4/4.0	ft.
	L'S STATIC WAT				W LAND SU		JRED ON mo/o	, ,	
d)	Est. Yield:	p test data: gpm	Well wate Well wate			ft. after ft. after		of pumping @ of pumping @	gpm gpm
W   Boi	re Hole Diameter	12 in		to 7	<b>5</b> ft.	and	in.	to	ft.
	L WATER TO BE						9. Dewateri	ng 11. Inject	ion well
1. Domestic 3. Feedlot 5. Public water supply 7 Lawn and garden only  12. Other (Specify below)  2. Irrigation 4 Industrial 6 Oil field water supply 8 Air conditioning 10. Monitoring well									
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well  Was a chemical/bacteriological sample submitted to Department? YES NO ; if yes, what mo/day/yr was sample									
subi	mitted	J		,		ater Well Disinf	ected?	YES N	0
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: Glued Threaded  1. Steel 3. RPM (SR)  Worlded Clamberd									
1. Steel 3. RPM (SR) Welded Clamped  2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile SDR-26									
Blank casing diameter 5 in	n. to 2	5 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height above land surface:	12 in.,	W	eight: 2	2.35 Ib	os. / ft.	Wali th	ickness or gaug	ge No214	
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)									
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cernent 12. None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1. Continuous slot 3. Mill slot		uzed wrapped	d		rch cut		ed holes	11. None ( op	en hole)
2. Louvered shutter 4. Key pui	nched 6. Wi	ire wrapped			w cut	10. Othe	er (specify)		
SCREEN - PERFORATION INTERVAL	From	25 ft.	to	75	ft.,	From	ft.	to	ft.
00445	From	ft.	to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	24 ft.	to	75	ft.,	From	ft.	to	ft.
o COOUT MATERIALS	From	ft.	to		ft.,	From	ft.	to	ft.
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug						<u> </u>			
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination:									
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well									
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)									
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage  Direction from well? West How many feet? 50 ft. plus									
	ITHOLOGIC	LOG		From	То	How ma		GIC LOG	
0 3 topsoil				1.0111			LITIOLO	0.0 200	
3 8 clay									
8 25 tan shale									
25 45 gray shale 45 75 gypsum-gray s	hale					**, **			
g, Imm El ay									
					<del></del>				
		***							
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and									
was completed on (mo/day/year) 4/19/2005 , and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 4/22/2005									
under the business name of Harp Well & Pump Service Inc. by (signature)									
under the business name of Harp Well & Pump Service Inc.  by (signature)  Jo d d S. Jarp									