			WATER	R WELL F	RECORD	For	n WV	VC-5 K	SA 82a-	1212				
1'1	ON OF WATE	R WELL:	2777	NINT CAN			TION NUMBER	TOWNSHIP NUMBER			RANGE NUMBER			
Sedg		m nearest town or city	NE	1/4 NW		W 1/	4	2	T	27	S	R	2E	E/W
		nsgate Circle	y street address		, Kansas									
	ER WELL		K, Gordo		, 18411343									
	. ADDRESS		•	isgate Circ	cle						Board of Ag	riculture, Divisio	n of Wa	ter Resource
	CITY,	STATE: Wic	hita, Kans	as			Z	P CODE:		Ар	plication Nu	mber:		
	TE WELL'S LO		DEPTH OF C	OMPLETED	WELL:	82	ft.		ELEVATIO	N:				
] , wiin'	N N		epth of ground	lwater Encoun	itered:		ft				ft.			ft.
	1	w	ELL'S STATI	C WATER LE	VEL 30	FT	. BELC	W LAND SU	RFACE ME	ASURE	ON mo	/day/yr:	4/30/	05
	-MM -	NE		Pump test of		ll water w			ft. after			s of pumping	_	gp
w Mie			Est. Yield: Bore Hole Dia	gpn matar 1	n We 12 in.	ell water v	vas to {	22 4	ft. afte			rs of pumping	_	gpr
[= "[-]	X			TO BE USED			10 (32 ft.	and		in.	4.4	to Inject	ft. ion well
-	-sw ·		1. Domestic	3. Feedlot		c water s	supply	7. Lawn a	nd garden	only	. Dewater	9	-	cify belov
	'		2. Irrigation	4. Industri	ial 6. Oil fie	eld water	supply	8. Air con	ditioning	10	. Monitor	ing well		-
	S		Was a chemical ubmitted	/bacteriological s	sample submitte	ed to Depa	rtment?	YES	NO Vater Well D		·-	what mo/day	//yrwa NO	
5 TY	PE OF CAS	SING USED:		· ·							JOINTS:	=		Threaded
	1. Steel	3. RPM (S	SR) 5. Wro	ought Iron	7. Fiberg	lass		ther (Specify R-26	below)	CASING	JOHVIS.	Welded		Clamped
	2. PVC	> 4. ABS	6. Ast	estos-Cemen	t 8. Concr	ete tile	SD.	K-20						
Blank cas	sing diamete	er 5	in. to	o 42 f	it., Dia		in.	to	ft.,	Dia.		in. to)	ft.
Casing h	neight above	land surface:	12 i	n.,	Weight:	2.3	35 II	os. / ft.	Wa	all thickn	ess or gau	ige No.	214	
		OR PERFORATIO			7.51/0				4.4	O41	:6.			
1. Stee		8. Stainless Steel	5. Fiber	-	7. PVC) SD\	9. A			. Other (a bolo)		
2. Bras		l. Galvanized	6. Conc	rete i ile	8. RMP (\$	or)	10. A	sbestos-Cem	ient 12	. None t	ised (oper	i riole)		
l .	OR PERFO inuous slot	PRATION OPENIN 3. Mill s		5 Courad	wannad		7 T-		0	Deillad k	oloo	11 No	30 (on	en hole)
				5. Gauzed	• •	,					11.110	ie (op	en noie,	
2. Louve	ered shutte	er 4. Key p	ounched	6. Wire wra	apped	(_	w cut	10.	Other (s	pecity)			
1						to	82	ft.,	From		ft.	to)	ft.
			From	2.4	ft.	to		ft.,	From		ft.	to)	ft.
G	SRAVEL PA	CK INTERVALS:	From	24	ft.	to	82	ft.,	From		ft.	to)	ft.
			From		ft.	to		ft.,	From		ft.	to)	ft.
띧	UT MATER	1.11041	cement		ment Grout		:	B. Bentonite		Oth	^{er} ben	tonite hol	e plug	3
1	Intervals: e nearest so	From 4	ft. ontamination:	to 24	ft., Fro	om	ft.	to	ft.	, F	rom	ft.	to	· ft
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit					ry	10. L	ivestoc	k pens	13. Ins	ecticide	storage	15. Oil v	/ell/Ga	s well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon						11. F	uel sto	rage	14. Abandon water well 16. Other (specify below)					cify below
3. Water	rtight sewe	r line 6. Seepa	age pit	9. Feed y	ard	12. F	ertilize	r storage						
Direction	from well?	West					+		Hov		_	ft. plus		
From	То	LITHOLOGIC LOG					rom	То		<u> </u>	THOL	OGIC LO	3	
3	10	topsoil clav												
10	30	tan shale												
30	73	gray shale		,										
73	76	limestone												
76	82	gray shale												
			- " " - "					 						
	 				·	\dashv								
7 Cont	tractor's or l	.andowner's Certif	ication: This v	vater well was	1. constru	icted	2. re	constructed	or 3.	plug	ged	under my jur	sdictio	n and
was cor	mpleted on	(mo/day/year)	4/30/2	005	and this red	cord is tru	e to the	best of my k	nowledge a	ind belie	f.			
Kansas	Water Well	Contractor's Licer	ise No.	236	This water	er well re	cord wa	s completed	on (mo/dav	/vear)	5/2	/2005		
		name of Hawn			_			anatura)			-, -			

Jodd S. Harp under the business name of Harp Well & Pump Service Inc.