		WATER WE	LL RECORD	Form WW	/C-5 K	SA 82a-121	2		
1 LOCATION OF W	ATER WELL:	FRACTION		. 1	ION NUMBER			RANGE NU	
Sedgwick		NE 1/4	NW 1/4 SW	1/4	2	т 27	S	R 21E	E/W
	n from nearest town or city s nsgate Circle		ta, Kansas						
2 WATER WEI	NIETO	CONSTRUC					****		
	DDRESS,BOX #: 10333 E. 21st St. N. Ste# 303								ater Resource
• CI	TY, STATE: Wich	ita, Kansas		~ ~	P CODE:		Application Numb	ber:	
3 LOCATE WELL	'S LOCATION 4 C	EPTH OF COMPL	ETED WELL:	82 ft.		ELEVATION:			
WINTAK X IIV	N Dep	th of groundwater E		ft.			ft.		ft.
		LL'S STATIC WAT			W LAND SU	IRFACE MEASUR			
NW	NE	Est. Yield:		vater was vater was		ft. after ft. after		of pumping @ of pumping @	gpm gpm
w Mile	E Bo	ore Hole Diameter	12 in.	to 8	2 ft.		in.	to	ft.
- ^	1 1	LL WATER TO BE	USED AS:	_			9. Dewaterin	ng 11. Injed	ction well
1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below)									
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample									
		omitted				Vater Well Disinfe	cted?	YES N	10
101	CASING USED:	5. Wrought I	ron 7. Fibergla	ss 9. O	ther (Specify	below) CASI	NG JOINTS: 🤇	Glued	Threaded
1. Steel	3. RPM (SR 4. ABS	6. Asbestos-	Cement 8. Concrete	e tile SDI	R-26			Welded	Clamped
Blank casing diar		in. to 4	2 ft., Dia.	in.	to	ft., C	Dia. ii	n. to	ft.
1	bove land surface:	24 in.,	Weight:	2.35 II	os. / ft.	Wall thic	kness or gaug	e No214	
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)									
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wranged 7. Torch cut 9. Drilled holes 11. None (open hole)									
To definition of the state of t							pen noie,		
2. Louvered sh	nutter 4. Key pu	ınched 6. W	ire wrapped		w cut	10. Otne	r (specify)		
SCREEN - PERF	ORATION INTERVAL	From	42 ft.	to 82	ft.,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL	L PACK INTERVALS:	From	24 ft.	to 82	ft.,	From -	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
얼	6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug								
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. What is the nearest source of possible contamination:							ft.		
1. Sepuc tank 4. Lateral lines						ide storage	15. Oil well/G		
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)									
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage Direction from well? South How many feet? 23									
Direction from we		LITHOLOGIC	LOG	From	То	riow illa	LITHOLO	GIC LOG	
0 3		EITHOLOGIO	200	110				<u> </u>	
3 10	-								
10 45					ļ				7
45 73 73 78	-			<u> </u>					
78 82	704.2								
			·						
					<u> </u>				
					-				
]				
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and									
was completed	d on (mo/day/year)	5/2/2005	and this reco	rd is true to the	e best of my	knowledge and b	elief.		
Kansas Water	Well Contractor's Licens	se No. 23	6 This water	well record wa	as completed	d on (mo/day/year	5-6 -	2005	
under the business name of Harp Well & Pump Service Inc. by (signature) Jo d d S. Jarp									
- 1						00	uu J.	~ u , p	