			WATER W	ELL RE	CORD	For	m WW	/C-5 k	(SA 82a-12	212		
'	N OF WATE	R WELL:	FRACTION				SECT	ION NUMBE		IIP NUMBER	RANGE N	
Sedg			SE 1/4		1/4 SV	V 1/	4	2	Т	27 s	R 2I	E/W
		n nearest town or city s			•							
	3 Camde			ita, Kan								
	ER WELL C		EE SONS CO		CTION					Board of Apri	culture, Division of V	Vater Resource
RR#,ST.	ADDRESS		I. River Ste#	300				,	75025			valer resource
	CITY,		ita, Kansas					P CODE: 6	5/05/	Application Nun	nber:	
	E WELL'S LO	CATION 4	DEPTH OF COMP	LETED WE	ELL:	68	ft.		ELEVATION:			
WITH	N "X" IN SEC N		th of groundwate	r Encounter	ed:		ft.			ft.		ft.
		WE	LL'S STATIC WA	TER LEVE	L 23	FT	BELO	W LAND S	URFACE MEAS	SURED ON mo/o	lav/vr: 5/6	/05
[-NW	-NE	Pu	mp test data	a: Well	water w			ft. after		of pumping @	gpm
ا م	···	.,-	Est. Yield:	gpm		water v			ft. after		of pumping @	gpm
w Mile		E Bo	ore Hole Diameter	- 4	in.		to 6	8 ff		in.	to	ft.
-		WE	LL WATER TO E	E USED AS	S:					9. Dewateri	44 1-1-	ction well
	- sw 🐴 -	- I I		Feedlot		water s	supply '	7. Lawn	and garden or	9. Dewateri	'9	pecify below)
	ì	2.	Irrigation 4.	Industrial	6. Oil fiel	d water	r supply	8. Air co	nditioning	10. Monitorir		,,
'	S	w	as a chemical/bacte	riological sam				YES	NO	; If yes, y	what mo/day/yr	
		sub	mitted					Was	Water Well Dis	nfected? (YES	NO
~	PE OF CAS		5. Wrought	Iron	7. Fibergla	ass	9. Ot	her (Specif	y below) CA	SING JOINTS:	Glued	Threaded
$-\frac{1}{2}$. Steel	3. RPM (SR	3)		_		SDI	R-26			Welded	Clamped
	2. PVC	4. ABS	6. Asbesto	s-Cement	8. Concre	te tile	ODI	20				
Blank cas	ing diamete	r 5 i	in. to	40 ft.,	Dia.		in.	to	ft.,	Dia.	in. to	ft.
Casing h	eight above	land surface:	24 in.,		Weight:	2.3	35 lb	s. / ft.	Wall	thickness or gaug	e No214	
TYPE OF	SCREEN C	R PERFORATION	MATERIAL:								,	
1. Stee	el 3.	Stainless Steel	5. Fiberglass		7. PVC		9. Al	BS	11. (Other (specify)		
2. Bras	ss 4	. Galvanized	6. Concrete 1	ile	8. RMP (SI	R)	10. As	sbestos-Ce	ment 12.1	lone used (open	hole)	
SCREEN	OD DEDEO	RATION OPENING	C ADE.									
	nuous slot	3. Mill slo		^aad			7 Ta	h4	0 D -	illed holes	11. None (non holo)
l			5. 4	Gauzed wra	apped			rch cut	9. DI	illeu lioles	i i. None (ppen noie,
2. Louve	ered shutte	r 4. Key pu	inched 6.	Nire wrapp	ed	(8. Sa	w cut	10. Ot	her (specify)		
SCREEN -	PERFORA	TION INTERVAL	From	40	ft.	to	80	ft.,	From	ft.	to	ft.
:			From		ft.	to		ft.,	From	ft.	to	ft.
G	DAVEL DAG	CK INTERVALS:			ft.	to	80					
	NAVELFA	DR INTERVALS.	From				80	ft.,	From	ft.	to	ft.
ļ.,			From	1	ft.	to		ft.,	From	ft.	to	ft.
6 GROU	JT MATERIA	ALS: 1. Neat c	ement	2. Ceme	ent Grout		3	. Bentonit	e	Other bent	onite hole pl	ug
	Intervals:	From 4	ft. to	24 ff	t., Fron	m	ft.	to	ft.,	From	ft. to	ft.
What is the	e nearest so	urce of possible cor	. 7	Dit priva		10 L	ivestoc	k nens	13 Inco	ticida storana	15. Oil well/0	Sae wall
1. Septic tank 4. Laterar lines									ecify below)			
2. Sewe	r lines	5. Cess Po	ool ⁸	. Sewage la	agoon	11. F	uel stor	rage	14. Abar	don water well	ro. Other (s)	ecity below)
3. Water	rtight sewe	fline 6. Seepag	g e pit 9	. Feed yard	l	12. F	ertilizer	storage			_	
Direction	from well?	North							How r	nany feet? 50 f		
From	То		<u> ITHOLOGI</u>	C LOG			rom	То		LITHOLO	GIC LOG	
0	3	topsoil			1	\dashv						
3		clay				_					,	
8		tan shale				-+						· · ·
35	68	gray shale				+						
						+			 			
						+						
					- · · · ·		-					
							-					
												<u> </u>
												- '
7 Cont	ractor's or L	andowner's Certific	ation: This water	well was 1.	Construc	ted	2. rec	constructe	d or 3.	plugged	under my jurisdic	tion and
			5/6/2005									
Kansas	Water Well	Contractor's Licens	e No. 23	36	This wate	r well re	ecord wa	s complete	d on (mo/day/ye	ear) 5-9-	2005	
under the business name of Harp Well & Pump Service Inc. by (signature) Jodd S. Harp												
			-	_						(0, d, d, d)	Mr nn	