		WATER V	WELL RECORD	Form W\	NC-5 K	(SA 82a-12	12		
1 LOCATION OF WA	TER WELL:	FRACTION		SEC	TION NUMBE	R TOWNSHI	P NUMBER	RANGE N	UMBER
☐ Sedgwick		NE 1/4	4 SE 1/4 S	SE 1/4	2	T 2	7 s	R 21	E/W
Distance and direction	from nearest town o	or city street address of w	vell if located within city?	•					
2362 N. Cas	tlerock Ct.	W	ichita, Kansas						
2 WATER WEL	LOWNER: K	IRDTOO, Win							
RR#,ST. ADDRE		362 N. Castlero					Board of Agri	iculture, Division of V	Vater Resource
		Vichita, Kansas		7	IP CODE:		Application Nun	nber:	
3 LOCATE WELL'S		4 DEPTH OF COM		<b>80</b> ft.	0002.	ELEVATION:	7,7		
WITH AN "X" IN S						ELEVATION.			
1,	1	Depth of groundwat		f			ft.		ft.
		WELL'S STATIC W	VATER LEVEL 12	FT. BELO	OW LAND S	URFACE MEAS	URED ON mo/o	day/yr: <b>6/2</b> 4	1/05
NW	NE	P	oump test data: We	ll water was		ft. after	hours	of pumping @	gpn
w Wile	'	Est. Yield:		ell water was		ft. after	hours	of pumping @	gpm
	E	Bore Hole Diamet	ter 12 in.	to	<b>80</b> fi	. and	in.	to	ft.
<b>-</b>		WELL WATER TO				<del> </del>	9. Dewateri	ng 11. Inje	ction well
sw	SE X					and garden on		12. Other (S	pecify below
				eld water suppl	-		10. Monitoria		
	6	Was a chemical/bac submitted	teriological sample submitte	ed to Department?	YES	NO Water Well Disin		what mo/day/yr v	vas sampie NO
FI 7/05 05 0	ACINO LICED	Submitted			vvas			$\geq$	
5 TYPE OF C	ASING USED: 3. RPN	4 (SR) 5. Wrough	ht Iron 7. Fiberg	plass 9. C	Other (Specif	y below) CAS	SING JOINTS: (	Glued	Threaded
2. PVC	4. ABS	0.4-1	tos-Cement 8. Concr	ete tile SD	R-26			Welded	Clamped
		•					5.		
Blank casing diam	eter 5		40 ft., Dia		to	ft.,	Dia.	in. to	ft.
Casing height abo	ve land surface:	12 in.,	Weight	2.35	lbs. / ft.	Wall th	nickness or gaug	ge No214	
TYPE OF SCREEN	N OR PERFORA	TION MATERIAL:							
1. Steel	<ol><li>Stainless Ste</li></ol>	el 5. Fiberglas	ss 7. PVC	9. /	ABS	11. O	ther (specify)		
2. Brass	4. Galvanized	<ol><li>Concrete</li></ol>	Tile 8. RMP (	SR) 10. /	Asbestos-Ce	ment 12. No	one used (open	hole)	
SCREEN OR PER	FORATION OPE	NINGS ARE:							
1. Continuous s			. Gauzed wrapped	7. <b>T</b> c	orch cut	9. Dril	led holes	11. None ( c	pen hole)
2. Louvered shu	****								
2. Louvered shu	tter 4. K	ey punched 6	. Wire wrapped	0.3	aw cut	10. Oth	er (specify)		
SCREEN - PERFO	RATION INTERV	'AL From	<b>40</b> ft.	to <b>80</b>	ft.,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL F	PACK INTERVAL	S: From	<b>24</b> ft.	to 80	ft.,	From	ft.	to	ft.
			ft.	to					
		From	11.		ft.,	From	ft.	to	ft.
6 GROUT MATE	RIALS: 1. N	leat cement	2. Cement Grout		3. Bentonite	•	Other bent	onite hole plu	ug
Grout Intervals:	From	4 ft. to	o <b>24</b> ft., Fr	om ft.	to	ft.,	From	ft. to	ft.
What is the nearest			7. Pit privy	10. Livesto	ck pens	13. Insect	icide storage	15. Oil well/0	as well
9 Sauran Janear 11					Fuel storage 14. Abandon water well 16. Other (specify below)				
2. Sewer lines	5. <b>Ce</b>	ess Pool	8. Sewage lagoon		•	14. Aband	ion water well	10. 04.0. (5)	cony bolow,
3. Watertight sev		epage pit	9. Feed yard	12. Fertilize	er storage				
Direction from well	North					How m	any feet? 20		
From To		LITHOLOG	IC LOG	From	То		LITHOLO	GIC LOG	
0 3	topsoil				<u> </u>				
3 8	clay-limes	tone			ļ				
8 40	tan shale				<b>_</b>				
40 65	gray shale					<del></del>			
65 80	gypsum-li	mestone			+				
	<del></del>				<del> </del>				
<u> </u>				<del> </del>	<del> </del>				
					+	<b></b>			
					<u> </u>	<u> </u>			
	-				<del>                                     </del>				
	<del> </del>			<del></del>	<del> </del>	<del> </del>			
	<del>- </del>								
<u> </u>				<u> </u>	<del> </del>				
					<del> </del>	t			
7									
Contractor's o	r Landowner's C		er well was 1. constru	icted 2. re	econstructe	<b>d</b> or 3.	plugged	under my jurisdict	ion and
was completed of	n (moldaylygar)	6/24/200	5 and this re	cord is true to th	e best of my	knowledge and	holief		
	iii (iiio/day/year)		e and this re-		o 5000 or,	Kilowieuge allu	Dellel.		
Kansas Water W					•	d on (mo/day/yea		/2005	
Kansas Water W	ell Contractor's L		236 This wat	er well record w	•	d on (mo/day/yea			