		WATER WI	ELL RECORD	Form '	WWC-5 K	SA 82a-121	12		
1 LOCATION OF WATE	ER WELL:	FRACTION			SECTION NUMBER	1		RANGE NU	
Sedgwick		SW 1/4		NW 1/4	11	T 2	7 s	R 2E	E/W
Distance and direction fro	•		•						
1815 N. Peck		CONSTRUC	ita, Kansas	·····					
2 WATER WELL RR#,ST. ADDRESS		N. Rock Road	HON				Board of Agri	culture, Division of W	ater Resource
1		ita, Kansas			ZIP CODE: 6	7206	Application Nun	nber:	
3 LOCATE WELL'S L	7.1	DEPTH OF COMPI	LETED WELL:	90	ft.	ELEVATION:			-
WITH AN "X" IN SE	CTION BOX:	oth of groundwater			ft.		ft.		ft.
\		ELL'S STATIC WA	_	5 FT. B		JRFACE MEASU		day/yr: 6/23	
NW	NE			ell water was		ft. after		of pumping @	gpm
	, , , , , , , , , , , , , , , , , , ,	Est. Yield:		/ell water was		ft. after		s of pumping @	gpm
w <del>M</del> M <del>M</del> M	E B	ore Hole Diameter	12 in.	1	o <b>90</b> ft	. and	in.	to	ft.
-	(	ELL WATER TO BI	E USED AS:				9. Dewateri	ng 11. Injec	tion well
SW -	1					and garden only	ン 10. Monitorir	12. Other (Sp	ecify below)
	1 1	•	Industrial 6. Oll 1 iological sample submit		ipply 8. Air co	NO		what mo/day/yr w	as sample
s		bmitted	lological sample submi	tied to Departin		Water Well Disin	fected?	YES N	ю
5 TYPE OF CA	SING USED:	5. Wrought	Iron 7. Fibe	rolass	9. Other (Specif	y below) CAS	SING JOINTS: (	Glued	Threaded
1. Steel	3. RPM (SF	₹)		•	SDR-26			Welded	Clamped
2. PVC	> 4. ABS	6. Asbestos		Crete tile	5DIC-20				
Blank casing diamet	ter 5		40 ft., Di	i <b>a</b> . i	n. to	ft.,	Dia.	in. to	ft.
Casing height abov		12 in.,	Weigh	ht: <b>2.35</b>	lbs. / ft.	Wall th	ickness or gaug	ge No214	
i	OR PERFORATION		7. PVC		0.486	11 0	her (specify)		
	3. Stainless Steel	<ol> <li>Fiberglass</li> <li>Concrete Ti</li> </ol>			ABS     Asbestos-Ce		one used (open	hole)	
	4. Galvanized		ile 6. Rivir	(SK)	IV. ASDESIUS-CE	1116111 12.140	one useu (open	11016)	
	ORATION OPENING				7 Tamah aus	O. Delli	led holes	11. None ( o	nen hole)
1. Continuous sid			Sauzed wrapped		7. Torch cut			TT. None ( O	pen noie,
2. Louvered shutt	er 4. Key pı	unched 6. V	Vire wrapped		3. Saw cut	10. Oth	er (specify)		
SCREEN - PERFOR	ATION INTERVAL	From	<b>40</b> ft.	to 9	<b>0</b> ft.,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PA	ACK INTERVALS:	From	<b>24</b> ft.	to 9	0 ft.,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATER	RIALS: 1. Neat	cement	2. Cement Grou	it	3. Bentonite	)	Other bent	onite hole plu	ıg
Grout Intervals:	From 4	ft. to	24 ft., F	From	ft. to	ft.,	From	ft. to	ft.
What is the nearest s		7	. Pit privy	10. Live	stock pens	13 insect	icide storane	15. Oil weil/G	as well
1. Septic tank 4. Lateral lines 4. Several language 4. Lateral lines 4. Lateral lines							16. Other (sp		
2. Sewer lines 5. Cess Pool 6. Sewage lagoon 14. Abandon water went									,,
3. Watertight sew		ge pit 9.	Feed yard	12. Fen	ilizer storage	Howm	any feet? 20		
Direction from well? From To		LITHOLOGIC	21.0G	Fro	m To	T TOW III	•	OGIC LOG	
0 3	topsoil	LITTIOLOGIC	, 100	- 1 * 10	10		LITTIOLC	OIO LOG	
3 10	clav								
10 45	tan shale								
45 88	gray shale								
88 90	gypsum-lime	stone		·	_				
									<del></del>
							······		
7 Contractor's or	Landowner's Certific	cation: This water	well was 1. const	tructed 2	reconstructe	<b>d</b> or 3.	plugged	under my jurisdict	ion and
was completed or	n (mo/day/year)	6/23/2005	and this	record is true	to the best of my	knowledge and	belief.		
· ·	II Contractor's Licen	se No. 25			•	d on (mo/day/yea		1/2005	
under the business name of Harp Well & Pump Service Inc. by (signature) $\int_0^\infty dd  S$ . $\int_0^\infty dr  \rho$									