WATER WELL REC	ORD	Form WWC						
1 LOCATION OF WAY County: 200		Fraction SE4NE4S	5E1/4	Section Num	nber Towns	hip Number	Range Number R 2 E/W	
Distance and direction					tioning System	s (decimal de	grees, min. of 4 digits)	
located within city?		only sheet address of w	I .	T 414 1 .				
14301 E.S	undance		I	_				
2 WATER WELL OW	NER: Johns	Both, Vron	du	Elevation:				
2 WATER WELL OW RR#, St. Address, Box	# : 11.1201	EXIDAD		Datum:				
City, State, ZIP Code	: 17006 t		100		tion Method:			
3 LOCATE WELL'S	4 DEPTH OF COM	PLETED WELL		Data Conce				
LOCATION								
WITH AN "X" IN	Denth(s) Groundwate	er Encountered (1).	36	ft. (2))	ft. (3)	, А	
SECTION BOX:	WELL'S STATIC W	er Encountered (1), ATER LEVEL	6 ft.	below land s	surface measur	ed on mo/day	V/VI 8/29/05	
N	Pump test da	Pump test data: Well water wasft. after hours pumping gpm						
	Est. Yieldgp	m: Well water was		ft. after	hou	rs pumping	gpm	
NW NE	WELL WATER TO	BE USED AS: 5 Pub	lic water s	upply 8	3 Air condition	ning 11 Inj	ection well	
W E		edlot 6 Oil field	l water su	oply 9	Dewatering 1	12 Ot	her (Specify below)	
	2 Irrigation 4 Ir	ndustrial 7 Domest	ic (lawn &	garden 10	Monitoring v	vell	•••••	
sw se	*** 1 ' 1/1 '				37		TC /1 /	
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs Sample was submitted								
	Sample was submitte	ca	water	well distilled	cied? Yes .x.	NO	••••	
S								
5 TYPE OF CASING U		t Iron 8 Con	crete tile	CA	ASING JOINT	S: Glued 🔼	Clamped	
1 Steel 3 RMF				below)				
ZPVC 4 ABS 7 Fiberglass Threaded								
PVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter in. to in. to in. to in. to ft., Diameter in. to ft. Casing height above land surface in., weight in., weight in., weight Wall thickness or guage No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass (7 PVC) 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot (3 Mill slot) 5. Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From 29 ft. to 10 ft., From ft. to ft.								
From								
6 GROUT MATERIAL	: 1 Neat cement	2 Cement grout 3 Be	entonite	4 Other				
Grout Intervals: From		2.4 ft., From		ft. to	ft., From	• • • • • • • • • • • • • • • • • • • •	ft. toft.	
What is the nearest source			10 T ' .	1	12.1	G.	16.04 ('6	
1 Septic tank 2 Sewer lines	4 Lateral lines 5 Cess pool		10 Livesto 11 Fuel sto		13 Insecticide 14 Abandoneo		16 Other (specify below)	
3 Watertight sewer	-				15 Oil wll/gas		below)	
Direction from well?				feet?				
FROM TO	LJTHOLOG		FROM	ТО		GGING INT		
0 2 10	05021							
2 6 0	au .							
6 31 gr 31 37 Per 37 62 lin	teen Shale							
31 37 Pe	Shale							
37 62 lin	restone							
62 78 blu	e Shale						The state of the s	
	nestone							
91 110 61	ue Shall						****	
				 				
# CONTRA CITORIC CI	T AND AND AND THE PARTY OF THE	CEDTIFICATION	This	wall was (1)	Canada	(2) ====================================	usted or (2) where 1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No. 401 This Water Well Record was completed on (mo/day/year)								
Under the business name	e / 1 - 0 - 1	\ .11' -		(signature)				
INSTRUCTIONS: Use typewrit	C I IUX X U	OF PRESS FIRMLY TO PRI	-		/ - U - 4U		t answers Cand ton the	
copies to Kansas Department of	Health and Environment, B	ureau of Water, Geology Se-	ction, 1000 S	W Jackson St., S	Suite 420, Topeka	. Kansas 66612-	1367. Telephone 785-	
296-5522. Send one to WATER	WELL OWNER and retain	one for your records. Fee	of \$5.00 for e	ach constructed	well.			