WATER WELL RECORD Form WWC-5 KSA 82a-1212											
1 LOCATION C		WELL:	FRACTION	NUC	~~~	- 1	ION NUMBER		IIP NUMBER	RANGE N	
Sedgwid		nearest town or city str	NE 1/4	NE 1/4	SW	1/4	2	Т :	27 s	R 2I	C E/W
		nearest town or city sti nont Circle		riocated within c i <b>ita, Kansa</b>	•						
	WELL O		CONSTRUC		13						
	RR#,ST. ADDRESS,BOX #: 10333 E. 21st St. N. Ste# 303  Board of Agriculture, Division of Water Resource										
	CITY, S	TATE: Wichi	ta, Kansas			ZII	CODE:		Application Num	nber:	
3 LOCATE W		CATION 4 DE	EPTH OF COMPL	ETED WELL:	80	ft.		ELEVATION:			
WITH AN "	X" IN SECT		h of groundwater	Encountered:		ft.			ft.		ft.
		WEL	L'S STATIC WAT	ER LEVEL	25	FT. BELO	W LAND SU	JRFACE MEAS	SURED ON mo/d	lay/yr: 11/1	9/05
NV	w <del> </del> -	- NE	Pum	p test data:	Well wate	r was		ft. after	hours	of pumping @	gpm
W Wile		1	Est. Yield:	gpm	Well water		_	ft. after	hours	of pumping @	gpm
	X		e Hole Diameter		in.	to 8	<b>0</b> ft.	and	in.	to	ft.
WELL WATER TO BE USED AS:  9. Dewatering 11. Injection well 12. Other (Specify bel											
1. Domestic 3. Feediot 5. Public water supply 1. Lawn and garden only 12. Other (Specify below 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well											pectly below,
'	S		s a chemical/bacteri				YES	NO		vhat mo/day/yr v	
			nitted				Was \	Water Well Disi	nfected? (		NO
5 TYPE		NG USED: 3. RPM (SR)	5. Wrought I	ron 7.	Fiberglass	9. Ot	her (Specify	/ below) CA	ASING JOINTS: (	Glued	Threaded
2. P		3. KFW (3K) 4. ABS	6. Asbestos-	Cement 8.	Concrete tile	, SDI	R-26			Welded	Clamped
Blank casing			n. to 4	10 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
· ·			12 in.,		Veight: 2		os. / ft.				
Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No214  TYPE OF SCREEN OR PERFORATION MATERIAL:											
1. Steel		Stainless Steel	5. Fiberglass	7. F	PVC	9. Al	BS	11. 0	Other (specify)		
2. Brass	4.	Galvanized	6. Concrete Til	e 8. F	RMP (SR)	10. A	sbestos-Ce	ment 12. N	lone used (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE:											
1. Continuous slot 3. Mill slot 5. Gauzed wrapped							7. Torch cut 9. Drilled holes 11. None ( open hole)				
2. Louvered shutter 4. Key punched 6. Wire wrapped							8. Saw cut 10. Other (specify)				
SCREEN - PERFORATION INTERVAL From 40 ft. to							ft.,	From	ft.	to	ft.
			From	ft.	to	80	ft.,	From	ft.	to	ft.
GRA	VEL PAC	K INTERVALS:	From	24 ft.	to	80	ft.,	From	ft.	to	ft.
			From	ft.	to	00	ft.,	From	ft.	to	ft.
6 GROUT	MATERIA	MS: 4 Nastas					· ·			onite hole pl	
Grout Inte		RLS: 1. Neat ce From 4	ement ft. to	2. Cement C 24 ft.,	From	_	Bentonite			_	ug ft.
What is the nearest source of possible contamination:											
1. Septic tank 4. Lateral lines							stock pens 13. Insecticide storage 15. Oil well/Gas well  I storage 14. Abandon water well 16. Other (specify below)				
2. Sewer lines 5. Cess Pool								becing below)			
	ht sewer		e pit 9.	Feed yard	12	2. Fertilizei	storage		1A		
Direction from well?   East					From	То	How many feet? 14  LITHOLOGIC LOG				
0		topsoil	IIIOLOGIC	LUG		TIOIII	'0		LITTIOLC	OIC LOG	
3	. 3	clay									
10	35	tan shale									
35		gray shale						-			
65	_80	gypsum-gray s	inale				<u> </u>				
<b> </b>				<del></del>			<u> </u>	ļ			
<del>                                     </del>											
							<u> </u>	<del>                                     </del>			
								<u></u>			
								<u></u>			
7 Contrac	ctor's or La	andowner's Certifica	ition: This water v	vell was 1.C	onstructed	) 2. re	constructe	d or 3.	plugged	under my jurisdic	tion and
was compl	leted on (i	mo/day/year)	11/19/2005	and	this record is	true to the	best of my	knowledge and	d belief.		
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 11/23/05											
1											
under the business name of Harp Well & Pump Service Inc. by (signature)  Jo d d S. Harp											
Jo d d J. Narp											