	WATER WELL R	RECORD I	Form WW	/C-5 K	SA 82a-1212	·		
1 LOCATION OF WATER WELL:	FRACTION		SECT	ION NUMBER	TOWNSHIP NUI	MBER	RANGE NU	IMBER
Sedgwick	NE 1/4 NW	1/4 NE	1/4	8	т 27	S	R 2E	E/W
Distance and direction from nearest town or city	street address of well if located	within city?						
2106 Keeneland Ct.	Wichita, Kansas							
2 WATER WELL-OWNER: RITO	CHIE BUILDERS							_,
	E. 22nd St. N. Suit	e 1000			1	Board of Agric	ulture, Division of W	ater Resource
CITY, STATE: Wich	iita, Kansas		ZI	P CODE:	Ap	olication Numb	er:	
3 LOCATE WELL'S LOCATION 4	DEPTH OF CHARGE	well: 8	1 ft.		ELEVATION:			
WITH AN "X" IN SECTION BOX:	(1.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				4		ft.
	oth of groundwater Encour		ft.			ft.	10/0/	
	ELL'S STATIC WATER LE	VEL 20	FT. BELO	W LAND SI	JRFACE MEASURE	ON mo/da	sy/yr: 12/20	J/05
NWNE	Pump test o	data: Well wa	ater was	_	ft. after	hours o	of pumping @	gpm
₩ E B	Est. Yield: 0 gpn	n Weli wa	ater was	dry	ft. after	hours	of pumping @	gpm
E B	ore Hole Diameter	in.	to	ft	and	in.	to	ft.
	ELL WATER 1006 USED	AS:			9	Dewaterin	g 11. Injed	tion well
1 SW SE 1	Domestic 3. Feedlot				and garden only		12. Other (Sp	ecify below)
	. Irrigation 4. Industr	ial 6. Oil fleid v	water supply	8. Air cor	nditioning 10	. Monitoring	-	
	/as a chemical/bacteriological s	sample submitted to	Department?	YES	NO		hat mo/day/yr w	
	bmitted			Was \	Vater Well Disinfecte	d? <u> </u>	YES N	10
5 TYPE OF CASING USED:	5. Wrought Iron	7. Fiberglass	9. Of	her (Specify	below) CASING	JOINTS:	Glued	Threaded
1. Steel 3. RPM (SF	₹)	•					Welded	Clamped
2. PVC 4. ABS	Asbestos-Cemer	t 8. Concrete	tile					
Blank casing diameter 36	in. to 1	ft., Dia.	in.	to	ft., Dia.	ir	n. to	ft.
Casing height Designation Surface:	in.,	Weight:	IF	os. / ft.	Wall thickn	ess or gauge	e No	
	· ·	Weight.		75. 7 11.	TTON UNCKIN	sas or gauge	. 110.	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A								
•								
2. Brass 4. Galvanized	o. Concrete The	8. RMP (SR)	10. A	spesios-Cei	nem 12. None t	ised (open i	iole)	
SCREEN OR PERFORATION OPENING	SS ARE:							
1. Continuous slot 3. Mill sl	ot 5. Gauzed	wrapped	7. To	rch cut	9. Drilled h	oles	11. None (o	pen hole)
2. Louvered shutter 4. Key p	unched 6. Wire wra	apped	8. Sa	w cut	10. Other (s	pecify) N/	A	
•		••			•	• • • • • • • • • • • • • • • • • • • •		
SCREEN - PERFORATION INTERVAL	From	ft. to	ס	ft.,	From	ft.	. to	ft.
	From	ft. to)	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	ft. t	0	ft.,	From	ft.	to	ft.
	From	ft. t	0	ft.,	From	ft.	4.0	ft.
C COOLIT MATERIALS				н.,			to	
6 GROUT MATERIALS: 1. Neat		ment Grout	3	B. Bentonite	, Oth	^{er} bento	nite hole plu	
Grout Intervals: From ft. to ft., From ft. to ft., From 3 ft. to 24 ft.								
What is the nearest source of possible co	7 1714	N	10. Livestoc	k pens	13 Insecticide	storage	15 Oil well/G	as well
40 Other Janual E. Balan								
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify belo								
3. Watertight sewer line 6. Seepa	ge pit 9. Feed y	ard	12. Fertilizer	storage			None Ap	parent
Direction from well?					How many f	eet?		
From To	LITHOLOGIC LOG	3	From	То		THOLO	GIC LOG	
			0	3	surface clay an	d silt		
			3		bentonite hole			
			24	81	chlorinated sar		vel	
·								
1								
7								
7 Contractor's or Landowner's Certific	cation: This water well was	1 constructe	d 2 ra	constructed	or 3 nlug	ged	nder mv jurisdicti	on and
				constructed			nder my jurisdicti	on and
Contractor's or Landowner's Certific was completed on (mo/day/year)	12/20/2005				or 3. plug knowledge and belie		nder my jurisdicti	on and
	12/20/2005	and this record	is true to the	best of my				on and
was completed on (mo/day/year)	12/20/2005 se No. 236	and this record	is true to the	best of my	knowledge and belie I on (mo/day/year)	1.	/2005	on and