			WATER WE	LL RECORI	) Fo	rm WW	C-5 KS	SA 82a-121	2		
1 LOCATION	OF WATER	WELL:	FRACTION			SECTION	ON NUMBER	TOWNSHIP	NUMBER	RANGE NU	MBER
8				NW	1/4	8	т 27	S	R 2E	E/W	
Distance and o	direction from	nearest town or city	street address of well if	located within city?							
8513 B	Bridlewo		Wichita, K	ansas							
2 WATE	R WELL O	WNER: WAI	LENTA, Don								
	ADDRESS,	BOX #: 8513	Bridlewood			Board of Agriculture, Division of Water Resource					
CITY, STATE: Wichita, Kansas							ZIP CODE: Application Number:				
3 LOCATE	WELL'S LOC	CATION 4	DEPTH OF COMPLE	ETED WELL:	82	ft,		ELEVATION:			
WITH AN	I "X" IN SECT	TION BOX:	pth of groundwater E			ft.			ft.		ft.
	N I				20			DE4.05.45.40U		1/4/	
		I I	ELL'S STATIC WAT				V LAND SU	RFACE MEASU			
1 1	4M	-NE			Nell water			ft. after		of pumping @	gpm
₩ <del>M</del>	( I		Est. Yield:	4.0	Well wate			ft. after		of pumping @	gpm
	1	' I I	Sore Hole Diameter			to 82	<b>2</b> ft.	and	in.	to	ft.
<u> </u>	sw ·	J_ 1	ELL WATER TO BE  1. Domestic 3. F		hlic wate	reunnly C	7 Lawn a	nd garden only	9. Dewateri	ng .	tion well
	12. Other (Specify bell										ecity below)
I L	If was what moldaylyr was sample										
Was a chemical/bacteriological sample submitted to Department?  Was Water Well Disinfected?  YES  NO  NO  NO  NO  NO  NO  NO  NO  NO  N											
5 TYPE OF CASING USED. CASING JOINTS: Glund Throaded											
1. Steel 3. RPM (SR)											
2.	PVC	4. ABS	6. Asbestos-	Cement 8. Co	ncrete tile	SDR	k-26			Viciaca	Clamped
Blank casing diameter 5 in. to 32 ft., Dia. in. to ft., Dia. in. to ft.											
ŀ			12 in		abt. 1	35 Ib	o / #	Wall thi	okaose or gau	ao No. 214	
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)											
	1.000										
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
		RATION OPENIN								44 None (	
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut								9. Drille	ed holes	11. None ( o	pen noie)
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)											
SCREEN -	PERFORA'	TION INTERVAL	From	<b>32</b> ft.	to	82	ft.,	From	ft.	to	ft.
	, 1, 1, 5, 5, 5,		From	ft.	to		ft.,	From	ft.		ft.
	34\/EL B4/	OK INTERVALO.		24 ft.	to	82				to	
	KAVEL PAC	CK INTERVALS:	From			02	ft.,	From	ft.	to	ft.
			From	ft.	to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Oth								Other bent	tonite hole pli	ıg	
Grout I	ntervals:	From 4	ft. to	24 ft.,	From	ft.	to	ft.,	From	ft. to	ft.
What is the nearest source of possible contamination:										e wall	
1. Septic	tank	4. Latera	ai iiiies	Pit privy			•		_	40 Other/or	
2. Sewer	r lines	5. Cess	Pool 8.	Sewage lagoon	11	1. Fuel stor	age	14. Aband	on water well	io. Other (Sp	ecity below;
3. Water	tight sewe	r line 6. Seepa	age pit 9.	Feed yard	12	2. Fertilizer	storage				
Direction from well? South								How ma	any feet? 50		
From	То		LITHOLOGIC	LOG		From	То		LITHOLO	OGIC LOG	
0	4	topsoil									
4	15	clay									
15	20	fine sand an	d clay								
20	65	shale			_						
65	82	limestone									
						-					
-											
							<b>—</b>				
	<u> </u>										
7 000	tractor's or !	andowner's Corti	ification: This water:	well was 1	etructod	) 2 m	constructo	d or 3.	plugged	under my jurisdic	tion and
104/2004											
was completed on (mo/day/year) 1/04/2006 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 1-6-2006											
under th	under the business name of Harp Well & Pump Service Inc. by (signature)  Jo d d S. Harp										