WATER WELL RECORD FO	orm WWC-	5 KSA 82	a-1212		
1 LOCATION OF WATER WELL: FRACTION	SECTION		WNSHIP NUMBER	RANGE NUM	
Sedgwick NW 1/4 NW 1/4 NW Distance and direction from nearest town or city street address of well if located within city?	1/4 10	0 T	27 S	R 2E	E/W
11375 E. 21st St. N. Wichita, Kansas					
2 WATER WELL OWNER: SONIC CORPORATION					
RR#,ST. ADDRESS,BOX #: 300 Johnny Bench Drive  Board of Agriculture, Division of Water Resource					
CITY, STATE: Oklahoma City, Oklahoma		ODE: 73104	Application Nun	nber:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL: 86	ft.	ELEVA	TION:		
N Depth of groundwater Encountered:	ft.		ft.		ft.
WELL'S STATIC WATER LEVEL 20			MEASURED ON mo/o		
Pump test data: Well water				of pumping @	gpm
Est. Yield: gpm Well water  Bore Hole Diameter 12 in.	erwas to <b>86</b>		after hours and in.	s of pumping @ to	gpm ft.
₩ELL WATER TO BE USED AS:			0 Dewateri	44 1-141	
1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below)					
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well  Was a chemical/hacteriological sample submitted to pendiment?  VES. (NO.)  (NO.)  (If yes, what mo/day/yr was sample					
S Was a chemical/bacteriological sample submitted to Do submitted	epartment?	YES Mas Water We		YES NO	
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass	9. Other	(Specify below)	CASING JOINTS: (	Glued T	hreaded
1. Steel 3. RPM (SR)	SDR-2	6		Welded	Clamped
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile					
Blank casing diameter 5 in. to 41 ft., Dia.	in.	to ft.,		in. to	ft.
	2.35 lbs./	ft.	Wall thickness or gaug	ge No214	
TYPE OF SCREEN OR PERFORATION MATERIAL:  1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC	9. ABS		11. Other (specify)		
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. Torch	cut	9. Drilled holes	11. None ( op	en hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped	8. Saw CI	ut	10. Other (specify)		
SCREEN - PERFORATION INTERVAL From 41 ft. to	86 ft.,			4-	4
From ft. to	ft.,			to to	ft. ft.
GRAVEL PACK INTERVALS: From 24 ft. to	86 ft.,		•••	to	ft.
From ft. to	ft.,			to	ft.
6 GROUT MATERIALS: 1, Neat cement 2, Cement Grout				tonite hole plug	
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:	0. Livestock pe		•	15. Oil well/Ga	
1. Septic tank 4. Lateral lines					
2. Sewer lines 5. Cess Pool 5. Strategy agoon 14. Abandon water wen					
3. Watertight sewer line 6. Seepage pit 9. Feed yard 1 Direction from well? East	2. Fertilizer sto	orage	How many feet? 20		
From To LITHOLOGIC LOG	From	To		OGIC LOG	-
0 3 topsoil	7.0	, ,		0.010	
3 10 clay					
10 40 tan shale					
40 86 gray shale/gypsum					
7 Contractor's or Landowner's Certification: This water well was 1. constructed	2. recon	structed or	3. plugged	under my jurisdictio	n and
was completed on (mo/day/year) 5/01/2006 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 5/05/2006					
under the business name of Harp Well & Pump Service Inc. by (signature)  Jo dd S. Jarp					