			WATER \	WELL R	ECORD	For	rm WW	C-5 K	SA 82a-1212	2		
111	LOCATION OF WATER WELL: FRACTION							TON NUMBER TOWNSHIP NUMBER RANGE NUM				
Sedgy		nearest town or city	NW 1/			W 1	/4	11	T 27	S	R 2E	E/W
1	V. Glenw		Wichita, I		Will lift City?							
	R WELL O		IB, Jason									
	ADDRESS,		N. Glenwo							Board of Agri	culture, Division of V	Vater Resource
	CITY, S		nita, Kansas			-00		CODE:		Application Nun	nber:	
	WELL'S LO	TION BOX:	DEPTH OF COM			80	ft.		ELEVATION:			
1,	N N		pth of groundwa				ft.	AND CI	DEACE MEACH	ft.	dav/vr: 4/1 1	ft.
		; I I	ELL'S STATIC V	Pump test d		ell water		V LAND SU	RFACE MEASUF ft. after		oay/yr: 4/10 of pumping @	gpm
1 1	X	- VE	Est. Yield:	gpm		ell water			ft. after		s of pumping @	gpm
w Wije	-	Е В	ore Hole Diame	ter 1	l 2 in.		to 8 0) ft.	and	in.	to	ft.
-	sw -		ELL WATER TO			io wator	r eumnby C	7 Lawn a	nd garden only	9. Dewateri	9	ction well
1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify belo 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well												pecify below)
Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample												•
			ibmitted					Was V	Vater Well Disinfe		\sim	NO
101	Steel	ING USED: 3. RPM (SF	5. Wroug	ght Iron	7. Fiber	glass		ner (Specify	below) CASI	NG JOINTS:	Glued	Threaded
1. Steel 3. RPM (SR) Welded Clamped 2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile SDR-26												
Blank casi	ing diamete	r 5	in. to	40 f	t., Dia	ı.	in.	to	ft., C	Dia.	in. to	ft.
Casing he	eight above	land surface:	24 in.,		Weigh	t: 2	.35 lb	s. / ft.	Wall this	kness or gau	ge No214	
TYPE OF SCREEN OR PERFORATION MATERIAL:												
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)												
		RATION OPENING		6 1116	0. 100	(011)	10. Ac	003103-001	12.110	o dood (opon	1100	
	nuous slot			5. Gauzed	wrapped		7. Tor	ch cut	9. Drille	d holes	11. None (open hole)
	red shutte			6. Wire wra	• •		8. Sav	v cut	10. Othe	r (specify)		
1		TION INTERVAL	From	40	ft.	to	80	ft.,	From		40	4
SCREEN -	PERFORA	HON INTERVAL	From	40	ft.	to	30	ft.,	From	ft. ft.	to to	ft. ft.
G	RAVEL PAG	CK INTERVALS:	From	24	ft.	to	80	ft.,	From	ft.	to	ft.
			From		ft.	to		ft.,	From	ft.	to	ft.
6 GROU	JT MATERI	ALS: 1 Neat	cement	2. C e	ement Grout		3	Bentonite		Other ben	tonite hole pl	
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to										•		
What is the nearest source of possible contamination: 1. South took 7. Pit privy 10							Livestoc	_ivestock pens 13. Insecticide storage 15. Oil well/Ga			Gas well	
1. Septic tank 4. Lateral lines 8. Sowage Jacob 11. Fuel storage 14. Aborden water well 16. Other										40 Other (e.	pecify below)	
2. Sewe	rtight sewe	_		9. Feed y	_	12	. Fertilizer	storage				
	from well?	South	ige pit						How ma	ny feet? 30		
From	То		LITHOLOG	SIC LOC	3		From	То		LITHOL	OGIC LOG	
0_	3	topsoil										
8	35	clay tan shale							<u></u>			-701
35	65	gray shale										
65	80	gray shale/ li	mestone/gy	psum		\rightarrow						
						_						·
												·
	<u> </u>										v	
—						\dashv		-				
7	tractor's or	andowner's Certif	fication: This we	ater well wa	s 1 Conet	ructed) 2 ra	constructe	d or 3.	plugged	under my jurisdi	ction and
Contractor's or Landowner's Certification: This water well was 1. constructed 2, reconstructed or 3, plugged under my jurisdiction and was completed on (mo/day/year) 4/11/2006 and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 4/14/2006												
						-101 WEII						
under th	ie business	name of Harp	well & Pu	ınp Serv	ice inc.		by (Si	gnature)	<u>J</u> ,	dd S.	. Harp	