		WATER	WELLB	FCOI	ט פ	orm	\^/\^/	C-5 K9	SA 82a-12	12		
1 LOCATION OF WATE		WATER WELL RECOR				OIIII		ON NUMBER			RANGE NUMBER	
Sedgwick	N WEEE.	~	1/4 NE	1/4	SW	1/4		2	1	7 s	R 2E	
Distance and direction from	m nearest town or city st								· · · · · ·			
14108 Ayesbu	•		hita, Kan		•							
2 WATER WELL C		ERSON,		-								-
RR#,ST. ADDRESS		Ayesbur								Board of Agric	culture, Division of W	ater Resource
CITY,		ita, Kans					ZIP	CODE:		Application Num	ber:	
3 LOCATE WELL'S LO	CATION 4 D	EPTH OF C	OMPLETED \	NELL:	9	8	ft.		ELEVATION:			
WITH AN "X" IN SEC	CTION BOX:		water Encoun				ft.			ft.		ft.
		•	WATER LE		65	FT I	RELOV	/ LAND SU	REACE MEAS	URED ON mo/d	av/vr: 5/19	/06
NW	NE		Pump test d		Well wa			· LAND OO	ft. after		of pumping @	gpm
	, I	Est. Yield:	gpm		Well wa				ft. after		of pumping @	gpm
w Zije	E Boi	re Hole Diar		•	ղ.		to 98	ß ft.	and	in.	to	ft.
l←   √	WE	LL WATER	TO BE USED							9. Dewaterir	na 11. Injed	tion well
sw	SE 1.1	Domestic	3. Feedlot	5.	Public w	ater su	pply <	7. Lawn a	nd garden on		•	ecify below)
	2.	Irrigation	4. Industri	<b>al</b> 6.	Oil field v	vater s	upply	8. Air con	ditioning	10. Monitorin	-	
s			bacteriological s	ample su	ubmitted to	Departn	nent?	YES	/ater Well Disir		vhat mo/day/yr w	/as sample NO
E T/DE 05 040		mitted									=	
5 TYPE OF CAS	SING USED: 3. RPM (SR)	5. Wro	ought Iron	7. F	Fiberglass	3	9. Oth	er (Specify	below) CA	SING JOINTS: C	Glued	Threaded
2. PVC	> 4. ABS		estos-Cemen	t 8. (	Concrete	tile	SDR	-26			Welded	Clamped
Blank casing diameter	_	n. to		t.,	Dia.		in.	to	ft.,	Dia. i	n. to	ft.
1				-								ι.
Casing height above			n.,	W	eight:	2.35	) lbs	s. / ft.	Wall t	hickness or gaug	e No214	
TYPE OF SCREEN				7. P	VC		9. AB		11 (	Other (specify)		
	3. Stainless Steel	<ol> <li>Fiberg</li> <li>Conci</li> </ol>			RMP (SR)			bestos-Cen		lone used (open	hole)	
2. Brass 4	1. Galvanized	6. Conci	ete Tile	O. F	(IVIF (SK)		IU. AS	bestos-Cen	ient 12. N	ione used (open	noie)	
SCREEN OR PERFO					_						44 14	
1. Continuous slot	t 3. Mill slo	ot .	5. Gauzed	wrappe	d	_	7. Tor	ch cut	9. <b>Dr</b> i	illed holes	11. None ( c	pen noie)
2. Louvered shutte	er 4. Key pu	nched	6. Wire wra	pped		<	8. Sav	v cut	10. Ot	her (specify)		
SCREEN - PERFORA	ATION INTERVAL	From	58	ft.	t	0	98	ft.,	From	ft.	to	ft.
		From		ft.	t	0		ft.,	From	ft.	to	ft.
GRAVEL PA	CK INTERVALS:	From	24	ft.	1	to	98	ft.,	From	ft.	to	ft.
		From		ft.		to			From			
		FIOIII		11.				ft.,	FIOIII	ft.	to	ft.
6 GROUT MATER	1. 11041 0			ment G			3.	Bentonite		Other bent	onite hole pl	U
Grout Intervals:	From 4		to <b>24</b>	ft.,	From		ft.	to	ft.,	From	ft. to	ft.
What is the nearest source of possible contamination:  1. Septic tank  4. Lateral lines  7. Pit privy  10. Livest						estock	pens	13. Insec	ticide storage	15. Oil well/0	as well	
i '	5. Cess P		8. Sewag	e lagoc	on	11. Fu	el stor	age	14. Aban	don water well	16. Other (sp	ecify below)
2. Sewer lines			9. Feed y	-				storage				
Direction from well?	er line 6. Seepag North	ge pit	5. 1 <b>ccu</b> y	aru		,,,,,		Storage	How r	many feet? 14		
From To		ITHOLO	OGIC LOC	<del></del>		Fr	rom	То	7.0.71		GIC LOG	-
0 4	topsoil		<del>, 0, 0</del> <u>200</u>			+::	<u> </u>			<u> </u>		
4 10	clav											
10 50	shale											
50 80	limestone											
80 98	shale and lime	estone										
<del></del>						+						
						+						
						+						
	<del></del>					_						
						1						
T												
	_ <u></u> _											

was completed on (mo/day/year) 5/19/2006 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 5/22/2006

under the business name of Harp Well & Pump Service Inc. by (signature) 5/0 dd S. Jarp