		WATE		IND I OI	m WW	0 0 11	SA 82a-1212			
111	OF WATER	i i			SECTION	ON NUMBER		NUMBER	RANGE NU	MBER
Sedgw	vick	NE	1/4 SW 1/4	SE 1.	/4	2	т 27	S	R 2E	E/W
1		nearest town or city street address		ity?						
	V. Burni									
	R WELL O	,						Board of Agric	culture, Division of W	ater Resource
RR#,ST.	RR#,ST. ADDRESS,BOX #: 2314 N. Burning Tree						· ·			
	CITY, S			100		CODE:		Application Num	ber:	
	WELL'S LO	ATION 4 DEPTH OF	COMPLETED WELL:	102	ft.		ELEVATION:			
WITTAL	N N	Depth of groun	dwater Encountered:		ft.			ft.		ft.
	:	WELL'S STAT	IC WATER LEVEL	50 F	T. BELOV	LAND SU	RFACE MEASUF	RED ON mo/d	ay/yr: 6/9/	06
	м у	-NE	Pump test data:	Well water	was		ft. after	hours	of pumping @	gpm
<u> 0</u>	1	Est. Yield:	JI	Well water	was		ft. after	hours	of pumping @	gpm
w Wile	1	E Bore Hole Dia	ameter 12 i	in.	to 10)2 ft.	and	in.	to	ft.
-	1		R TO BE USED AS:					9. Dewaterii	ng 11. Injed	tion well
1	sw	1. Domestic					nd garden only	,, ,, ,, ,,	12. Other (Sp	ecify below)
		2. Irrigation		Oil field water		8. Air con		10. Monitorin	ı g we ll vhat mo/day/yr v	as samnla
	S	Was a chemical submitted	al/bacteriological sample s	submitted to Depa	artment?	YES Was W	/ater Well Disinfe			10
E TVE	E OF CASI								=	
lo l	. Steel	3. RPM (SR) 5. W	rought Iron 7.	Fiberglass		er (Specify	below) CASII	NG JOINTS: (Glued Welded	Threaded
	. PVC	, ,	sbestos-Cement 8.	Concrete tile	SDR	-26			vveided	Clamped
	ing diamete	_	to 55 ft.,	Dia.	in.	to	ft., D	ia. i	in. to	ft.
	Ū									•••
1	-			Veight: 2.	.35 lbs	s. / ft.	Wall thic	kness or gaug	ge No214	
		R PERFORATION MATERIAL Stainless Steel 5. Fibe		PVC	9. AB		11 Othe	er (specify)		
1. Stee 2. Bras			9.225	RMP (SR)		bestos-Cen		e used (open	hole)	
			crete file 6. i	NIVIE (SK)	10. AS	Desios-Cen	12. 14011	e usea (open	noie)	
		RATION OPENINGS ARE:							44.11 - 4	
1. Conti	nuous slot	3. Mill slot	5. Gauzed wrappe	ed	7. Tor	ch cut	9. Drille	d holes	11. None (c	pen hole)
2. Louve	red shutte	4. Key punched	6. Wire wrapped		8. Sav	cut	10. Other	(specify)		
SCREEN -	PERFORA	TION INTERVAL From	55 ft.	to	102	ft.,	From	ft.	to	ft.
		From	ft.	to		ft.,	From	ft.	to	ft.
	DAVEL DA	K INTERVALS: From	24 ft.	to	102	ft.,	From	ft.		
	NAVELFA				102	-			to	ft.
		From	ft.	to		ft.,	From	ft.	to	ft.
6 GROU	JT MATERI.	ALS: 1. Neat cement	2. Cement	Grout	3.	Bentonite	(Other bent	onite hole pl	ıg
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft.										
What is the nearest source of possible contamination: 1. Sentic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well								as well		
Source lorger 11 Fuel storage 14 Abandan water until 16. Other (specify										
2. Sewer lines 5. Cess Pool 6. Sewage lagoon 14. Abandon water wen										
	tight sewe		9. Feed yard	12.	Fertilizer	storage		15		
Direction f		East	00101.00		Гиана I	—	How mai	ny feet? 15	2010 1 00	
From	То		OGIC LOG		From	То		LITHULC	GIC LOG	
0	4	topsoil								
12	12 70	clay shale								
	//	snate								
70	102	limestane								
70	102	limestone								
70	102	limestone								
70	102	limestone								
70	102	limestone								
70	102	limestone								
70	102	limestone								
70	102	limestone								
70	102	limestone								
70	102	limestone								
70	102	limestone								
										tion c-d
		andowner's Certification: This	_	constructed) 2. rec	constructe	d or 3. F	lugged	under my jurisdic	tion and
7 Cont	tractor's or I	andowner's Certification: This	2006				d or 3, p		under my jurisdic	tion and
7 Cont	tractor's or I	andowner's Certification: This	2006 and	this record is	true to the	best of my	-	elief.	under my jurisdic	tion and
7 Conti was cor Kansas	tractor's or I	andowner's Certification: This mo/day/year) 6/9/2	2006 and	this record is	true to the	best of my	knowledge and b	elief.	2/2006	tion and