			WATER WE	ELL RECOR	D Fo	rm WW	/C-5 K	(SA 82a-12	12		
1 LOCATIO	N OF WATER	R WELL:	FRACTION			SECT	ION NUMBE	R TOWNSHI	P NUMBER	RANGE N	IUMBER
☐ Sedgy			NW 1/4	NE 1/4	_	1/4	11	т 2	7 s	R 21	E E/W
Distance and direction from nearest town or city street address of well if located within city?											
	N. Glenv			, Kansas							
	ER WELL O		BL CONSTRU						Board of Agri	culture Division of V	Nater Pacource
RR#,ST.		SS,BOX #: 5842 W. 21st St. N. Board of Agriculture, Divisio									Water Nesource
	CITY,		hita, Kansas			ZIF	CODE:		Application Nun	ber:	
3 LOCAT	E WELL'S LO	CATION 4	DEPTH OF COMPL	ETED WELL:	78	ft.		ELEVATION:			
WIIDA	N X IN SEC	De	pth of groundwater	Encountered:		ft.			ft.		ft.
	XT	W	ELL'S STATIC WAT	TER LEVEL	40 F	T. BELO	W LAND S	URFACE MEAS	JRED ON mo/o	lay/yr: 7/01/	/2006
	-MM	-NE	Pum	np test data:	Well water			ft, after		of pumping @	gpm
ω		, , _	Est. Yield:	gpm	Well water	was		ft. after		of pumping @	gpm
w Wile		E B	ore Hole Diameter	12 in.		to 7	8 ff	t. and	in.	to	ft.
-		w	ELL WATER TO BE						9. Dewateri	na 11. Inje	ction well
,	- SW	-SE 1	. Domestic 3. I	Feedlot 5. Po	ublic wate	r supply '	7. Lawn	and garden onl		•	pecify below)
	İ	2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well									
	S Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample submitted Was Water Well Disinfected? YES NO										
			Ibmitted				was			=	NO
<u> </u>	PE OF CAS		5. Wrought I	ron 7. Fil	berglass	9. Ot	her (Specif	y below) CAS	SING JOINTS: (Glued	Threaded
	. Steel	3. RPM (SF	6. Asbestos-	Cement 8 Co	oncrete tile	SDF	R-26			Welded	Clamped
	2. PVC	> 4. ABS									
Blank cas	ing diamete	r 5		10 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing h	eight above	land surface:	12 in.,	Wei	ight: 2	.35 lb	s. / ft.	Wall th	nickness or gaug	ge No214	ļ
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1. Stee	el 3.	Stainless Steel	Fiberglass	(7. PV	\hookrightarrow	9. AE	BS	11. O	ther (specify)		
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1. Conti	nuous slot	3. Mill sl	ot 5. G	auzed wrapped		7. To r	ch cut	9. Dri l	led holes	11. None (open hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut								10. Oth	er (specify)		
			unched 5. Th					10. 01.	or (opcomy)		
SCREEN -	PERFORA	TION INTERVAL	From	40 ft.	to	78	ft.,	From	ft.	to	ft.
			From	ft.	to		ft.,	From	ft.	to	ft.
G	RAVEL PAG	CK INTERVALS:	From	24 ft.	to	78	ft.,	From	ft.	to	ft.
			From	ft.	to		ft.,	From	ft.	to	ft.
e GROI	IT MATERIA	ALS: 4 North		0.00	4						
2. Southern the property of the control of the cont									•		
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to What is the nearest source of possible contamination:									ft.		
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Ga									Gas well		
2. Sewe		5. Cess F	Pool 8.	Sewage lagoon	11.	Fuel stor	age	14. Aband	ion water well	16. Other (s	pecify below)
		_		Feed yard	12.	Fertilizer	storage				
	rtight sewer	South	ige pit o.	. oou yu.u			0.0.00	How m	any feet? 70 f	ft. nlus	
From	To		LITHOLOGIC	LOG		From	То	1.000		GIC LOG	
0		topsoil	LITTIOLOGIC			1 10111	- 10		LITTIOLC	CIO LOG	
4		clav									
20		gray shale									
50		shale and gyr	osum								
								 			
			4.4.								
				-							
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and											
FIG. 1900 C											
was completed on (mo/day/year) 7/01/2006 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 7/03/2006											
under the business name of Harp Well and Pump Service by (signature) $\int_0^r dd \int_0^r dd \int_0^$											