		WATER V	VELL REG	CORD	Form WV	VC-5 K	(SA 82a-12	12		
1 LOCATION OF WATE	R WELL:	FRACTION		_	SEC	TION NUMBE	1	P NUMBER	RANGE N	
Sedgwick		SE 1/4	<u> </u>	1/4 SW	1/4	2	T 2	7 s	R 2	E E/W
Distance and direction from				hin city?						
13410 Camde		Wichita,		· · · · · · · · · · · · · · · · · · ·						
2 WATER WELL C		IASTERPIECE 5569 SW Butlei						Board of Agri	iculture, Division of	Nater Resource
RR#,ST. ADDRESS		osehill, Kansas								
_				6		IP CODE:	ELEVATION:	Application Nun	nber:	
LOCATE WELL'S LO		4 DEPTH OF COM					ELEVATION:			
N N		Depth of groundwar		4.0	fi			ft.		ft.
		WELL'S STATIC V	VATER LEVE	L 40	FT. BELC	OW LAND S	JRFACE MEAS	URED ON mo/o	day/yr: 7/1 :	5/06
NW	NE		ump test data		iter was		ft. after		of pumping @	gpn
w <u>≅</u>		Est. Yield:	gpm ter 12		ater was	on "	ft. after		of pumping @	gpm
\\\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Bore Hole Diamet		in.	to	80 ft	. and	in.	to	ft.
sw	SE		3. Feedlot		ater supply	7. Lawn	and garden onl	⊳9. Dewateri	···g	ction well
			4. Industrial				nditioning	10. Monitorii		pecify below
		Was a chemical/bac			• • •	YES	(NO)	; If yes, v	what mo/day/yr	was sample
		submitted				Was	Water Well Disin	fected?	YES	NO
5 TYPE OF CAS		5. Wroug	ht Iron	7. Fiberglass	9. C	ther (Specif	y below) CA	SING JOINTS:	Glued	Threaded
1. Steel	3. RPM	(SR)		_	SD.	R-26			Welded	Clamped
2. PVC	> 4. ABS	,	tos-Cement	8. Concrete	tile 52					
Blank casing diameter	er 5	in. to	30 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height above	e land surface:	12 in.,		Weight:	2.35	bs. / ft.	Wall th	nickness or gaug	ge No. .21 4	1
TYPE OF SCREEN	OR PERFORAT	TION MATERIAL:								
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS								ther (specify)		
2. Brass 4	1. Galvanized	6. Concrete	Tile	8. RMP (SR)	10. <i>A</i>	Asbestos-Ce	ment 12. N	one used (open	hole)	
SCREEN OR PERFO	RATION OPE	NINGS ARE:								
1. Continuous slot 3. Mill slot 5. Gauzed wrapped						orch cut	9. Dril	led holes	11. None (open hole)
2. Louvered shutte	er 4. K€	ey punched 6	. Wire wrapp	ed	8. Sa	w cut	10. Oth	er (specify)		
SCREEN - PERFORA	TION INTEDV	AL From	30 f	ft. t	80	ft.,	From		4-	4
SCREEN - PERFORA	ATION INTERV					•		ft.	to .	ft.
ODA)/5/ DA	OK INTERVAL	From			. 00	ft.,	From -	ft.	to	ft.
GRAVEL PA	CK INTERVAL	S: From			o 80	ft.,	From	ft.	to	ft.
		From	f	t, 1	0	ft.,	From	ft.	to	ft.
6 GROUT MATERI	IALS: 1. N	leat cement	2. Ceme	ent Grout		3. Bentonite	•	Other bent	onite hole pl	ug
Grout Intervals:	From	4 ft. to	o 24 ft	., From	ft.	to	ft.,	From	ft. to	ft.
What is the nearest source of possible contamination: 1. Sentic tank 4. Lateral lines 7. Pit privy 10. L						ck pens	13 Insect	icide storage	15. Oil well/	Gas well
9 Source larger 11						46 Other (angelés heleus				
2. Sewer lines 5. Cess Pool										,
3 Watertight sewe	erline 6. Se North	epage pit	9. Feed yard	l	12. Fertilize	r storage	Llau m	any feet? 15 i	foot plus	
From To	1101111	LITHOLOG	IC LOG		From	То	T TOW III		OGIC LOG	
0 3	tonsoil	LITTIOLOG	IC LOG		FIOIII	10		LITHOLC	JGIC LOG	
3 16	topsoil clav					†	İ			
16 80	grev shale	<u> </u>								
	ļ				<u> </u>	1				
	<u> </u>				-	 	-			
					1	+	 			
	 				+	+	 			
	<u> </u>									
	 				1	1	†			
		.								
7 Contractor's or I	Landowner's Co	ertification: This wat	er well was 1	Constructe	d) 2 m	constructe	d or 3,	plugged	under my jurisdic	tion and
was completed on		7/15/200	_				knowledge and		, ,	
,			- č			-	_		1/000	
Kansas Water Well	I Contractor's L	icense No. 236		This water v	ell record w	as complete	d on (mo/day/ye	ar) 7/ 17	//2006	
under the business name of Harp Well and Pump Service by (signature) $\int_0^r dd S$. $\int_0^r dr p$										