

1	LOCATION OF WATER WELL: <b>Sedgwick</b>	FRACTION <b>SE 1/4 NE 1/4 NE 1/4</b>	SECTION NUMBER <b>11</b>	TOWNSHIP NUMBER <b>T 27 S</b>	RANGE NUMBER <b>R 2E E/W</b>
---	--	---	-----------------------------	----------------------------------	---------------------------------

2	WATER WELL OWNER:	<b>PELFRY, Paul</b>			Board of Agriculture, Division of Water Resource
	RR#,ST. ADDRESS,BOX #:	<b>2011 Crooked Pine</b>			
	CITY, STATE:	<b>Wichita, Kansas</b>			
		ZIP CODE:	Application Number:		

4. DEPTH OF COMPLETED WELL: **95** ft. ELEVATION: \_\_\_\_\_

Depth of groundwater Encountered: \_\_\_\_\_ ft.

WELL'S STATIC WATER LEVEL **35** FT. BELOW LAND SURFACE MEASURED ON **mo/day/yr: 10/19/06**

Pump test data: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours of pumping @ \_\_\_\_\_ gpm

Est. Yield: \_\_\_\_\_ gpm Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours of pumping @ \_\_\_\_\_ gpm

Bore Hole Diameter **12** in. to **95** ft. and \_\_\_\_\_ in. to \_\_\_\_\_ ft.

WELL WATER TO BE USED AS:

1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 9. Dewatering 11. Injection well

2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well 12. Other (Specify below) \_\_\_\_\_

Was a chemical/bacteriological sample submitted to Department? **YES** NO ; If yes, what mo/day/yr was sample submitted \_\_\_\_\_

Was Water Well Disinfected? YES **NO**

<b>TYPE OF CASING USED:</b> 1. Steel 2. <b>PVC</b> 3. RPM (SR) 4. ABS 5. Wrought Iron 6. Asbestos-Cement 7. Fiberglass 8. Concrete tile 9. Other (Specify below)		<b>CASING JOINTS:</b> 10. <b>Glued</b> 11. Welded 12. Threaded 13. Clamped			
Blank casing diameter		5 in.	to 40 ft., Dia.	in. to ft., Dia.	in. to ft.
Casing height above land surface:		12 in.,	Weight: 2.35 lbs. / ft.	Wall thickness or gauge No.	.214
<b>TYPE OF SCREEN OR PERFORATION MATERIAL:</b>					
1. Steel		3. Stainless Steel	5. Fiberglass	7. <b>PVC</b>	9. ABS
2. Brass		4. Galvanized	6. Concrete Tile	8. RMP (SR)	10. Asbestos-Cement
				11. Other (specify)	12. None used (open hole)
<b>SCREEN OR PERFORATION OPENINGS ARE:</b>					
1. Continuous slot		3. Mill slot	5. Gauzed wrapped	7. Torch cut	9. Drilled holes
2. Louvered shutter		4. Key punched	6. Wire wrapped	8. <b>Saw cut</b>	10. Other (specify)
SCREEN - PERFORATION INTERVAL		From 40 ft.	to 95 ft.,	From ft.	to ft.
		From ft.	to ft.,	From ft.	to ft.
GRAVEL PACK INTERVALS:		From 24 ft.	to 95 ft.,	From ft.	to ft.
		From ft.	to ft.,	From ft.	to ft.

6	GROUT MATERIALS:		1. Neat cement	2. Cement Grout	3. Bentonite	Other	bentonite hole plug		
	Grout Intervals:	From	4 ft.	to	24 ft.,	From	ft.	to	ft.
What is the nearest source of possible contamination:									
1. Septic tank		4. Lateral lines		7. Pit privy		10. Livestock pens		13. Insecticide storage	
2. Sewer lines		5. Cess Pool		8. Sewage lagoon		11. Fuel storage		14. Abandon water well	
3. Watertight sewer line		6. Seepage pit		9. Feed yard		12. Fertilizer storage		15. Oil well/Gas well	
Direction from well?		East				How many feet?		50 ft. plus	
								16. Other (specify below)	

[illegible]

7 Contractor's or Landowner's Certification: This water well was 1. **constructed** 2. **reconstructed** or 3. **plugged** under my jurisdiction and was completed on (mo/day/year) **10-19-2006** and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) **10-23-2006**

under the business name of **Harp Well and Pump Service** by (signature) *Todd S. Harp*