			WATER W	VELL RECORD	Form \	VWC-5	KSA 82a-12	12			
1 LOCATION OF WATER WELL: FRACTION					- 1	ECTION NUM					
☐ Sedgy			SW 1/4		W 1/4	2	т 2	27 s	R 2E	E/W	
1				ell if located within city?							
13508	Camde		Wichita,			,					
	R WELL C			HOMES INC.				Board of Agri	iculture Division of W	/ater Resource	
RR#,ST. ADDRESS,BOX #: 15569 SW Butler Rd.						Board of Agriculture, Division of Water Resource					
	CITY,		sehill, Kansas			ZIP CODE		Application Nun	nber:		
3 LOCATE	WELL'S LO	CATION 4	DEPTH OF COM	PLETED WELL:	72	ft.	ELEVATION:				
· WIITA	N X IN SEC	TION BOX.	Depth of groundwate	er Encountered:		ft.		ft.		ft.	
	1		WELL'S STATIC W	ATER LEVEL 35	FT. B	LOW LAND	SURFACE MEAS	URED ON mo/d	day/yr: 3/9/	07	
	NW	- NE	Pi	ump test data: We	II water was		ft. after	hours	of pumping @	gpm	
			Est. Yield:	gpm We	ell water was		ft. after	hours	of pumping @	gpm	
w Wile			Bore Hole Diamete	er 12 in.	te	72	ft. and	in.	to	ft.	
I — I	\times	<u> </u>	WELL WATER TO	BE USED AS:				9. Dewateri	ng 11. Injed	ction well	
1 1	swX	- SE	1. Domestic 3				vn and garden on		12. Other (Sp	ecify below	
			•				conditioning	10. Monitoria	n g well what mo/day/yr w	on namala	
	s		Was a chemical/bact submitted	eriological sample submitte	ed to Departme		as Water Well Disir			vas sampie VO	
E TV	OF 040	ING USED:	suomitted								
· · ·	. Steel	3. RPM ((SR) 5. Wrough	nt Iron 7. Fiberç	glass ⁹	Other (Spe	ecify below) CA	SING JOINTS: (Glued	Threaded	
	PVC	3. KFW (os-Cement 8. Conci	ete tile	SDR-26			Welded	Clamped	
							4	Die	i	-	
Blank cas	ing diamete	er 5	in. to	42 ft., Dia		ı. to	ft.,	Dia.	in. to	ft.	
Casing he	eight above	land surface:	12 in.,	Weight	2.35	lbs. / ft.	Wall t	hickness or gau	ge No214		
TYPE OF		R PERFORATION			_						
1. Stee	1 3	. Stainless Steel	5			9. ABS		ther (specify)			
2. Bras	s 4	. Galvanized	6. Concrete	Tile 8. RMP (SR) 1	0. Asbestos-	Cement 12. N	one used (open	hole)		
SCREEN	OR PERFO	RATION OPENI	NGS ARE:								
1. Continuous slot 3. Mill slot 5. Gauzed wrapped						7. Torch cut 9. Drilled holes 11. None (open hole)					
2. Louve	red shutte	r 4 Kev	punched 6.	Wire wrapped	(8	Saw cut) 10. Otl	ner (specify)			
				• • • • • • • • • • • • • • • • • • • •	_			(-,,,			
SCREEN -	PERFORA	TION INTERVA	L From	42 ft.	to 7 :	Z, ft.,	From	ft.	to	ft.	
			From	ft.	to	ft.,	From	ft.	to	ft.	
G	RAVEL PA	CK INTERVALS:	From	24 ft.	to 7	2 ft.,	From	ft.	to	ft.	
			From	ft.	to	ft.,	From	ft.	to	ft.	
6 GROU	JT MATERI	ALS: 4 No.	at cement	2. Cement Grout		3. Bento			onite hole plu		
<u></u>		1. 110	4 ft. to		om.			5011	-	•	
What is the nearest source of possible contamination:						ft. to		From	ft. to	ft.	
1. Septic tank 4. Lateral lines 7. Pit privy					10. Live :	tock pens	13. Insec	ticide storage	15. Oil well/0	as well	
2. Sewer lines 5. Cess Pool 8. Sewage lagoon					11. Fuel	storage	14. Aban	14. Abandon water well 16. Other (specify below)			
2. Sewer miles 0. Sees 1 Co. 1											
Direction 1	tight sewe	South	page pit	o oou yu.u				nany feet? 10	ft. plus		
From	To	1	LITHOLOGI	IC I OG	Fro	m To			GIC LOG		
0	4	topsoil	LITTIOLOGI	IO LOO	- ' ' '	''' ! o		LITTIOLO	7010 		
4	15	clav									
15	72	shale									
							,				
						\rightarrow					
						-					
		<u> </u>									
7 Cont	ractor's or l	.andowner's Cer	tification: This wate	er well was 1. constr	ucted 2.	reconstru	cted or 3.	plugged	under my jurisdict	tion and	
was cor	npleted on	(mo/day/year)	3-9-2007	and this re	cord is true t	the best of	my knowledge and	belief.			
l							-		2007		
1		Contractor's Lic					eted on (mo/day/ye		2-2007		
under th	e business	name of Har	p Well and Pu	mp Service	b	y (signature)	Τ	odds	. Harp		
									. ,		