WATER WELL RECORD	Form WWC-5 K	(SA 82a-1212	
1 LOCATION OF WATER WELL: FRACTION	SECTION NUMBE		RANGE NUMBER
Sedgwick NW 1/4 NW 1/4 SW Distance and direction from nearest town or city street address of well if located within city?	1/4 2	T 27 S	R 2E E/W
2519 N. Peckham Wichita, Kansas			
2 WATER WELL OWNER: GOSS, Andy			
RR#,ST. ADDRESS,BOX #: 2519 N. Peckham		Board of Ag	riculture, Division of Water Resource
CITY, STATE: Wichita, Kansas	ZIP CODE:	Application Nu	mber:
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	<b>95</b> ft.	ELEVATION:	
Depth of groundwater Encountered:	ft.	ft.	ft.
WELL'S STATIC WATER LEVEL 45  Pump test data: Well w	FT. BELOW LAND St rater was	JRFACE MEASURED ON mo/	
1 1 1 1 1	vater was		s of pumping @ gpm s of pumping @ gpm
Est. Yield: gpm Well v  Bore Hole Diameter 12 in.	to <b>95</b> ft		to ft.
WELL WATER TO BE USED AS:		9. Dewater	ing 11. Injection well
	vater supply 8. Air con		12. Other (Specify below)
S Was a chemical/bacteriological sample submitted to			what mo/day/yr was sample
submitted	Was \	Water Well Disinfected?	YES NO
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglas	9. Other (Specify	y below) CASING JOINTS:	Glued Threaded
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete	tile SDR-26		Welded Clamped
Blank casing diameter 5 in. to 50 ft., Dia.	in. to	ft., Dia.	in. to ft.
Casing height above land surface: 12 in., Weight:	2.35 lbs. / ft.	Wall thickness or gau	ge No214
TYPE OF SCREEN OR PERFORATION MATERIAL:		-	
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC	9. ABS	11. Other (specify)	
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR	) , 10. Asbestos-Ce	ment 12. None used (open	hole)
SCREEN OR PERFORATION OPENINGS ARE:  1. Continuous slot  3. Mill slot  5. Gauzed wrapped	7. Torch cut	9. Drilled holes	11. None ( open hole)
			11. None ( open noie)
2. Louvered shutter 4. Key punched 6. Wire wrapped	8. Saw cut	10. Other (specify)	
	to 95 ft.,	From ft.	to ft.
24	to ft., to <b>95</b> ft	From ft.	to ft.
1		From ft.	to ft.
	to ft.,	From ft. Other hent	to ft.
GROUT MATERIALS: 1. Neat cement 2. Cement Grout Grout Intervals: From 4 ft. to 24 ft., From	3. Bentonite	, ben	tonite hole plug
What is the nearest source of possible contamination:	ft. to	ft., From	ft. to ft.
1. Septic tank 4. Lateral lines 7. Pit privy	10. Livestock pens	13. Insecticide storage	15. Oil well/Gas well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)			
Watertight sewer line 6. Seepage pit 9. Feed yard  Direction from well? West	12. Fertilizer storage	How many feet? 20	ft nlue
From To LITHOLOGIC LOG	From To		OGIC LOG
0 4 topsoil			
4 15 clay			
15   80   shale			
100 7.5 Innestone			
	<del>                                     </del>		
7			
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and			
was completed on (mo/day/year) 4-3-2007 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 4-9-2007			
under the business name of Harp Well and Pump Service by (signature)  Todd S. Harp			