			WATERV	VELL RI	ECORL	<i>y</i> F0	rm vvvv		A 82a-1212				
11	N OF WATER	R WELL:	FRACTION 1/1	. NE	1/4	SE.	- 1	ION NUMBER	1		RANGE		
Sedgy		nearast town or site	NW 1/4		1/4	SE	1/4	2	Т 27	S	R	2E	E/W
Distance and direction from nearest town or city street address of well if located within city? 2323 N. Rosemont Circle Wichita, Kansas													
	R WELL O		CONSTRU										
	ADDRESS,		3 E. 21st St.							Board of Agri	iculture, Division o	f Water	Resource
			ita, Kansas				ZIF	CODE:		Application Nun	nber:		
	WELL'S LO	CATION 4	DEPTH OF COM	IPLETED V	WELL:	95	ft.		ELEVATION:				
WITH A	N "X" IN SEC N	Dep	oth of groundwat	er Encount	ered:		ft.			ft.			ft.
	:	WE	ELL'S STATIC W	ATER LEV	ÆL .	35	FT. BELO	W LAND SU	RFACE MEASU	RED ON mo/o	day/yr: 7/	13/0′	7
	NW-	NE		ump test d		Nell wate			ft. after		of pumping @		gpm
Wile w			Est. Yield: ore Hole Diamet	gpm 1	2 in.	Well wate	rwas to 9	5 4	ft. after and		s of pumping @		gpm
~ w	X		ore Hole Diamet ELL WATER TO	_			10 9	5 ft.	and	in.	to na 11. Ir	iectio	ft. n well
	sw)		3. Feedlot		blic wate	er supply (7. Lawn a	nd garden only	> Dewateri	ng 12. Other	-	
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well													
Was a chemical/bacteriological sample submitted to Department? YES NO If yes, what mo/day/yr was sample submitted Was Water Well Disinfected? YES NO													
5 TYI	PE OF CAS	ING USED:		,			9.04	her (Specify		ING JOINTS:	=		readed
	. Steel	3. RPM (SR	5. Wroug	nt Iron		erglass	CDI		DOION) CAS		Welded		amped
\bigcirc 2	. PVC	4. ABS	6. Asbest	os-Cement	8. Cor	ncrete tile	SDF	C-20				3.	
Blank cas	ing diamete	r 5	in. to	45 ft	t., C	Dia.	in.	to	ft., I	Dia.	in. to		ft.
Casing he	eight above	land surface:	12 in.,		Weig	ght: 2	2.35 lb	s. / ft.	Wall thi	ckness or gau	ge No2	14	
TYPE OF SCREEN OR PERFORATION MATERIAL:													
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)													
2. Bras		. Galvanized		THE	O. POINT	(SR)	10. A	buesius-cen	IICIIL IZ. NO	ne useu (open	noie)		
		RATION OPENING		Gauzady	wranned		7 To	ch cut	9 Drille	ed holes	11. None	(one	n hole)
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)												noie)	
	ered shutte		unched 6	. Wire wra					10. Othe	er (specify)			
SCREEN -	PERFORA	TION INTERVAL	From	45	ft.	to	95	ft.,	From	ft.	to		ft.
			From	•	ft.	to		ft.,	From	ft.	to		ft.
G	RAVEL PAG	CK INTERVALS:	From	24	ft.	to	95	ft.,	From	ft.	to		ft.
			From		ft.	to		ft.,	From	ft.	to		ft.
띨	JT MATERI	1. 14041			ment Gro	ut	3	. Bentonite		Other bent	tonite hole	plug	
	Intervals:	From 4		24	ft.,	From	ft.	to	ft.,	From	ft.	to	ft.
What is the		ource of possible co 4. Lateral		7. Pit priv	у	10	. Livestoc	k pens	13. Insecti	cide storage	15. Oil we	II/Gas	well
2. Sewe		5. Cess P		8. Sewage	e lagoon	11	1. Fuel stor	age	14. Aband	on water well	16. Other	(speci	ify below)
				9. Feed ya	ard	12	2. Fertilizer	storage					
Direction from well? West								How many feet? 50 ft. plus					
From	То		LITHOLOG	IC LOG	i		From	То		LITHOLO	OGIC LOG		
0	3	topsoil											
12	12 35	clay brown shale											
35	95	grey shale											
<u> </u>													
—													
7 Con	tractor's or	Landowner's Certific	cation: This wat	er well was	1. Cons	structed) 2. re	constructed	d or 3.	plugged	under my juris	diction	and
		(mo/day/year)	7-13-200					best of my	knowledge and I	belief.			
	•	Contractor's Licens	se No. 236						d on (mo/day/yea		6/2007		
		name of Harp		umn Sar				gnature)			Har	<i>7</i> -	

--- VARAIO E - LOA 00-- 4040