WATER WELL RECORD Form WWC-5 Division of Water Resources; App. No.									
1 LOC	ATION OF	WATER WELL:	Fraction	Se to	2100V 1/,	Section Number	Township Number	Range Number	
Distance	and direction	on from nearest town	or city street	address of w	vell if	Global Positioni	T 27s S ng System (decimal deg	rees min of 4 digits	
located v	vithin city?	*** ** * * * * * * * * * * * * * * * * *	. 0,			Latitude:			
2212 N Williams						Longitude:			
2 WATER WELL OWNER: Sprouls Const						Elevation:			
RR#, St. Address, Box # : 3500 N rock Rd						Datum:			
City, State, ZIP Code : Wichita, Ks 67235						Data Collection Method:			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 90 ft.									
1	ATON								
	H AN "X"	IN Depth(s) Grou	ndwater Encou	ıntered l		ft. 2	ft. 3 face measured on mo/d	ft.	
	TION BOX	: WELL'S STA	TIC WATER	LEVEL	35	ft. below land sur	face measured on mo/d	ay/yr	
X	N	Pum	p test data: w	vell water w	as	ft. after	hours pumpi	ng gpm	
Pump test data: Well water was ft. after hours pumping gpn Est. Yield 22 gpm: Well water was ft. after hours pumping gpn									
-N	ν	- │ WELL WATE	R TO BE USE	ED AS: 5 Pi	ublic v	vater supply 8 A	Air conditioning 11 Ir	iection well	
w i	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
VV	2 Irrigation 4 Industrial Domestic (lawn & garden) 10 Monitoring well								
l l-si	-sw-se-								
	x	Was a chemica	l/bacteriologic	cal sample si	ubmitte	ed to Department	Yes No v	If yes molday/yrs	
Was a chemical/bacteriological sample submitted to Department? Yes No x; If yes, mo/day/yrs Sample was submitted Water Well Disinfected? Yes x No									
S Sample was submitted Water Well Disinfected? Yes x No 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued x Clamped									
1 04	or CASI	NG USED: 5	wrought from	8	Concr	ete tile CA	SING JOINTS: Glued	x Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 5 in. to 30 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 12 in., Weight 2.40 lbs./ft. Wall thickness or gauge No. 160psi TYPE OF SCREEN OR PERFORATION MATERIAL:									
Blank cas	sing diamete	er 5 in. to	30 ft.,	Dia		in. to fi	t., Dia in.	to ft.	
Casing height above land surface 12 in., Weight 2.40 lbs./ft. Wall thickness or gauge No. 160nsi									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
100 CELL OK 1 EKI OKA 101 OI ENINGS AKE.									
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (crossife)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 30 ft. to 90 ft. From ft. to ft.									
	. 2 0.10	TED INTERVIEDS	From		t. to	70 R. F	10III II. K) π.	
GF	AVEL DA	CK INTEDWALE.	Enom	l	ı. 10 	п. г	rom ft. to) It.	
G.	CAVELIA	CK INTERVALS.	F10III		ι. ιο	90π. F	rom ft. to	ft.	
			From	T	t. to	ft. F	rom ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 3 ft. to 35 ft. From ft. to ft. From ft. to ft.									
What is th	ne nearest so	ource of possible cor	ntamination:	*****					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)									
Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well									
Direction from well? How many feet?									
FROM	TO		OGIC LOG		FROM		PLUGGING INTE	DVALC	
0	1	To soil	JOGIC EGG		1 ICOIV	1 10	I LUGGING INTE	KVALS	
1	20	Clay							
20	45	Limestone							
45	65	Shale			~~.				
65	90	Gypsum rock							
							· · · · · · · · · · · · · · · · · · ·		
7 CONTRACTORS OF LANDOWNERS CERTIFICATION									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-31-07 and this record is true to the best of my knowledge and belief									
Kancae Wa	urisuiction ar ter Walt Ca-	id was completed on (r tractor's License No.			W	and this record i	s true to the best of my kn	owledge and belief.	
		of Weninger Dril	740				on (mo/day/year) 9-	15-07	
					(signa			<u> </u>	
IINSTRUCT Geology Sec	TUNS: Please tion, 1000 SW	HILL IN blanks or circle the	correct answers.	Send top three	copies	to Kansas Department	of Health and Environment,	Bureau of Water,	
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.									