•			WATEF	R WELL R	ECORD	For	m WW	/C-5 K	SA 82a-12	12		
111	ON OF WATE	R WELL:	FRACTION					ION NUMBER	1	IP NUMBER	RANGE NUI	
Sedgr Distance and		m nearest town or	NW r city street address	1/4 SW	1/4 SI	E 1/	4	1	T 2	27 s	R 2E	E/W
1/4 mile West of 159th St. E. and 1/2 mile North of 21st St. North Wichita, Kansas												
2 WATER WELL OWNER: RITCHIE DEVELOPMENT BOARD OF A STANDARD STAND												
RR#,ST. ADDRESS,BOX #: 8100 E. 21st N. Buliding 1000 CITY, STATE: Wichita, Kansas ZIP CODE: Application Number:												nor resource
3 LOCAT	E WELL'S LC		4 DEPTH OF C		WELL:	128	ft.	- CODE:	ELEVATION:	Application Nu	mber.	
WITH	AN "X" IN SEC	CTION BOX:	Depth of ground				ft.			ft.		ft.
	1 1		WELL'S STATION			FT	r. BELOV	W LAND SU	RFACE MEAS	URED ON mo/	/day/yr: 12/4/	07
	N	NE		Pump test d		water w			ft. after	hour	rs of pumping @	gpm
Wile w		·	Est. Yield: Bore Hole Diar	gpm motor 1	n Well $f l2$ in.	l water v	was to 1 1	28 ft.	ft. after		rs of pumping @	gpm
- "	:	·	WELL WATER		••••		το 1.	26 π.	and	in. 9. Dewater	to ting 11. Inject	ft. tion well
l l	sw 🔀	SE	1. Domestic	3. Feedlot					nd garden onl		12. Other (Spe	
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample											as sample	
	S		submitted	bacteriological s	ampie submitteo	то Бера	rtment?	YES Was W	NO Vater Well Disir		YES N	
		SING USED:	5. Wr	ought Iron	7. Fibergla	ass	9. Ot	her (Specify	below) CA	SING JOINTS:	Glued	Threaded
	1. Steel 2. PVC	3. RPM > 4. ABS		estos-Cement	t 8. Concre	te tile	SDF	R-26			Welded	Clamped
	sing diamete		in. to	- 48 ff	t., Dia.		in.	to	ft.,	Dia.	in. to	ft.
Casing h	eight above	land surface:	12 i	n.,	Weight:	2.3	35 lb	os. / ft.	Wall t	hickness or gau	uge No214	
TYPE OF SCREEN OR PERFORATION MATERIAL:												
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)												
2. Bras		I. Galvanized		ete ille	8. RMP (SI	K)	10. As	sbestos-Cem	nent 12. N	one usea (oper	1 noie)	
1		DRATION OPEN		5 Gauzed v	wrapped		7 Tor	rch cut	9. Dri	lled holes	11. None (or	en hole)
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) N/A												,
		ATION INTERVA	• •	48	ft.	to	128	ft.,	From			
JOHLEH	TI LIKI OKA	(IIOIVIIVIERV)	From	40	ft.	to	120	ft.,	From	ft. ft.	to to	ft. ft.
G	RAVEL PA	CK INTERVALS		24	ft.	to	128	ft.,	From	ft.	to	ft.
			From		ft.	to		ft.,	From	ft.	to	ft.
6 GRO	UT MATERI	ALS: 1. N	eat cement	2. Ce	ment Grout		3	Bentonite			tonite hole plu	
Grout	Intervals:	From	4 ft.	to 24	ft., Fror	m	ft.	to	ft.,		0 ft. to 3	
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens								k pens	13. Insec	ticide storage	15. Oil well/Ga	as well
2. Sewe			ss Pool	8. Sewage	-	11. F	Fuel stor	age		don water well	16. Other (spe	cify below)
	rtight sewe		epage pit	9. Feed ya	ard	12. F	Fertilizer	storage				
Direction from well? South									How many feet? 10 ft. plus			
From 0	1 To	topsoil	LITHOLC	OGIC LOG	<u> </u>		From	То		LITHOLO	OGIC LOG	
4	20	clay										
20	128	shale										
						\dashv					,	
	<u> </u>											·
	-	 				_						
											4	
	<u> </u>					-						
						$oldsymbol{\bot}$						
7 Conf	tractor's or L	_andowner's Ce	ertification: This v		1. construc	ted	2. rec	constructed	I or 3.	plugged	under my jurisdiction	on and
was completed on (mo/day/year) 12/04/2007 and this record is true to the best of my knowledge and belief.												
Kansas	Water Well	Contractor's Li	icense No. 236		This water	r well re	cord was	s completed	on (mo/day/yea	ar) 12/7	7/2007	
under th	ne business	name of Har	rp Well and	Pump Ser	vice		by (sig	gnature)	T	odd S	S. Harp	