WATER WELL RECORD F	orm WWC-5	KSA 82a-12	12		
1 LOCATION OF WATER WELL: FRACTION	SECTION N		IP NUMBER	RANGE N	
Sedgwick SW NW 1/4 SW 1/4 SE	1/4 2	T 2	7 s	R 2	E EW
Distance and direction from nearest town or city street address of well if located within city?					
13607 E. Boxthorn Wichita, Kansas 2 WATER WELL OWNER: NOLD, Sarah				····	
RR#,ST. ADDRESS,BOX #: 13607 E. Boxthorn			Board of Agric	ulture, Division of I	Water Resource
CITY, STATE: Wichita, Kansas	ZIP COL	DE:	Application Numl	ber:	
3 LOCATE WELL'S LOCATION 4 DEPTH OF POMERED WELL: 10		ELEVATION:			
MTH AN "X" IN SECTION BOX: Depth of groundwater Encountered:	ft.		ft.		ft.
WELL'S STATIC WATER LEVEL 40		ND SURFACE MEAS		av/vr: 4/2	4/08
Pump test data: Well wat		ft, after		of pumping @	gpn
	ter was	ft. after		of pumping @	gpm
Est. Yield: gpm Well war	to	ft. and	in.	to	ft.
WELL WATER WE USED AS:			9. Dewaterin	g 11. Inje	ection well
		awn and garden onl	مريا 10. Monitorin		Specify below
2. Irrigation 4. Industrial 6. Oil field w Was a chemical/bacteriological sample submitted to D	ater supply 8. A Department? YE			h <u>at</u> mo/day/yr	was sample
submitted		Was Water Well Disin	fected?	YES	NO
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass	9. Other (S	pecify below) CA	SING JOINTS:	Glued	Threaded
1. Steel 3. RPM (SR)	la.			Welded	Clamped
4.7.50		_			
Blank casing diameter 5 in. to ft., Dia.	in. to	o ft.,	Dia. ir	n. to	ft.
Casing height the land surface: 40 in., Weight:	lbs. / ft.	Wall th	nickness or gauge	∍ No.	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC	9. ABS	11 O	ther (specify) N	/ A	
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR)	10. Asbesto		one used (open h		
SCREEN OR PERFORATION OPENINGS ARE:	10.765050	3-00mcm 12.14	ono dood (open n	0.0)	
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. Torch cu	t 9 Dril	led holes	11. None (open hole)
	8. Saw cut	-	er (specify) N/	•	- F
, and a second s	o. Saw Cut	10. Oth	er (specify) 147	n.	
SCREEN - PERFORATION INTERVAL From ft. to	ft.,	From	ft.	to	ft.
From ft. to	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS: From ft. to	ft.,	From	ft.	to	ft.
From ft. to	ft.,	From	ft.	to	ft.
GROUT MATERIALS: 1. Neat cement 2. Cement Grout	3. Bent	tonite	Other bento	nite hole pl	U
Grout Intervals: From ft. to ft., From	ft.	to ft.,	From 4	ft. to	30 ft.
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy	0. Livestock pens	13. Insect	icide storage	15. Oil weil/	Gas well
· ·	1. Fuel storage	14. Aband	ion water well	16. Other (s	pecify below)
	2. Fertilizer stora	ge			
Direction from well?		How m	any feet?		
From To LITHOLOGIC LOG	From T	0	LITHOLO	GIC LOG	
	0 4				
	4 30	****			
	30 10	0 chlorinated	gravei		
					
	ļ				
	 				
7 2 4 4 4 4 4 4 4 7 7 7 7 7 7 7 7 7 7 7					
Contractor's or Landowner's Certification: This water well was 1. constructed				nder my jurisdic	tion and
was completed on (mo/day/year) 4/24/2008 and this record in	is true to the best o	of my knowledge and	belief.		
Kansas Water Well Contractor's License No. 236 This water we	ell record was comp	pleted on (mo/day/yea	ar) 4/28/	2008	
under the business name of Harp Well and Pump Service	by (signature	*) T	odd S.	Hart)