WATE	R WELL	RECORD	Form WWC-	5 D	ivision of Water	r Resourc	es; App. No.				
1 LOCA	ATION OF	WATER WELL:	Fraction		Section Num	nber   T	ownship Numb	er Rang	ge Number		
County:	and directic	edgwick	ne 4 ne 4	se 4	Clobal Pagiti	ioning S	T 278 S	R dograda mi	2e E/W		
County: Sedgwick ne % ne % se % 3 T 27s S R 2e E/W Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits) located within city?  Latitude:											
12714 Box Thorn Longitude:											
	2 WATER WELL OWNER: Carlos Samper						Elevation:				
RR#, St. Address, Box # : 12714 Box Thorn City, State, ZIP Code : Wichita, ks 67235					Datum: Data Collection Method:						
			F COMPLETED WEI			non Men	ft.				
LOCA		DEI III OI	COMILETED WE	<u> </u>							
	I AN "X" I	N Depth(s) Group	ndwater Encountered 1		f	ft. 2	ft.	3	ft.		
1	TON BOX		ΓIC WATER LEVEL	32	ft. below land	surface	measured on m	o/day/yr			
	N	Pump	test data: Well water	r was	ft. af	fter	hours pur	nping	gpm		
		Est. Yield 20	gpm: Well water	r was	ft. af	fter	hours pur	nping	gpm		
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									ı well		
W   E   1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well											
"	x	2 Irrigation 4	Industrial (7) Domestic	c (lawn &	garden) 10	Monitor	ring well				
Was a chemical/bacteriological sample submitted to Department? Yes No x; If yes, mo/day/yrs  Sample was submitted Water Well Disinfected? Yes x No											
s Sample was submitted Water Well Disinfected? Yes x No 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued x Clamped											
5 TYPE	OF CASI	NG USED: 5	Wrought Iron	8 Conci	rete tile	CASINO	G JOINTS: Glu	ed x C	lamped		
1 Ste	eel	3 RMP (SR) 6	Asbestos-Cement	9 Other	(specify below	w)	We	lded			
Distribution	/C	4 ABS /	Fiberglass Dia				1 hr	eaded	Ω		
PVC 4 ABS 7 Fiberglass Threaded  Blank casing diameter 5 in. to 43 ft., Dia in. to ft., Dia in. to ft.  Casing height above land surface 12 in., Weight 2.40 lbs./ft. Wall thickness or gauge No. 160 psi											
Casing height above land surface 12 in., Weight 2.40 lbs./ft. Wall thickness or gauge No. 160 psi TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass PVC 9 ABS 11 Other (specify)  2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:  1. Continuous glot 2. Mill slot 5. Guerra surranged 7. Torob sut 9. Drilled helps 11. None (open help)											
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 43 ft. to 93 ft. From ft. to ft.  From ft. to ft. From ft. to ft.  GRAVEL PACK INTERVALS: From 32 ft. to 93 ft. From ft. to ft.  From ft. to ft. From ft. to ft.											
SCREEN-PERFORATED INTERVALS: From 43 ft. to 93 ft. From ft. to ft.											
			From	ft. to	f	ft. From	f	t. to	ft.		
GRAVEL PACK INTERVALS: From 32 ft. to 93 ft. From ft. to								ft.			
From ft. to ft. From ft. to ft.											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 3 ft. to 32 ft. From ft. to ft. From ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify											
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below) (3) Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well											
	from well?				izer storage 13 iy feet? <b>50ft</b>	J OH WE	III gas Well				
				<b>,</b>			DI LICCINO D	TTTTTTT	C		
FROM	TO 1	Top soil	LOGIC LOG	FROM	M TO		PLUGGING IN	IEKVAL	vo .		
1	17	Clay		+							
17	34	Lime stone									
34	65	Soft shale									
65	75	Shale									
75 84	84 88	Gypsum rock Shale		<del>-  </del> -							
88	93	Gypsum rock		+			<del>,</del>				
- 55		-JP	<u> </u>								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-4-08 and this record is true to the best of my knowledge and belief.											
		nd was completed on () ntractor's License No.		ater Wali I			ie to the best of m i (mo/day/year)		ge and benen.		
		e of <b>Weninger Dri</b> l		by (sign	1 1		(Morday/year)_	0-10-00			
INSTRUCT	IONS: Please	fill in blanks or circle th	e correct answers. Send ton	three conies	to Kansas Depart	tment of H	ealth and Environn	nent, Bureau	of Water.		
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansay Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for											
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											